R3850-1.4(1)A

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP LENGTH OF STAY BY OPERATION



UNITED STATES

NORTH CENTRAL REGION

1981



Length of Stay
by Operation,
North Central Region, 1981

A Companion Volume To
Length of Stay
by Diagnosis,
North Central Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients. 16
    Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

Hospital Class (1)	Short-Term Nonfederal Hospitals: U.S. Total[2] (2)	Short-Term Nonfederal Hospitals: Number in Books (3)	Short-Term Nonfederal Hospitals: Percent in Books (4)	Beds: U.S. Total[2] (5)	Beds: Number in Books (6)	Beds: Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland *or* duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

501 Hospitals, North Central Region, 1981, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208044	3.5	18	1	1	3	4	6	8	21
20-34	405736	4.0	13	1	1	3	5	7	9	18
35-49	152536	5.4	26	1	1	4	7	11	14	25
50-64	140714	6.4	36	1	2	5	8	13	17	29
65+	124811	7.6	53	2	2	5	10	16	21	35
2. MULTIPLE DX										
0-19 YRS	148347	5.5	55	1	1	3	6	10	16	43
20-34	321065	6.1	41	1	2	5	7	11	16	35
35-49	243943	7.9	57	2	2	6	10	15	21	40
50-64	337939	9.7	83	2	2	7	12	19	26	49
65+	486076	12.1	109	2	3	9	15	24	32	55
TOT. SINGLE DX	1031841	4.9	26	1	1	3	6	10	14	26
" MULTIPLE DX	1537370	9.0	82	2	2	6	11	19	26	48
TOTAL 0-19 YRS	356391	4.3	34	1	1	3	5	8	11	32
20-34	726801	4.9	27	1	2	4	6	9	12	27
35-49	396479	6.9	46	1	2	5	9	14	19	35
50-64	478653	8.7	71	2	2	6	11	18	24	44
65+	610887	11.2	101	2	3	8	14	23	30	52
GRAND TOTAL	**2569211**	**7.3**	**64**	**1**	**2**	**5**	**9**	**16**	**22**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	12.7	121	2	2	10	17	25	32	60
20-34	151	13.0	82	3	4	11	16	21	29	68
35-49	166	15.5	148	4	5	12	18	28	32	72
50-64	254	17.6	163	6	7	14	21	31	44	73
65+	179	21.1	206	6	8	17	25	41	49	79
2. MULTIPLE DX										
0-19 YRS	149	20.1	300	3	5	15	28	42	71	99+
20-34	152	25.0	357	6	8	20	35	62	97	99+
35-49	217	24.2	305	7	9	19	30	47	74	99+
50-64	501	27.1	327	9	11	22	35	59	74	99+
65+	460	31.2	378	8	10	27	44	57	76	99+
TOT. SINGLE DX	864	16.5	158	3	5	14	20	31	41	73
" MULTIPLE DX	1479	27.0	352	7	9	22	36	57	76	99+
TOTAL 0-19 YRS	263	16.9	236	2	3	13	23	35	50	99
20-34	303	19.0	256	3	6	15	23	48	65	99+
35-49	383	20.4	256	4	7	16	26	39	61	96
50-64	755	23.9	292	7	9	18	30	52	67	99+
65+	639	28.4	351	8	9	23	39	55	73	99+
GRAND TOTAL	2343	23.1	306	5	7	18	30	50	66	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	11.8	117	3	4	8	13	24	31	62
20-34	78	13.3	78	4	5	11	17	25	37	84
35-49	80	16.1	151	5	7	12	18	29	42	72
50-64	121	15.0	88	5	6	13	18	28	35	74
65+	113	22.0	286	7	8	16	29	47	66	99+
2. MULTIPLE DX										
0-19 YRS	98	22.4	346	4	5	16	34	52	67	99+
20-34	128	24.3	373	5	7	19	33	65	81	99+
35-49	122	26.8	437	7	9	20	36	77	89	99+
50-64	211	27.9	383	7	9	23	38	62	83	99+
65+	275	30.6	409	8	10	26	41	66	83	99+
TOT. SINGLE DX	478	16.0	162	4	6	12	19	32	44	90
" MULTIPLE DX	834	27.4	400	6	8	22	37	64	83	99+
TOTAL 0-19 YRS	184	17.4	266	4	4	11	24	41	56	99
20-34	206	20.1	289	5	6	16	25	48	68	99+
35-49	202	22.6	351	6	8	16	29	52	80	99+
50-64	332	23.2	315	6	7	18	30	53	67	99+
65+	388	28.1	388	7	9	23	38	63	79	99+
GRAND TOTAL	1312	23.3	343	5	7	18	32	54	75	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	6.6	61	2	3	5	8	11	12	17
20-34	74	6.5	10	2	3	6	8	10	12	17
35-49	42	8.6	18	2	3	8	12	14	17	19
50-64	25	7.1	10	2	3	6	10	11	13	14
65+	7	10.9	34	4	4	9	15	19	20	20
2. MULTIPLE DX										
0-19 YRS	111	12.1	179	2	3	8	12	30	41	88
20-34	100	14.7	191	3	5	11	17	34	61	99+
35-49	54	11.5	124	3	4	9	14	24	64	99+
50-64	42	16.7	284	4	4	10	22	41	53	79
65+	13	30.3	747	5	6	25	49	70	91	96
TOT. SINGLE DX	316	7.0	40	2	3	6	9	12	14	19
" MULTIPLE DX	320	14.1	221	3	4	9	16	33	56	99+
TOTAL 0-19 YRS	279	8.8	115	2	3	6	9	14	29	79
20-34	174	11.2	130	3	3	8	13	25	43	99+
35-49	96	10.2	79	3	4	9	12	19	24	99+
50-64	67	13.1	203	3	4	9	13	32	42	77
65+	20	23.5	574	4	5	14	26	58	79	96
GRAND TOTAL	636	10.6	144	2	3	7	11	21	34	99

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	9.1	26	4	4	8	11	16	21	27
20-34	32	16.5	220	4	7	11	16	38	60	65
35-49	19	16.6	224	6	7	11	19	30	53	71
50-64	26	13.5	40	5	6	11	17	21	27	29
65+	36	21.7	142	7	8	20	28	37	49	52
2. MULTIPLE DX										
0-19 YRS	130	20.1	305	6	7	15	26	55	90	99+
20-34	40	22.9	295	6	6	17	32	47	73	99+
35-49	38	29.2	447	7	9	23	35	69	84	99+
50-64	64	33.1	531	8	10	27	48	75	96	99+
65+	164	32.1	296	8	10	30	43	57	65	76
TOT. SINGLE DX	185	14.2	125	4	5	11	17	27	36	64
" MULTIPLE DX	436	27.5	374	7	8	24	38	59	75	99+
TOTAL 0-19 YRS	202	16.2	233	4	5	11	20	41	74	99+
20-34	72	20.0	269	6	6	15	26	46	65	96
35-49	57	25.0	403	6	8	19	29	62	74	99
50-64	90	27.4	467	7	8	21	36	67	84	99+
65+	200	30.2	284	8	10	27	40	55	62	75
GRAND TOTAL	621	23.6	337	6	7	18	32	53	71	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	8.3	65	2	3	6	9	15	20	50
20-34	46	10.2	85	2	2	7	14	28	34	99+
35-49	23	10.7	73	2	3	9	15	23	31	32
50-64	30	13.4	74	4	5	11	17	22	26	47
65+	28	15.8	127	3	4	14	23	29	36	50
2. MULTIPLE DX										
0-19 YRS	290	15.7	316	2	3	9	19	40	60	99
20-34	117	20.3	428	3	5	11	27	58	73	99+
35-49	63	21.2	279	4	6	15	29	56	62	99+
50-64	60	23.1	441	2	5	20	31	82	99+	99+
65+	77	22.8	215	3	7	19	33	44	57	90
TOT. SINGLE DX	280	10.1	82	2	3	7	13	21	30	50
" MULTIPLE DX	607	18.8	341	3	4	12	26	52	69	99+
TOTAL 0-19 YRS	443	13.1	242	2	3	7	15	33	52	93
20-34	163	17.4	351	2	4	10	19	50	71	99+
35-49	86	18.4	245	3	4	13	26	50	60	99+
50-64	90	19.9	338	2	5	16	27	63	97	99+
65+	105	20.9	200	3	5	18	28	41	53	80
GRAND TOTAL	887	16.0	275	2	3	10	20	41	60	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	9.9	17	4	5	9	12	16	18	20
20-34	302	11.0	38	4	5	9	13	20	24	33
35-49	600	12.1	45	5	6	10	15	20	25	36
50-64	546	13.0	68	5	6	11	15	23	27	41
65+	244	15.3	62	6	7	13	18	25	30	43
2. MULTIPLE DX										
0-19 YRS	28	18.1	270	3	7	14	21	65	99+	99+
20-34	225	18.6	261	6	7	13	21	38	61	93
35-49	508	16.3	134	6	7	13	19	30	40	86
50-64	885	18.5	171	7	8	15	23	33	51	82
65+	642	23.7	249	8	9	20	30	43	58	89
TOT. SINGLE DX	1710	12.6	55	5	6	11	15	22	27	38
" MULTIPLE DX	2288	19.5	203	7	8	15	24	38	53	90
TOTAL 0-19 YRS	46	14.9	185	4	6	12	18	33	89	99+
20-34	527	14.3	148	5	6	11	17	26	36	89
35-49	1108	14.0	91	5	6	11	17	25	32	58
50-64	1431	16.4	139	6	7	13	20	29	40	76
65+	886	21.4	212	7	8	17	27	39	54	86
GRAND TOTAL	3998	16.6	151	6	7	13	20	31	41	78

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	9.8	99	1	1	6	14	24	34	39
20-34	198	8.6	73	1	2	6	12	20	27	42
35-49	241	8.0	57	2	2	5	11	16	19	32
50-64	128	11.5	113	2	2	9	15	28	33	48
65+	35	12.9	146	2	2	10	15	29	42	52
2. MULTIPLE DX										
0-19 YRS	93	20.4	303	2	3	16	28	44	54	86
20-34	284	11.0	208	2	2	6	13	28	50	99+
35-49	341	10.5	127	2	2	8	13	24	32	64
50-64	307	15.0	200	2	3	11	20	33	42	77
65+	143	24.0	291	2	4	20	34	45	59	74
TOT. SINGLE DX	630	9.2	83	2	2	6	13	20	27	44
" MULTIPLE DX	1168	14.3	221	2	2	10	18	34	47	90
TOTAL 0-19 YRS	121	18.0	275	2	3	14	25	38	53	80
20-34	482	10.0	154	2	2	6	13	22	36	98
35-49	582	9.5	100	2	2	7	12	19	27	60
50-64	435	14.0	177	2	2	10	19	30	39	65
65+	178	21.8	281	2	3	17	32	44	55	71
GRAND TOTAL	1798	12.5	178	2	2	9	16	30	40	72

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.0	4	1	1	2	3	5	9	12
20-34	480	3.6	15	1	2	3	4	6	9	21
35-49	540	3.6	14	1	2	3	4	6	9	17
50-64	681	3.5	8	1	2	3	4	6	9	17
65+	257	4.4	13	1	2	3	5	9	11	18
2. MULTIPLE DX										
0-19 YRS	41	4.2	14	1	1	3	5	9	11	20
20-34	271	5.9	72	1	2	3	6	12	22	40
35-49	357	5.4	24	2	2	4	6	12	17	25
50-64	492	6.3	42	2	2	4	7	13	20	34
65+	220	7.6	57	2	2	5	10	15	23	40
TOT. SINGLE DX	2030	3.6	12	1	2	3	4	6	9	18
" MULTIPLE DX	1381	6.2	46	2	2	4	7	13	20	35
TOTAL 0-19 YRS	113	3.4	8	1	1	3	4	8	10	15
20-34	751	4.4	37	1	2	3	4	8	13	34
35-49	897	4.3	19	1	2	3	4	8	13	22
50-64	1173	4.7	25	1	2	3	5	9	14	28
65+	477	5.9	37	2	2	4	6	12	18	32
GRAND TOTAL	3411	4.7	27	1	2	3	5	9	14	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	2.7	3	1	1	2	3	4	6	11
20-34	2001	2.5	3	1	1	2	3	4	5	10
35-49	2604	2.6	4	1	1	2	3	4	5	10
50-64	2536	2.8	4	1	1	2	3	4	6	11
65+	1094	3.0	6	1	1	2	3	5	7	16
2. MULTIPLE DX										
0-19 YRS	255	2.9	12	1	1	2	3	5	7	21
20-34	917	4.2	25	1	1	3	5	8	13	29
35-49	1254	5.1	35	1	2	3	5	11	15	32
50-64	1757	5.2	34	1	2	3	6	12	17	30
65+	1192	6.3	50	1	2	4	7	14	20	36
TOT. SINGLE DX	8472	2.7	4	1	1	2	3	4	6	11
" MULTIPLE DX	5375	5.1	36	1	1	3	6	11	16	31
TOTAL 0-19 YRS	492	2.8	8	1	1	2	3	5	6	12
20-34	2918	3.0	11	1	1	2	3	5	8	19
35-49	3858	3.4	16	1	1	2	3	6	10	20
50-64	4293	3.8	18	1	1	2	4	7	11	22
65+	2286	4.7	32	1	2	3	5	10	15	30
GRAND TOTAL	13847	3.6	18	1	1	2	4	7	11	22

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	5.1	12	2	2	4	8	11	11	11
20-34	67	8.3	45	3	3	7	9	14	24	38
35-49	64	6.4	15	2	2	6	8	12	15	18
50-64	51	11.6	67	2	3	9	15	25	29	36
65+	48	11.9	39	4	6	10	15	22	24	29
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	57	10.1	125	3	4	7	8	19	29	64
35-49	75	14.4	178	3	4	10	18	30	35	72
50-64	158	16.6	137	4	5	14	21	27	44	59
65+	287	20.1	161	7	9	16	25	36	48	65
TOT. SINGLE DX	244	9.0	44	2	3	7	11	17	24	34
" MULTIPLE DX	578	17.4	163	5	6	14	22	33	46	65
TOTAL 0-19 YRS	15	5.3	11	2	2	4	8	11	11	11
20-34	124	9.1	82	3	3	7	9	16	25	59
35-49	139	10.7	119	2	3	7	13	22	31	70
50-64	209	15.4	124	3	5	13	20	27	36	59
65+	335	18.9	153	7	8	15	24	35	45	64
GRAND TOTAL	822	14.9	142	3	4	12	19	28	39	64

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.2	5	<1	<1	3	5	6	7	7
20-34	55	6.7	52	<1	<1	4	10	14	19	42
35-49	69	9.8	85	2	3	7	11	19	25	57
50-64	45	7.9	38	1	2	7	10	17	22	29
65+	29	6.9	34	<1	1	5	9	14	18	27
2. MULTIPLE DX										
0-19 YRS	14	3.9	19	<1	1	2	4	11	14	15
20-34	62	10.0	64	2	2	7	13	22	28	36
35-49	89	9.8	52	2	3	8	13	21	24	36
50-64	98	12.3	100	3	4	10	15	26	30	55
65+	62	14.8	180	3	4	10	18	29	43	68
TOT. SINGLE DX	209	7.8	57	<1	1	6	10	15	22	41
" MULTIPLE DX	325	11.3	97	2	3	9	14	23	29	58
TOTAL 0-19 YRS	25	3.6	13	<1	1	2	5	8	12	15
20-34	117	8.4	61	<1	2	6	12	18	24	38
35-49	158	9.8	66	2	3	8	12	20	25	39
50-64	143	10.9	85	2	3	8	13	23	29	43
65+	91	12.3	147	2	3	8	15	25	34	67
GRAND TOTAL	534	9.9	84	1	2	7	12	21	26	45

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	5.3	22	2	3	4	5	7	10	31
20-34	977	4.8	7	2	3	4	5	7	9	17
35-49	987	4.8	5	3	3	4	5	7	8	14
50-64	811	5.0	4	3	3	4	6	7	8	14
65+	325	5.8	8	3	4	5	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	65	5.3	7	2	3	4	6	10	12	14
20-34	445	5.8	16	3	3	5	6	9	13	22
35-49	594	6.4	19	3	3	5	7	11	14	27
50-64	722	7.8	43	3	4	6	9	14	19	35
65+	465	9.6	45	4	4	7	13	18	23	36
TOT. SINGLE DX	3261	4.9	7	3	3	4	5	7	9	16
" MULTIPLE DX	2291	7.4	33	3	3	5	8	14	18	33
TOTAL 0-19 YRS	226	5.3	18	2	3	4	5	8	11	29
20-34	1422	5.1	10	3	3	4	5	8	10	18
35-49	1581	5.4	11	3	3	5	6	8	12	19
50-64	1533	6.3	25	3	3	5	7	11	15	25
65+	790	8.0	34	3	4	6	9	15	20	33
GRAND TOTAL	5552	5.9	19	3	3	5	6	10	14	23

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	259	2.8	2	1	1	3	3	4	5	11
20-34	196	3.4	3	2	2	3	4	6	7	11
35-49	117	4.2	8	2	2	3	5	8	9	18
50-64	117	5.7	25	2	3	4	6	10	12	34
65+	50	5.7	26	1	2	5	7	10	10	36
2. MULTIPLE DX										
0-19 YRS	40	3.7	7	1	2	3	4	7	11	13
20-34	97	8.6	70	2	2	6	10	18	27	77
35-49	136	8.3	45	3	3	6	10	16	21	63
50-64	252	9.7	73	3	3	7	11	21	27	47
65+	174	14.2	171	3	4	10	18	30	38	66
TOT. SINGLE DX	739	3.8	10	1	2	3	4	7	9	16
" MULTIPLE DX	699	10.1	95	2	3	7	12	21	30	57
TOTAL 0-19 YRS	299	2.9	4	1	1	3	3	5	5	12
20-34	293	5.1	32	2	2	4	6	9	13	40
35-49	253	6.4	32	2	2	5	8	12	17	32
50-64	369	8.4	62	2	3	6	10	17	24	38
65+	224	12.3	151	2	3	8	15	28	36	64
GRAND TOTAL	1438	6.9	61	2	2	4	8	14	22	45

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	11.7	44	3	5	11	16	19	25	31
20-34	68	11.7	33	5	6	10	15	19	24	30
35-49	32	12.7	72	6	7	10	15	22	26	49
50-64	40	14.1	58	6	6	12	18	21	29	42
65+	22	19.1	142	5	8	17	25	30	43	59
2. MULTIPLE DX										
0-19 YRS	13	16.0	69	6	8	15	19	27	35	37
20-34	62	15.3	130	7	7	12	17	29	50	95
35-49	55	17.5	71	7	8	17	23	28	35	45
50-64	89	22.6	236	7	9	19	28	47	50	97
65+	52	21.7	153	9	9	18	26	38	47	64
TOT. SINGLE DX	183	13.3	64	5	6	11	17	23	27	47
" MULTIPLE DX	271	19.4	162	7	8	16	24	38	48	89
TOTAL 0-19 YRS	34	13.3	57	4	6	11	17	23	30	37
20-34	130	13.4	82	5	6	11	15	24	31	67
35-49	87	15.7	76	7	7	13	20	26	34	48
50-64	129	20.0	196	6	8	17	24	41	49	94
65+	74	20.9	150	8	9	18	26	38	47	63
GRAND TOTAL	454	16.9	132	6	7	14	21	31	44	64

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	1.4		<1	<1	1	2	2	2	4
20-34	57	1.8	1	<1	<1	2	2	3	4	6
35-49	67	1.9	1	<1	1	2	2	3	4	6
50-64	103	2.4	3	<1	1	2	2	4	6	10
65+	164	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	50	2.8	4	1	1	2	3	6	7	11
20-34	39	6.3	77	1	1	3	8	15	25	45
35-49	103	5.9	33	1	1	4	8	13	20	27
50-64	161	7.5	54	1	2	5	10	16	25	37
65+	229	6.9	46	1	2	4	9	15	23	32
TOT. SINGLE DX	632	1.9	2	<1	1	2	2	3	4	8
" MULTIPLE DX	582	6.5	46	1	1	4	9	15	22	32
TOTAL 0-19 YRS	291	1.6	1	<1	<1	1	2	3	4	7
20-34	96	3.6	36	<1	1	2	3	8	13	38
35-49	170	4.4	24	<1	1	2	5	10	15	26
50-64	264	5.5	41	1	1	3	7	13	17	32
65+	393	5.1	33	1	1	3	6	13	16	30
GRAND TOTAL	1214	4.1	28	<1	1	2	4	10	15	28

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	325	2.1	2	<1	1	2	2	4	5	9
20-34	154	2.2	4	<1	1	2	2	4	5	15
35-49	256	2.1	1	1	1	2	2	3	4	6
50-64	405	2.2	1	1	1	2	2	3	4	8
65+	545	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	322	3.3	15	<1	1	2	4	7	10	25
20-34	445	4.0	34	<1	1	2	4	8	12	44
35-49	398	3.9	20	1	1	3	4	7	10	28
50-64	591	3.9	28	1	1	3	4	7	11	28
65+	819	5.5	52	1	1	3	6	13	21	38
TOT. SINGLE DX	1685	2.2	2	<1	1	2	2	3	4	8
" MULTIPLE DX	2575	4.4	35	1	1	3	4	9	14	33
TOTAL 0-19 YRS	647	2.7	10	<1	1	2	3	5	8	19
20-34	599	3.6	28	<1	1	2	4	7	11	37
35-49	654	3.2	14	1	1	2	3	5	8	18
50-64	996	3.2	18	1	1	2	3	5	9	20
65+	1364	4.1	35	1	1	2	4	9	15	33
GRAND TOTAL	4260	3.5	23	1	1	2	3	6	10	27

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	1.8		<1	1	2	2	3	3	5
20-34	63	2.5		1	2	2	3	4	5	5
35-49	52	2.4		1	1	2	3	3	4	6
50-64	67	2.5	1	1	1	2	3	4	4	7
65+	98	2.9	2	2	2	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	28	4.2	28	1	1	2	4	8	13	28
20-34	28	2.6	2	1	1	2	3	5	6	8
35-49	29	3.4	10	1	1	2	4	5	13	15
50-64	49	3.3	5	1	2	2	4	7	8	12
65+	123	4.5	16	2	2	3	5	9	15	22
TOT. SINGLE DX	348	2.5	1	1	1	2	3	4	5	7
" MULTIPLE DX	257	3.9	14	1	2	3	4	7	10	21
TOTAL 0-19 YRS	96	2.5	10	<1	1	2	2	4	7	20
20-34	91	2.5	1	1	2	2	3	4	5	7
35-49	81	2.8	4	1	1	2	3	4	5	14
50-64	116	2.8	3	1	2	2	3	5	7	10
65+	221	3.8	11	2	2	3	4	7	10	20
GRAND TOTAL	605	3.1	7	1	1	2	3	5	7	16

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.4	10	1	1	2	2	3	10	16
20-34	16	3.3	12	1	1	2	3	9	12	14
35-49	15	1.8		<1	1	2	2	3	4	4
50-64	13	4.1	15	<1	1	3	5	11	13	13
65+	20	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	19	1.9		1	1	2	3	3	3	3
20-34	18	3.2	4	1	1	3	4	6	8	9
35-49	15	6.7	46	1	1	4	9	21	22	23
50-64	16	2.8	6	1	1	2	2	8	9	9
65+	28	7.1	56	1	2	3	9	20	23	28
TOT. SINGLE DX	104	2.6	9	1	1	2	3	4	10	16
" MULTIPLE DX	96	4.6	30	1	1	3	5	10	20	26
TOTAL 0-19 YRS	59	2.2	7	1	1	2	2	3	3	16
20-34	34	3.2	8	1	1	2	4	6	9	14
35-49	30	4.3	29	1	1	2	4	9	21	23
50-64	29	3.4	10	1	1	2	4	9	11	13
65+	48	5.1	39	1	1	3	5	16	21	28
GRAND TOTAL	200	3.6	20	1	1	2	3	9	14	22

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.0	3	1	1	4	5	6	6	6
20-34	65	4.7	14	2	3	4	5	6	8	30
35-49	64	4.1	2	2	2	4	5	6	7	8
50-64	71	5.2	11	2	2	4	6	7	13	22
65+	179	5.0	8	2	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	8	7.4	25	2	3	6	8	16	19	19
20-34	40	5.7	6	2	3	5	7	8	10	17
35-49	47	6.1	12	3	3	5	7	11	14	18
50-64	101	5.5	9	3	3	5	6	8	11	21
65+	371	6.1	17	3	3	5	6	9	12	22
TOT. SINGLE DX	388	4.8	9	2	2	4	6	7	9	16
" MULTIPLE DX	567	6.0	15	3	3	5	6	9	12	20
TOTAL 0-19 YRS	17	5.6	16	1	2	5	6	8	15	19
20-34	105	5.1	12	2	3	5	6	7	9	24
35-49	111	4.9	8	2	2	5	6	8	11	16
50-64	172	5.4	10	2	3	5	6	8	11	22
65+	550	5.7	15	2	3	5	6	9	11	20
GRAND TOTAL	955	5.5	13	2	3	5	6	8	11	19

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	3.5	5	1	1	3	5	7	9	11
20-34	147	2.7	3	1	1	2	3	6	7	10
35-49	124	2.6	6	1	1	2	3	4	6	12
50-64	110	2.5	4	1	1	2	3	4	6	14
65+	118	2.7	4	1	1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	77	4.3	7	1	1	4	5	8	9	15
20-34	89	5.6	21	2	2	4	7	10	14	29
35-49	63	5.5	26	2	2	4	6	13	15	27
50-64	70	4.7	15	1	2	3	6	9	13	21
65+	120	5.2	27	1	2	3	6	11	17	26
TOT. SINGLE DX	602	2.8	5	1	1	2	3	5	7	11
" MULTIPLE DX	419	5.1	20	1	2	4	6	10	14	25
TOTAL 0-19 YRS	180	3.9	6	1	1	3	5	8	9	11
20-34	236	3.8	12	1	1	3	5	7	10	15
35-49	187	3.6	15	1	1	2	4	7	12	24
50-64	180	3.4	10	1	1	2	4	7	9	18
65+	238	4.0	17	1	1	2	4	9	12	25
GRAND TOTAL	1021	3.7	12	1	1	3	4	7	10	19

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.9	5	<1	1	3	3	5	8	11
20-34	55	3.7	2	2	2	3	4	6	7	8
35-49	85	3.9	3	2	2	4	5	6	7	12
50-64	266	3.6	5	2	2	3	4	6	9	13
65+	544	3.6	7	2	2	3	4	7	8	14
2. MULTIPLE DX										
0-19 YRS	28	3.0	5	1	1	2	4	6	7	11
20-34	29	4.9	6	1	2	4	7	8	10	10
35-49	60	5.9	42	2	2	4	7	11	13	45
50-64	213	5.1	43	2	2	3	6	9	12	20
65+	490	5.3	20	2	2	4	6	10	14	21
TOT. SINGLE DX	973	3.7	6	2	2	3	4	6	8	13
" MULTIPLE DX	820	5.2	27	2	2	4	6	10	13	21
TOTAL 0-19 YRS	51	3.0	5	1	1	3	4	6	7	11
20-34	84	4.1	4	2	2	4	5	7	8	10
35-49	145	4.7	21	2	2	4	5	9	11	16
50-64	479	4.3	23	2	2	3	5	8	11	17
65+	1034	4.4	14	2	2	3	5	8	11	20
GRAND TOTAL	1793	4.4	16	2	2	3	5	8	11	18

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	4.3	10	1	1	4	6	9	10	14
20-34	63	3.6	7	1	1	3	4	7	9	15
35-49	84	3.6	6	1	2	3	5	7	9	13
50-64	258	3.0	4	1	1	2	3	6	7	11
65+	428	3.2	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	56	5.1	13	1	2	4	7	10	13	18
20-34	56	5.9	20	1	2	5	8	12	14	26
35-49	42	5.4	13	2	2	5	6	11	12	19
50-64	160	4.7	14	1	2	3	5	10	14	18
65+	418	5.5	31	1	2	4	7	11	17	26
TOT. SINGLE DX	897	3.3	5	1	1	3	4	6	8	12
" MULTIPLE DX	732	5.3	25	1	2	4	7	11	15	24
TOTAL 0-19 YRS	120	4.7	12	1	1	4	6	10	11	16
20-34	119	4.7	15	1	1	3	6	9	12	20
35-49	126	4.2	10	1	2	3	6	8	11	15
50-64	418	3.7	9	1	1	3	4	7	10	16
65+	846	4.4	19	1	2	3	5	8	12	23
GRAND TOTAL	1629	4.2	15	1	2	3	5	8	11	20

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.2	3	2	2	3	4	5	7	12
20-34	23	2.7	1	1	1	2	3	5	6	6
35-49	602	3.0	1	2	2	3	3	4	5	9
50-64	3928	3.0	1	2	2	3	3	4	5	8
65+	13459	3.2	2	2	2	3	4	5	5	10
2. MULTIPLE DX										
0-19 YRS	25	4.5	6	2	2	4	5	9	10	11
20-34	38	4.5	6	2	2	4	5	9	11	12
35-49	374	4.3	23	2	2	3	4	6	10	27
50-64	2991	4.2	19	2	2	3	4	7	10	21
65+	12207	4.4	15	2	2	3	4	7	11	21
TOT. SINGLE DX	18050	3.2	2	2	2	3	4	4	5	9
" MULTIPLE DX	15635	4.3	17	2	2	3	4	7	11	21
TOTAL 0-19 YRS	63	3.7	5	2	2	3	4	6	10	12
20-34	61	3.8	5	1	2	3	4	7	9	12
35-49	976	3.5	10	2	2	3	4	5	7	13
50-64	6919	3.5	10	2	2	3	4	5	7	14
65+	25666	3.8	9	2	2	3	4	6	8	16
GRAND TOTAL	33685	3.7	9	2	2	3	4	5	8	15

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	2.4	1	1	1	2	3	4	4	8
20-34	98	2.3	1	1	1	2	3	3	4	7
35-49	535	2.4	1	1	2	2	3	3	4	6
50-64	2298	2.5		1	2	2	3	3	4	6
65+	7067	2.7	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	71	3.2	8	2	2	2	3	5	6	21
20-34	85	3.2	3	1	2	2	4	6	8	9
35-49	235	3.3	12	1	2	3	3	5	7	15
50-64	1288	3.2	8	1	2	2	3	5	8	17
65+	4537	3.7	11	2	2	3	4	6	9	20
TOT. SINGLE DX	10140	2.6	2	1	2	2	3	4	4	7
" MULTIPLE DX	6216	3.5	11	2	2	3	4	6	9	20
TOTAL 0-19 YRS	213	2.7	4	1	1	2	3	4	5	9
20-34	183	2.7	2	1	1	2	3	5	6	9
35-49	770	2.7	5	1	2	2	3	4	5	9
50-64	3586	2.8	4	1	2	2	3	4	5	11
65+	11604	3.1	6	1	2	3	3	4	6	14
GRAND TOTAL	16356	3.0	6	1	2	2	3	4	5	13

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	16	2.7		1	1	3	3	4	4	4
35-49	54	2.6	1	1	2	3	3	4	4	8
50-64	389	2.7	2	1	2	2	3	4	4	7
65+	1279	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
0-19 YRS	4	6.0	54	2	2	3	10	17	17	17
20-34	5	3.2	1	2	2	4	4	4	4	4
35-49	17	5.5	163	2	2	2	3	4	37	55
50-64	232	3.3	15	2	2	3	3	5	6	15
65+	993	4.2	18	2	2	3	4	6	11	22
TOT. SINGLE DX	1740	2.9	2	1	2	3	3	4	5	7
" MULTIPLE DX	1251	4.0	20	2	2	3	4	6	10	21
TOTAL 0-19 YRS	6	4.5	38	<1	<1	2	3	16	17	17
20-34	21	2.8	1	1	1	3	3	4	4	4
35-49	71	3.3	40	2	2	2	3	4	4	45
50-64	621	2.9	7	1	2	3	3	4	5	10
65+	2272	3.5	9	2	2	3	4	5	7	17
GRAND TOTAL	2991	3.4	10	2	2	3	4	5	6	16

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	4.5	5	1	2	4	6	7	8	13
20-34	165	4.7	7	2	2	4	6	8	9	18
35-49	139	4.6	8	2	2	4	6	7	9	21
50-64	523	4.7	7	1	2	4	6	8	10	14
65+	558	5.3	7	2	2	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	55	7.8	58	1	2	6	9	15	18	51
20-34	152	5.8	12	2	3	5	7	9	11	25
35-49	115	6.4	18	2	2	6	7	12	15	23
50-64	505	5.8	12	2	2	5	7	10	12	19
65+	617	6.1	18	2	2	5	7	10	14	25
TOT. SINGLE DX	1477	4.9	8	2	2	4	6	8	10	14
" MULTIPLE DX	1444	6.0	18	2	2	5	7	10	14	22
TOTAL 0-19 YRS	147	5.7	27	1	2	5	6	10	14	24
20-34	317	5.2	10	2	2	5	6	8	10	19
35-49	254	5.4	14	2	2	5	6	9	12	21
50-64	1028	5.2	10	2	2	5	6	9	11	16
65+	1175	5.7	14	2	2	5	7	10	12	18
GRAND TOTAL	2921	5.5	13	2	2	5	7	9	11	19

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.9	7	1	2	3	5	7	10	13
20-34	31	4.6	13	1	1	3	6	11	11	17
35-49	22	3.6	2	1	2	4	5	6	6	7
50-64	70	4.0	6	1	2	3	5	8	9	12
65+	138	3.7	6	1	2	3	4	6	9	14
2. MULTIPLE DX										
0-19 YRS	25	4.3	4	2	2	4	6	6	8	11
20-34	101	6.3	27	2	2	5	8	12	15	32
35-49	85	5.7	11	2	3	5	7	11	13	16
50-64	171	6.1	23	2	2	5	7	12	17	24
65+	332	6.1	47	2	2	4	7	13	15	30
TOT. SINGLE DX	288	3.9	7	1	2	3	5	8	10	13
" MULTIPLE DX	714	6.0	33	2	2	4	7	12	15	25
TOTAL 0-19 YRS	52	4.1	6	2	2	3	5	7	10	13
20-34	132	5.9	25	2	2	4	7	11	14	27
35-49	107	5.3	10	2	2	4	6	10	12	16
50-64	241	5.5	19	2	2	4	6	10	15	24
65+	470	5.4	37	2	2	4	6	11	14	24
GRAND TOTAL	1002	5.4	27	2	2	4	6	11	14	24

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2924	1.7		<1	1	2	2	2	2	3
20-34	517	2.2	9	1	1	2	2	3	3	5
35-49	215	2.0		1	1	2	2	3	3	4
50-64	140	2.1	1	1	1	2	2	3	3	6
65+	78	2.2	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	449	1.8		1	1	2	2	2	3	3
20-34	196	2.8	9	1	1	2	3	3	6	20
35-49	114	2.5	3	1	1	2	3	4	5	11
50-64	109	2.6	3	2	2	2	3	4	7	12
65+	63	3.2	7	2	2	2	3	6	10	17
TOT. SINGLE DX	3874	1.8	2	<1	1	2	2	2	3	4
" MULTIPLE DX	931	2.3	4	1	1	2	2	3	4	12
TOTAL 0-19 YRS	3373	1.7		<1	1	2	2	2	2	3
20-34	713	2.4	10	1	1	2	2	3	3	15
35-49	329	2.2	2	1	1	2	2	3	4	6
50-64	249	2.3	2	1	1	2	2	3	4	12
65+	141	2.7	5	1	1	2	3	4	7	12
GRAND TOTAL	4805	1.9	2	1	1	2	2	2	3	5

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.0		1	1	2	2	3	3	3
20-34	7	1.6		<1	<1	2	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	3.0	3	2	2	2	4	6	6	6
20-34	7	2.9	4	<1	<1	2	4	6	7	7
35-49	4	6.8	43	2	2	5	11	16	16	16
50-64	5	3.2	2	2	2	3	4	6	6	6
65+										
TOT. SINGLE DX	22	1.9		<1	1	2	2	3	3	3
" MULTIPLE DX	21	3.7	11	1	2	2	4	7	11	16
TOTAL 0-19 YRS	18	2.3	1	1	2	2	2	3	5	6
20-34	14	2.2	2	<1	<1	2	2	4	6	7
35-49	4	6.8	44	2	2	5	11	16	16	16
50-64	6	3.0	2	2	2	3	3	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	43	2.8	6	1	1	2	3	6	7	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	2.6	4	<1	1	2	3	5	8	9
20-34	125	3.3	4	1	1	3	4	6	8	12
35-49	82	3.9	17	1	2	3	4	7	9	28
50-64	103	3.9	11	1	2	3	4	6	10	22
65+	160	3.8	7	1	2	3	4	8	10	13
2. MULTIPLE DX										
0-19 YRS	103	4.3	8	1	2	3	6	8	10	15
20-34	141	5.1	25	2	2	4	6	10	12	21
35-49	102	6.7	71	2	2	4	7	16	19	53
50-64	162	6.3	41	2	2	4	7	13	20	34
65+	292	6.6	44	2	2	4	8	14	21	32
TOT. SINGLE DX	620	3.4	8	1	1	3	4	7	9	13
" MULTIPLE DX	800	6.0	40	2	2	4	7	12	18	32
TOTAL 0-19 YRS	253	3.3	7	1	1	2	4	7	8	14
20-34	266	4.2	17	1	2	3	5	8	10	15
35-49	184	5.5	49	1	2	4	6	11	17	38
50-64	265	5.4	31	1	2	3	6	12	18	31
65+	452	5.6	33	2	2	4	7	11	17	30
GRAND TOTAL	1420	4.9	28	1	2	3	6	10	14	27

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	484	2.2	3	<1	1	2	2	4	5	8
20-34	192	2.4	2	<1	1	2	3	4	5	10
35-49	93	3.3	16	1	1	2	3	8	10	23
50-64	102	3.3	15	<1	1	2	3	6	9	24
65+	140	3.7	21	1	1	2	3	8	13	24
2. MULTIPLE DX										
0-19 YRS	345	3.5	22	1	1	3	4	6	7	15
20-34	223	5.3	42	1	1	3	6	12	16	34
35-49	122	5.8	58	1	1	3	7	11	21	45
50-64	136	6.7	57	1	2	4	8	15	26	54
65+	238	9.4	88	1	2	6	12	20	28	49
TOT. SINGLE DX	1011	2.6	8	<1	1	2	3	4	7	18
" MULTIPLE DX	1064	5.9	54	1	1	3	7	13	19	43
TOTAL 0-19 YRS	829	2.8	11	<1	1	2	3	5	7	13
20-34	415	3.9	26	1	1	2	4	9	13	28
35-49	215	4.7	42	1	1	2	5	9	18	37
50-64	238	5.2	42	<1	1	3	6	12	17	43
65+	378	7.3	71	1	1	4	10	17	23	46
GRAND TOTAL	2075	4.3	35	1	1	2	4	9	15	32

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	2.4	3	1	1	2	3	3	4	13
20-34	426	2.4		1	2	2	3	3	4	5
35-49	558	2.5		1	2	2	3	3	4	6
50-64	637	2.6		1	2	3	3	4	4	6
65+	242	2.7	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	52	2.3		1	1	2	3	4	4	4
20-34	98	3.0	19	1	1	2	3	4	4	30
35-49	150	2.9	2	1	2	2	3	5	6	8
50-64	178	3.0	5	1	1	2	3	5	7	14
65+	87	3.4	8	2	2	3	4	6	7	72
TOT. SINGLE DX	1961	2.6	1	1	2	2	3	3	4	6
" MULTIPLE DX	565	3.0	7	1	2	2	3	5	6	15
TOTAL 0-19 YRS	150	2.4	3	1	1	2	3	3	4	5
20-34	524	2.5	4	1	2	2	3	3	4	5
35-49	708	2.6	1	1	2	2	3	4	5	7
50-64	815	2.7	2	1	2	3	3	4	5	8
65+	329	2.9	3	1	2	3	3	4	5	9
GRAND TOTAL	2526	2.7	2	1	2	2	3	4	4	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1042	2.0	1	1	1	2	2	3	3	4
20-34	838	2.2		1	1	2	3	3	3	5
35-49	580	2.4	6	1	2	2	3	3	3	5
50-64	519	2.4	2	1	2	2	3	3	4	6
65+	186	2.4		1	2	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	741	2.2	3	1	1	2	2	3	3	5
20-34	633	2.7	13	1	2	2	3	3	4	14
35-49	504	2.8	4	1	2	2	3	4	5	12
50-64	603	2.9	6	2	2	2	3	4	5	16
65+	196	2.7	2	1	2	2	3	4	5	10
TOT. SINGLE DX	3165	2.2	2	1	1	2	3	3	3	5
" MULTIPLE DX	2677	2.6	7	1	2	2	3	3	4	13
TOTAL 0-19 YRS	1783	2.1	2	1	1	2	2	3	3	5
20-34	1471	2.4	6	1	1	2	3	3	4	7
35-49	1084	2.6	6	1	2	2	3	3	4	10
50-64	1122	2.7	5	1	2	2	3	4	4	14
65+	382	2.6	2	1	2	2	3	3	4	8
GRAND TOTAL	5842	2.4	4	1	1	2	3	3	4	8

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3810	1.2	1	<1	<1	1	1	2	2	6
20-34	145	1.8	2	<1	<1	1	2	2	3	10
35-49	109	2.2	3	<1	<1	2	2	3	6	11
50-64	113	2.7	21	<1	1	2	3	4	7	24
65+	56	1.9	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	2708	2.5	10	<1	1	2	2	5	8	16
20-34	136	3.7	31	1	1	2	3	7	12	28
35-49	138	4.7	42	1	1	2	4	11	14	30
50-64	136	5.8	41	1	1	3	7	16	21	30
65+	101	10.0	152	1	1	5	13	23	39	64
TOT. SINGLE DX	4233	1.3	2	<1	<1	1	1	2	2	6
" MULTIPLE DX	3219	3.0	21	<1	1	2	2	6	10	23
TOTAL 0-19 YRS	6518	1.7	5	<1	<1	1	2	2	5	11
20-34	281	2.7	18	<1	1	2	2	5	7	20
35-49	247	3.6	26	<1	1	2	3	7	13	25
50-64	249	4.4	35	1	1	2	4	10	16	29
65+	157	7.2	113	1	1	3	8	21	24	58
GRAND TOTAL	7452	2.0	11	<1	<1	1	2	3	6	16

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	2.7	5	1	1	2	3	4	5	12
20-34	204	2.6	1	1	1	2	3	4	5	9
35-49	150	3.1	4	1	1	3	3	5	8	13
50-64	129	3.0	4	2	2	3	3	4	6	14
65+	60	3.6	6	1	2	3	3	7	10	15
2. MULTIPLE DX										
0-19 YRS	338	2.9	5	1	2	2	3	4	6	12
20-34	317	3.8	37	1	2	3	3	5	8	30
35-49	228	3.5	13	2	2	3	4	5	8	23
50-64	245	4.3	28	2	2	3	4	7	12	32
65+	127	7.3	139	2	2	4	6	14	23	63
TOT. SINGLE DX	768	2.9	4	1	1	2	3	4	6	13
" MULTIPLE DX	1255	4.0	34	2	2	3	4	6	10	30
TOTAL 0-19 YRS	563	2.8	5	1	1	2	3	4	6	12
20-34	521	3.3	24	1	2	3	3	4	6	25
35-49	378	3.3	10	1	2	3	3	5	8	14
50-64	374	3.9	20	2	2	3	4	6	10	22
65+	187	6.1	99	2	2	3	5	12	16	61
GRAND TOTAL	2023	3.5	23	1	2	3	3	5	8	23

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	455	1.5		<1	1	1	2	2	3	5
20-34	195	2.8	2	1	1	2	3	4	6	9
35-49	171	2.9	2	1	2	3	3	4	7	9
50-64	224	3.0	2	2	2	3	3	5	6	11
65+	72	3.5	4	2	2	3	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	219	2.4	8	<1	<1	2	2	4	7	21
20-34	154	3.3	13	1	1	3	4	6	8	14
35-49	109	3.7	15	1	1	3	4	7	9	25
50-64	146	4.3	30	1	2	2	4	9	14	30
65+	55	7.6	156	1	2	3	7	19	27	80
TOT. SINGLE DX	1117	2.4	3	1	1	2	3	4	5	9
" MULTIPLE DX	683	3.6	29	1	1	2	3	7	10	28
TOTAL 0-19 YRS	674	1.8	4	<1	1	1	2	3	4	10
20-34	349	3.0	8	1	1	2	3	5	7	10
35-49	280	3.2	8	1	2	3	3	5	8	12
50-64	370	3.5	14	2	2	3	3	5	9	24
65+	127	5.3	74	1	2	3	5	9	18	46
GRAND TOTAL	1800	2.9	13	1	1	2	3	5	7	17

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	272	2.5		1	1	2	3	4	4	6
20-34	627	2.5	1	1	1	2	3	4	4	6
35-49	270	2.6	2	1	1	2	3	4	5	8
50-64	138	2.7	2	1	1	2	3	4	5	12
65+	37	3.0	2	2	2	3	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	595	3.0	2	1	2	3	3	5	6	8
20-34	1267	3.5	7	1	2	3	4	5	7	13
35-49	746	3.6	8	1	2	3	4	6	8	16
50-64	458	4.1	10	2	2	3	4	7	10	17
65+	139	4.6	14	2	2	4	5	8	11	19
TOT. SINGLE DX	1344	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	3205	3.6	8	1	2	3	4	6	7	15
TOTAL 0-19 YRS	867	2.9	2	1	1	3	3	5	6	8
20-34	1894	3.2	6	1	2	3	4	5	6	12
35-49	1016	3.3	7	1	2	3	4	5	7	14
50-64	596	3.7	9	2	2	3	4	7	9	16
65+	176	4.3	12	2	2	3	5	8	10	18
GRAND TOTAL	4549	3.3	6	1	2	3	4	5	7	13

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1106	2.4	1	1	1	2	3	4	4	5
20-34	2238	2.4	1	1	1	2	3	4	4	6
35-49	881	2.5	1	1	1	2	3	4	4	7
50-64	422	2.6	1	1	1	2	3	4	5	8
65+	100	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	1565	2.8	2	1	1	3	3	4	5	8
20-34	3853	2.9	6	1	1	3	3	4	5	12
35-49	2055	3.3	7	1	2	3	4	5	7	14
50-64	1273	3.7	15	1	2	3	4	6	8	18
65+	385	4.8	21	1	2	3	5	10	15	25
TOT. SINGLE DX	4747	2.5	2	1	1	2	3	4	4	6
" MULTIPLE DX	9131	3.2	8	1	1	3	3	5	6	15
TOTAL 0-19 YRS	2671	2.6	2	1	1	2	3	4	5	6
20-34	6091	2.8	5	1	1	2	3	4	5	10
35-49	2936	3.1	6	1	1	3	3	5	6	13
50-64	1695	3.4	12	1	2	3	4	5	7	16
65+	485	4.4	19	1	2	3	5	9	13	23
GRAND TOTAL	13878	2.9	6	1	1	2	3	4	5	12

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	2.1	1	<1	1	2	2	4	5	6
20-34	225	2.5	2	1	1	2	3	4	7	10
35-49	221	2.5	2	1	1	2	3	4	5	10
50-64	326	2.7	5	1	1	2	3	4	6	16
65+	291	3.4	17	1	1	2	4	6	10	26
2. MULTIPLE DX										
0-19 YRS	210	2.9	16	1	1	2	3	4	5	37
20-34	433	3.3	19	1	1	2	3	5	6	28
35-49	480	3.6	18	1	1	3	4	6	9	23
50-64	695	4.3	21	1	1	3	4	9	15	23
65+	657	6.7	54	1	2	4	8	15	20	38
TOT. SINGLE DX	1237	2.7	7	1	1	2	3	4	6	12
" MULTIPLE DX	2475	4.5	31	1	1	3	4	9	15	30
TOTAL 0-19 YRS	384	2.6	10	1	1	2	3	4	5	20
20-34	658	3.0	14	1	1	2	3	5	7	23
35-49	701	3.2	14	1	1	2	3	5	8	18
50-64	1021	3.8	17	1	1	3	4	7	12	22
65+	948	5.7	45	1	1	3	6	13	18	36
GRAND TOTAL	3712	3.9	24	1	1	2	4	7	12	26

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	735	1.8	1	<1	<1	1	2	3	4	7
20-34	589	2.4	3	<1	1	2	3	5	6	9
35-49	219	3.6	6	1	1	3	5	7	8	13
50-64	175	4.3	6	1	1	4	6	8	9	12
65+	150	5.1	15	1	1	4	7	9	11	23
2. MULTIPLE DX										
0-19 YRS	543	3.5	18	1	1	3	4	6	9	18
20-34	736	4.3	25	1	1	3	5	8	11	22
35-49	295	5.6	29	1	2	4	6	9	13	31
50-64	341	6.4	48	1	2	5	7	12	16	24
65+	429	7.9	53	1	2	6	9	16	24	42
TOT. SINGLE DX	1868	2.7	5	<1	1	2	3	6	7	11
" MULTIPLE DX	2344	5.3	35	1	1	4	6	10	14	30
TOTAL 0-19 YRS	1278	2.5	10	<1	1	2	3	5	6	13
20-34	1325	3.5	16	1	1	2	4	6	9	16
35-49	514	4.7	21	1	1	4	6	8	11	28
50-64	516	5.7	35	1	2	5	7	10	14	23
65+	579	7.2	45	1	2	5	8	14	21	36
GRAND TOTAL	4212	4.1	24	1	1	3	5	8	11	24

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	2.8	2	1	2	2	3	4	6	11
20-34	244	3.0	3	1	2	2	3	5	6	12
35-49	209	3.2	4	1	2	3	4	5	6	14
50-64	165	3.4	7	1	1	3	4	5	7	16
65+	66	3.4	7	2	2	3	3	6	7	20
2. MULTIPLE DX										
0-19 YRS	70	3.8	19	1	2	2	3	8	11	29
20-34	226	4.2	14	1	1	3	5	9	11	16
35-49	209	4.6	18	1	2	3	5	9	13	22
50-64	234	5.1	22	2	2	4	5	10	15	24
65+	119	6.5	35	2	2	4	8	15	22	27
TOT. SINGLE DX	783	3.1	5	1	2	3	4	5	6	14
" MULTIPLE DX	858	4.8	22	1	2	3	5	10	14	25
TOTAL 0-19 YRS	169	3.2	10	1	2	2	3	5	8	13
20-34	470	3.6	9	1	2	3	4	6	9	15
35-49	418	3.9	12	1	2	3	4	6	11	19
50-64	399	4.4	17	1	2	3	5	9	12	22
65+	185	5.4	28	2	2	3	6	11	18	26
GRAND TOTAL	1641	4.0	14	1	2	3	4	8	11	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	2.4	3	1	1	2	3	4	6	10
20-34	224	3.4	8	1	1	2	4	7	9	17
35-49	163	3.4	6	1	1	3	4	6	9	14
50-64	152	4.1	34	1	1	3	4	7	15	37
65+	92	4.7	31	1	2	3	5	10	14	33
2. MULTIPLE DX										
0-19 YRS	129	5.1	30	1	1	3	6	11	17	32
20-34	301	4.9	27	1	1	3	5	10	15	32
35-49	267	5.1	27	1	1	3	6	11	15	23
50-64	280	5.8	37	1	2	4	7	13	18	32
65+	155	7.4	73	2	2	4	9	16	21	39
TOT. SINGLE DX	741	3.6	16	1	1	2	4	7	10	19
" MULTIPLE DX	1132	5.5	37	1	2	3	7	12	17	32
TOTAL 0-19 YRS	239	3.9	20	1	1	2	4	8	11	22
20-34	525	4.3	20	1	1	3	5	9	13	24
35-49	430	4.5	20	1	1	3	5	10	13	22
50-64	432	5.2	37	1	2	3	5	12	17	33
65+	247	6.4	59	1	2	4	8	14	20	38
GRAND TOTAL	1873	4.8	30	1	1	3	5	10	15	27

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2794	1.7	2	<1	1	2	2	2	2	3
20-34	2377	1.7	2	<1	1	2	2	2	2	5
35-49	511	2.2	6	1	1	2	2	3	3	10
50-64	382	2.2	6	1	1	2	2	3	4	8
65+	148	2.8	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	946	2.5	8	1	1	2	2	4	6	15
20-34	1812	3.6	33	1	1	2	3	7	13	34
35-49	1483	4.1	37	1	1	2	3	9	14	31
50-64	1638	4.5	35	1	2	2	4	10	16	31
65+	1132	7.3	87	1	2	3	9	19	27	43
TOT. SINGLE DX	6212	1.8	3	<1	1	2	2	2	3	5
" MULTIPLE DX	7011	4.4	42	1	1	2	4	10	17	34
TOTAL 0-19 YRS	3740	1.9	4	<1	1	2	2	2	3	7
20-34	4189	2.6	17	<1	1	2	2	3	6	22
35-49	1994	3.6	30	1	1	2	3	7	13	29
50-64	2020	4.1	31	1	1	2	3	9	14	31
65+	1280	6.8	80	1	2	3	8	17	26	43
GRAND TOTAL	13223	3.2	26	1	1	2	2	5	11	28

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	416	1.1		<1	<1	1	1	1	2	2
20-34	52	1.9	1	<1	<1	2	2	4	5	7
35-49	17	2.1	1	<1	1	2	2	4	5	6
50-64	14	3.1	6	<1	1	2	3	9	9	9
65+	5	2.4	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	154	3.4	88	<1	<1	1	2	3	9	61
20-34	65	3.1	35	<1	1	1	2	7	9	40
35-49	25	3.5	19	<1	<1	2	4	10	13	20
50-64	10	5.4	21	2	2	3	10	13	14	14
65+	10	3.9	22	1	1	3	4	11	17	17
TOT. SINGLE DX	504	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	264	3.4	64	<1	<1	1	2	6	11	46
TOTAL 0-19 YRS	570	1.7	25	<1	<1	1	1	2	2	14
20-34	117	2.6	21	<1	<1	1	2	6	8	25
35-49	42	2.9	13	<1	<1	2	3	7	10	20
50-64	24	4.1	14	1	1	3	4	10	13	14
65+	15	3.4	15	1	1	2	4	4	14	17
GRAND TOTAL	768	2.0	23	<1	<1	1	2	3	5	17

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.7	1	<1	<1	1	2	3	4	7
20-34	259	2.3	3	1	1	2	2	3	4	8
35-49	355	2.2		1	1	2	2	3	4	5
50-64	229	2.7	5	1	2	2	3	4	6	13
65+	40	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	101	2.8	7	1	1	2	3	5	9	14
20-34	155	3.9	23	1	1	2	4	8	12	31
35-49	203	3.9	16	1	2	2	4	8	12	22
50-64	241	4.7	32	1	2	3	4	10	16	29
65+	112	6.2	71	1	2	3	7	14	20	46
TOT. SINGLE DX	1017	2.3	3	<1	1	2	2	3	5	8
" MULTIPLE DX	812	4.3	30	1	2	2	4	9	14	28
TOTAL 0-19 YRS	235	2.2	4	<1	<1	2	2	4	6	13
20-34	414	2.9	11	1	1	2	3	5	8	18
35-49	558	2.8	7	1	1	2	3	5	7	17
50-64	470	3.7	20	1	2	2	4	6	12	24
65+	152	5.4	55	1	2	3	6	11	15	30
GRAND TOTAL	1829	3.2	16	1	1	2	3	5	9	22

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.8	2	1	1	2	3	5	6	9
20-34	421	3.6	5	1	2	3	4	5	7	13
35-49	445	3.8	6	2	2	3	4	6	8	16
50-64	544	4.2	7	2	2	4	5	6	9	15
65+	347	5.0	16	2	2	4	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	62	4.4	15	1	1	3	5	7	10	24
20-34	147	4.3	16	1	2	3	5	7	9	16
35-49	255	5.9	30	1	2	4	6	12	17	29
50-64	377	7.1	52	2	2	5	8	16	20	32
65+	433	7.6	52	2	3	5	10	16	20	35
TOT. SINGLE DX	1942	4.0	8	1	2	3	5	6	9	16
" MULTIPLE DX	1274	6.6	44	2	2	5	8	13	18	31
TOTAL 0-19 YRS	247	3.2	6	1	1	3	4	6	7	11
20-34	568	3.8	9	1	2	3	4	6	7	14
35-49	700	4.6	16	2	2	4	5	8	12	24
50-64	921	5.4	28	2	2	4	6	10	15	25
65+	780	6.5	38	2	2	5	8	12	17	31
GRAND TOTAL	3216	5.0	24	2	2	4	5	9	13	25

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	3.8	5	1	1	3	5	7	8	12
20-34	14	3.5	2	2	2	3	4	5	7	8
35-49	6	6.0	6	3	3	6	8	9	9	9
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	5.0	37	1	1	2	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	178	4.0	6	1	2	3	5	7	8	14
20-34	9	9.0	215	3	3	4	6	31	48	48
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64	2	14.5	85	8	8	14	21	21	21	21
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	288	3.8	6	1	1	3	5	7	8	12
" MULTIPLE DX	195	4.3	17	1	2	3	5	8	9	18
TOTAL 0-19 YRS	441	3.9	6	1	1	3	5	7	8	13
20-34	23	5.7	87	2	2	3	5	7	22	48
35-49	11	4.4	7	1	1	4	7	9	9	9
50-64	4	8.5	76	2	2	5	14	21	21	21
65+	4	5.8	27	1	1	5	10	12	12	12
GRAND TOTAL	483	4.0	11	1	1	3	5	7	9	14

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	676	2.8	5	<1	1	2	3	6	8	11
20-34	226	3.2	7	<1	1	2	4	7	8	11
35-49	209	3.9	16	1	1	2	4	8	11	23
50-64	382	4.8	43	1	1	3	5	10	17	30
65+	396	4.7	42	1	1	3	5	10	15	31
2. MULTIPLE DX										
0-19 YRS	520	3.9	28	1	1	3	5	8	9	28
20-34	379	5.3	38	1	1	3	6	11	15	34
35-49	282	7.5	62	1	2	4	10	16	24	43
50-64	621	9.5	145	2	2	5	11	21	35	72
65+	706	9.9	137	2	2	6	12	23	34	73
TOT. SINGLE DX	1889	3.8	23	1	1	2	4	8	11	25
" MULTIPLE DX	2508	7.6	99	1	1	4	9	17	26	57
TOTAL 0-19 YRS	1196	3.3	16	1	1	2	4	7	9	16
20-34	605	4.5	28	1	1	3	6	9	12	29
35-49	491	6.0	46	1	1	3	7	14	19	37
50-64	1003	7.7	112	1	2	4	9	18	26	61
65+	1102	8.1	110	1	2	4	10	18	28	69
GRAND TOTAL	4397	6.0	70	1	1	3	7	13	20	45

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9934	2.0	1	1	1	2	2	3	3	4
20-34	6291	2.2		1	1	2	2	3	4	5
35-49	504	2.4	1	1	1	2	3	4	4	9
50-64	108	2.9	8	1	1	2	3	4	6	56
65+	30	4.8	85	1	1	2	3	7	30	45
2. MULTIPLE DX										
0-19 YRS	1955	2.2	5	1	1	2	2	3	4	9
20-34	1240	2.8	6	1	1	2	3	4	6	12
35-49	172	3.8	9	1	1	3	4	7	11	16
50-64	51	7.2	95	1	2	3	6	22	31	45
65+	21	8.6	102	1	2	3	12	27	32	34
TOT. SINGLE DX	16867	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	3439	2.6	8	1	1	2	3	4	6	13
TOTAL 0-19 YRS	11889	2.0	2	1	1	2	2	3	3	5
20-34	7531	2.3	2	1	1	2	3	3	4	7
35-49	676	2.8	4	1	1	2	3	4	6	12
50-64	159	4.3	40	1	2	2	3	8	19	44
65+	51	6.4	94	1	1	2	5	20	31	45
GRAND TOTAL	20306	2.2	2	1	1	2	2	3	4	7

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17686	1.8	1	1	1	2	2	2	3	4
20-34	498	2.4	8	1	1	2	3	3	4	6
35-49	29	2.3		1	2	2	3	4	4	4
50-64	15	2.6	5	1	2	2	2	3	9	11
65+	12	2.2	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	10270	1.8	1	1	1	2	2	2	3	5
20-34	146	2.7	1	1	2	2	3	4	5	8
35-49	7	8.6	59	2	2	7	11	21	24	24
50-64	9	2.9	7	1	1	2	3	7	10	10
65+	10	1.6		<1	<1	1	2	3	3	3
TOT. SINGLE DX	18240	1.8	1	1	1	2	2	2	3	4
" MULTIPLE DX	10442	1.9	1	1	1	2	2	2	3	6
TOTAL 0-19 YRS	27956	1.8	1	1	1	2	2	2	3	4
20-34	644	2.5	7	1	1	2	3	4	4	6
35-49	36	3.6	17	2	2	2	3	7	11	24
50-64	24	2.7	6	1	1	2	2	4	10	11
65+	22	1.9	1	<1	1	2	2	3	4	5
GRAND TOTAL	28682	1.8	1	1	1	2	2	2	3	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1275	1.4		<1	<1	1	2	2	2	3
20-34	20	2.1	1	<1	1	2	2	3	5	6
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	3340	1.6		<1	<1	1	2	2	2	3
20-34	21	3.1	21	<1	1	2	3	4	13	23
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	9	1.9		<1	<1	2	2	3	3	3
65+	7	1.4		<1	<1	1	2	3	3	3
TOT. SINGLE DX	1300	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	3381	1.6	1	<1	<1	2	2	2	2	4
TOTAL 0-19 YRS	4615	1.5		<1	<1	1	2	2	2	3
20-34	41	2.6	12	<1	1	2	2	4	5	23
35-49	7	2.6	1	2	2	2	3	5	5	5
50-64	9	1.9		<1	<1	2	2	3	3	3
65+	9	1.7	1	<1	<1	1	2	3	3	3
GRAND TOTAL	4681	1.5	1	<1	<1	1	2	2	2	3

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	662	2.6	10	1	1	2	3	4	6	11
20-34	485	2.8	3	1	1	2	4	5	6	10
35-49	166	3.7	28	1	1	3	4	6	8	18
50-64	203	5.2	52	1	1	3	6	10	18	48
65+	110	6.2	52	1	2	4	8	13	19	74
2. MULTIPLE DX										
0-19 YRS	147	3.8	12	1	1	3	5	7	10	18
20-34	143	4.2	14	1	2	3	5	9	14	19
35-49	117	6.0	59	1	1	3	7	12	21	41
50-64	201	8.2	87	1	2	5	11	21	25	54
65+	204	12.6	194	2	2	8	16	28	46	67
TOT. SINGLE DX	1626	3.4	19	1	1	2	4	6	8	18
" MULTIPLE DX	812	7.5	95	1	2	4	9	17	25	56
TOTAL 0-19 YRS	809	2.9	11	1	1	2	3	5	6	13
20-34	628	3.1	6	1	1	3	4	6	7	15
35-49	283	4.6	42	1	1	3	5	9	13	31
50-64	404	6.7	72	1	2	3	8	16	22	54
65+	314	10.3	154	1	2	7	13	23	40	66
GRAND TOTAL	2438	4.7	48	1	1	3	5	10	16	40

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.2	2	<1	<1	2	3	5	6	7
20-34	51	3.8	10	1	1	3	5	7	10	19
35-49	58	4.1	40	<1	1	3	4	5	7	46
50-64	86	3.7	4	1	1	3	5	7	8	10
65+	80	3.7	4	1	2	3	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	261	3.8	5	1	2	3	4	6	7	14
20-34	35	4.9	12	1	2	4	6	9	13	17
35-49	66	5.5	17	1	1	4	8	10	13	24
50-64	166	6.3	40	1	2	5	8	11	14	30
65+	258	6.5	36	1	2	5	8	13	17	33
TOT. SINGLE DX	376	3.3	11	<1	1	3	4	6	7	13
" MULTIPLE DX	786	5.4	26	1	2	4	6	10	14	26
TOTAL 0-19 YRS	362	3.4	5	<1	1	3	4	6	6	11
20-34	86	4.3	12	1	1	4	6	8	11	18
35-49	124	4.8	29	1	1	4	5	9	12	31
50-64	252	5.4	30	1	1	4	7	9	12	24
65+	338	5.9	31	1	2	4	7	12	15	29
GRAND TOTAL	1162	4.7	22	1	1	4	6	9	12	24

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	1.9	3	<1	<1	1	2	2	5	12
20-34	341	1.9		<1	1	2	2	2	3	6
35-49	501	2.3	7	1	1	2	2	3	4	15
50-64	811	2.4	4	1	1	2	2	3	5	13
65+	427	2.7	6	1	1	2	3	4	7	15
2. MULTIPLE DX										
0-19 YRS	65	2.5	20	1	1	2	2	3	6	32
20-34	168	3.9	54	1	1	2	3	7	14	61
35-49	336	4.2	23	1	1	2	5	10	15	25
50-64	704	5.4	55	1	1	2	6	12	20	37
65+	484	7.0	65	1	2	3	9	17	26	43
TOT. SINGLE DX	2221	2.3	5	1	1	2	2	3	5	13
" MULTIPLE DX	1757	5.4	52	1	1	2	6	13	20	39
TOTAL 0-19 YRS	206	2.1	9	<1	<1	2	2	2	5	12
20-34	509	2.5	19	1	1	2	2	3	5	26
35-49	837	3.1	15	1	1	2	3	6	10	19
50-64	1515	3.8	31	1	1	2	3	8	13	27
65+	911	5.0	43	1	1	2	5	13	19	37
GRAND TOTAL	3978	3.7	28	1	1	2	3	8	13	30

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.5	5	1	1	2	3	5	8	9
20-34	15	3.8	15	1	1	2	4	10	12	13
35-49	22	11.3	151	1	2	7	16	28	41	49
50-64	73	10.7	50	2	2	11	14	18	24	37
65+	45	12.4	211	1	2	10	16	24	32	88
2. MULTIPLE DX										
0-19 YRS	5	10.4	125	2	2	3	21	25	25	25
20-34	6	7.5	90	<1	<1	3	12	24	25	25
35-49	24	10.8	68	2	2	9	15	24	28	32
50-64	76	13.4	189	2	2	10	16	30	43	71
65+	70	16.8	161	2	2	15	22	31	47	54
TOT. SINGLE DX	168	10.0	108	1	2	9	14	19	25	48
" MULTIPLE DX	181	14.1	161	2	2	11	19	29	43	57
TOTAL 0-19 YRS	18	4.7	46	1	1	2	4	17	23	25
20-34	21	4.9	36	<1	1	2	6	12	18	25
35-49	46	11.0	105	2	2	8	16	25	33	49
50-64	149	12.1	122	2	2	11	15	24	36	58
65+	115	15.1	184	2	2	13	20	29	44	67
GRAND TOTAL	349	12.1	139	1	2	10	16	26	35	56

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	17.5	85	11	11	17	24	24	24	24
35-49	14	16.9	102	7	8	14	18	33	42	44
50-64	73	19.4	131	10	11	17	21	31	36	95
65+	52	16.3	36	9	11	14	18	24	31	35
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	22	25.6	216	11	12	21	30	46	62	66
50-64	143	23.8	161	10	12	21	31	43	60	99+
65+	127	25.7	240	11	13	21	31	45	63	98
TOT. SINGLE DX	141	17.9	93	10	11	15	20	29	33	82
" MULTIPLE DX	292	24.7	199	11	12	21	31	44	64	99+
TOTAL 0-19 YRS										
20-34	2	17.5	85	11	11	17	24	24	24	24
35-49	36	22.2	187	9	11	17	25	41	54	66
50-64	216	22.3	155	10	11	19	28	37	55	99+
65+	179	22.9	199	10	12	19	28	38	57	93
GRAND TOTAL	433	22.5	175	10	11	19	28	38	58	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	3	21.3	576	6	6	9	39	49	49	49
35-49	3	4.3	5	3	3	3	6	7	7	7
50-64	9	12.7	183	1	2	5	24	34	38	38
65+	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	8	40.6	854	4	10	33	53	89	98	98
20-34	8	27.9	491	5	6	27	50	88	99+	99+
35-49	19	22.2	399	3	4	22	57	99+	99+	99+
50-64	36	32.4	669	4	7	30	73	99+	99+	99+
65+	52	31.6	497	5	8	31	49	79	95	99+
TOT. SINGLE DX	19	12.1	174	2	3	7	13	34	44	49
" MULTIPLE DX	123	30.7	556	4	6	29	54	99	99+	99+
TOTAL 0-19 YRS	10	34.1	854	4	5	29	38	83	98	98
20-34	11	26.1	468	5	6	22	46	79	97	99+
35-49	22	19.7	382	3	3	16	53	99+	99+	99+
50-64	45	28.4	630	3	3	28	55	99+	99+	99+
65+	54	30.8	495	5	8	29	48	78	94	99+
GRAND TOTAL	142	28.2	544	3	5	25	49	92	99+	99+

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	8.1	183	1	1	4	9	16	23	82
20-34	53	10.2	449	1	1	3	7	22	80	92
35-49	26	7.0	97	<1	1	3	9	21	27	45
50-64	65	8.5	137	1	1	4	7	27	40	46
65+	46	15.7	512	1	1	5	18	61	67	99+
2. MULTIPLE DX										
0-19 YRS	97	19.2	330	2	2	15	33	70	99+	99+
20-34	96	25.1	600	2	3	15	39	69	85	99+
35-49	106	23.6	466	1	2	17	43	82	99+	99+
50-64	324	27.8	583	2	2	25	50	81	99+	99+
65+	333	33.3	638	2	3	33	52	74	93	99+
TOT. SINGLE DX	237	10.0	289	1	1	4	9	28	56	91
" MULTIPLE DX	956	28.1	584	2	2	25	49	75	99+	99+
TOTAL 0-19 YRS	144	15.5	308	1	2	10	24	56	98	99+
20-34	149	19.8	594	1	1	9	33	62	84	99+
35-49	132	20.3	436	1	2	14	40	71	99+	99+
50-64	389	24.6	560	2	2	20	45	72	99+	99+
65+	379	31.2	655	2	2	31	51	73	93	99+
GRAND TOTAL	1193	24.5	577	1	2	17	44	71	95	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	7.3	46	1	2	4	10	19	20	28
20-34	173	7.2	72	1	1	5	9	15	18	54
35-49	275	7.6	52	1	2	5	10	16	20	34
50-64	695	8.7	51	1	2	7	12	18	22	34
65+	675	9.2	56	2	2	7	12	19	24	36
2. MULTIPLE DX										
0-19 YRS	33	11.8	98	2	2	11	15	22	39	42
20-34	271	9.6	75	2	2	8	12	19	26	41
35-49	745	12.4	117	2	3	10	16	24	31	63
50-64	2476	13.0	111	2	3	10	17	26	32	54
65+	3159	15.0	131	3	4	12	19	29	39	60
TOT. SINGLE DX	1850	8.6	56	1	2	7	11	17	22	35
" MULTIPLE DX	6684	13.8	122	2	3	11	18	27	36	59
TOTAL 0-19 YRS	65	9.6	77	1	2	8	13	20	24	42
20-34	444	8.6	76	1	2	6	11	17	25	41
35-49	1020	11.1	104	2	2	9	14	22	28	59
50-64	3171	12.1	102	2	3	10	16	24	30	50
65+	3834	14.0	123	2	3	11	18	28	37	58
GRAND TOTAL	8534	12.6	112	2	3	10	16	25	33	56

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	1	21.0		21	21	21	21	21	21	21
50-64	4	17.3	70	6	6	18	23	26	26	26
65+	2	16.5	41	12	12	16	21	21	21	21
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	9	16.4	39	6	8	17	21	24	26	26
TOTAL 0-19 YRS										
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	1	21.0		21	21	21	21	21	21	21
50-64	5	14.2	99	2	2	17	21	26	26	26
65+	2	16.5	41	12	12	16	21	21	21	21
GRAND TOTAL	10	15.0	55	2	4	15	21	24	26	26

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	13.1	121	6	7	11	12	21	34	66
20-34	131	9.7	36	2	3	8	13	19	22	28
35-49	235	10.9	59	2	4	9	13	20	24	40
50-64	433	12.4	64	2	4	11	16	22	26	41
65+	325	13.1	90	2	3	11	18	25	30	51
2. MULTIPLE DX										
0-19 YRS	42	13.9	76	4	5	10	20	27	36	99+
20-34	205	16.8	189	4	6	12	19	33	46	76
35-49	375	15.8	135	4	6	13	21	29	38	74
50-64	1198	17.3	139	3	5	15	22	32	40	59
65+	1237	17.7	148	3	5	15	24	34	42	68
TOT. SINGLE DX	1161	12.0	71	2	3	10	15	22	27	43
" MULTIPLE DX	3057	17.2	146	3	5	14	22	32	41	67
TOTAL 0-19 YRS	79	13.5	96	5	6	10	18	25	35	90
20-34	336	14.0	141	3	4	11	16	25	37	72
35-49	610	13.9	112	3	5	11	18	25	32	67
50-64	1631	16.0	124	3	5	13	21	30	39	57
65+	1562	16.7	140	3	4	14	22	32	40	62
GRAND TOTAL	4218	15.8	130	3	5	13	21	30	38	60

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	24	14.0	35	7	8	12	18	20	25	33
35-49	63	13.8	24	8	8	13	17	20	24	29
50-64	262	16.0	50	8	9	14	20	24	28	41
65+	175	18.6	67	9	11	17	22	28	34	51
2. MULTIPLE DX										
0-19 YRS	12	19.1	534	7	7	12	18	41	84	91
20-34	27	24.8	419	8	9	17	32	56	79	82
35-49	136	19.1	130	7	9	17	24	30	38	71
50-64	626	20.7	126	9	10	18	25	35	42	68
65+	542	22.6	152	9	11	19	28	38	48	68
TOT. SINGLE DX	525	16.5	55	8	9	15	20	25	29	43
" MULTIPLE DX	1343	21.4	148	9	10	18	26	36	44	68
TOTAL 0-19 YRS	13	18.8	490	7	8	13	18	33	80	91
20-34	51	19.7	263	7	8	13	21	35	57	82
35-49	199	17.4	103	7	8	15	21	28	33	62
50-64	888	19.3	109	9	9	17	23	31	40	63
65+	717	21.6	135	9	11	19	26	36	44	67
GRAND TOTAL	1868	20.0	126	8	10	17	24	34	40	67

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	256	5.0	50	1	1	3	5	11	17	34
20-34	248	6.4	29	1	1	5	9	13	16	28
35-49	348	6.4	38	1	2	4	9	13	17	38
50-64	691	7.9	46	1	2	6	11	17	21	31
65+	515	8.9	72	1	2	6	12	19	26	40
2. MULTIPLE DX										
0-19 YRS	266	8.9	123	1	2	6	12	19	23	99
20-34	413	11.2	121	2	2	8	14	25	33	55
35-49	882	11.2	92	2	3	8	15	24	32	56
50-64	2163	12.4	120	2	3	10	16	25	34	55
65+	2701	15.3	151	3	4	12	20	31	39	65
TOT. SINGLE DX	2058	7.4	52	1	1	5	10	16	21	36
" MULTIPLE DX	6425	13.3	135	2	3	10	17	27	36	62
TOTAL 0-19 YRS	522	7.0	91	1	1	4	8	16	21	70
20-34	661	9.4	92	1	2	7	12	21	29	51
35-49	1230	9.9	87	2	2	7	13	21	29	47
50-64	2854	11.3	106	2	2	9	15	23	30	52
65+	3216	14.3	145	2	3	11	19	29	37	63
GRAND TOTAL	8483	11.8	121	2	2	9	15	25	33	58

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	4.7	6	2	2	4	6	9	9	9
20-34	57	5.9	9	2	3	5	8	10	12	14
35-49	32	6.3	19	2	2	5	8	13	17	18
50-64	13	10.8	95	<1	2	10	14	21	36	39
65+	15	9.3	65	1	2	7	14	23	25	26
2. MULTIPLE DX										
0-19 YRS	23	12.8	149	3	3	9	16	30	72	99+
20-34	56	8.4	23	3	3	7	11	16	17	95
35-49	43	11.7	104	1	4	9	14	26	43	99+
50-64	81	18.4	267	3	4	12	25	43	57	71
65+	106	15.9	168	2	4	12	21	36	48	78
TOT. SINGLE DX	133	6.7	28	2	2	5	9	13	17	28
" MULTIPLE DX	309	14.4	169	3	4	10	17	33	52	99+
TOTAL 0-19 YRS	39	9.5	105	2	3	6	12	22	43	99+
20-34	113	7.1	18	3	3	6	9	13	16	54
35-49	75	9.3	75	2	2	8	11	19	35	86
50-64	94	17.3	249	3	4	12	22	39	55	69
65+	121	15.1	160	2	3	12	20	32	45	73
GRAND TOTAL	442	12.1	139	2	3	9	15	27	40	74

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	6.7	17	2	3	6	8	12	16	20
20-34	767	6.3	16	2	3	5	8	11	15	24
35-49	254	7.8	35	2	3	6	10	14	18	32
50-64	181	11.8	78	3	4	9	15	22	27	50
65+	131	13.4	85	3	5	11	18	27	35	40
2. MULTIPLE DX										
0-19 YRS	324	12.8	182	3	4	9	14	27	54	99+
20-34	681	10.4	89	3	4	8	12	19	30	66
35-49	501	13.3	120	3	4	10	17	27	42	59
50-64	875	15.7	156	4	5	12	19	31	42	65
65+	1086	18.9	215	5	6	15	24	38	49	84
TOT. SINGLE DX	1535	7.8	39	2	3	6	9	15	20	34
" MULTIPLE DX	3467	15.1	169	3	4	11	19	32	43	78
TOTAL 0-19 YRS	526	10.4	128	3	3	7	12	20	38	99+
20-34	1448	8.2	55	2	3	6	10	15	21	44
35-49	755	11.4	99	3	4	8	14	25	33	57
50-64	1056	15.1	146	4	5	12	18	29	39	63
65+	1217	18.3	205	4	6	14	23	36	48	80
GRAND TOTAL	5002	12.8	140	3	4	9	16	27	38	68

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	7.5	48	1	2	6	9	13	17	37
20-34	235	7.7	32	1	2	7	10	14	21	27
35-49	160	8.0	44	1	2	7	10	15	18	34
50-64	230	10.0	77	2	2	8	12	20	25	45
65+	168	10.9	104	2	2	8	14	23	29	53
2. MULTIPLE DX										
0-19 YRS	75	11.5	98	2	3	9	14	22	36	50
20-34	245	13.8	164	2	3	10	17	28	42	71
35-49	307	13.3	126	2	2	11	17	26	37	63
50-64	766	14.2	133	2	3	11	19	29	35	58
65+	856	16.2	158	3	4	13	21	32	42	71
TOT. SINGLE DX	930	8.9	63	2	2	7	11	18	23	39
" MULTIPLE DX	2249	14.7	146	2	3	12	19	29	38	62
TOTAL 0-19 YRS	212	9.0	70	2	2	7	10	16	22	49
20-34	480	10.8	109	1	2	8	14	23	28	53
35-49	467	11.5	105	2	2	9	15	23	30	52
50-64	996	13.3	124	2	3	10	18	27	34	57
65+	1024	15.3	153	2	4	12	20	30	40	67
GRAND TOTAL	3179	13.0	128	2	3	10	17	26	35	59

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	10.3	38	6	7	9	11	13	15	41
20-34	58	10.9	8	7	8	11	12	14	16	20
35-49	115	14.1	36	9	9	12	16	20	24	42
50-64	187	15.7	70	9	10	13	17	24	31	56
65+	79	17.5	48	10	11	15	20	28	34	37
2. MULTIPLE DX										
0-19 YRS	168	14.5	102	7	8	11	16	25	37	56
20-34	118	19.7	187	8	9	14	24	45	52	85
35-49	235	18.0	84	9	11	15	22	27	35	54
50-64	660	19.9	125	10	11	16	24	33	45	70
65+	580	23.4	175	11	12	19	29	40	54	93
TOT. SINGLE DX	544	14.1	53	7	8	12	16	21	27	43
" MULTIPLE DX	1761	20.2	145	9	10	16	25	35	46	71
TOTAL 0-19 YRS	273	12.9	82	7	7	10	13	21	30	55
20-34	176	16.8	145	8	8	12	18	34	48	74
35-49	350	16.7	72	9	10	14	19	26	33	47
50-64	847	18.9	116	10	11	15	22	31	41	67
65+	659	22.7	164	11	12	19	28	38	52	83
GRAND TOTAL	2305	18.8	131	8	10	15	22	32	42	70

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.5	1	15	15	15	16	16	16	16
20-34	18	12.6	41	7	8	10	14	25	29	29
35-49	445	12.0	12	8	9	11	14	17	19	24
50-64	1431	13.4	26	8	9	12	15	19	23	34
65+	425	15.5	42	9	10	14	18	23	29	39
2. MULTIPLE DX										
0-19 YRS	4	18.3	25	13	13	18	22	23	23	23
20-34	64	14.8	82	8	9	12	15	24	31	58
35-49	1449	14.3	44	8	9	12	16	22	27	40
50-64	5235	15.7	71	9	9	13	18	25	30	51
65+	2388	19.3	123	9	10	16	23	32	41	68
TOT. SINGLE DX	2321	13.5	28	8	9	12	15	20	23	35
" MULTIPLE DX	9140	16.4	84	9	9	13	19	26	33	57
TOTAL 0-19 YRS	6	17.3	17	13	13	16	22	23	23	23
20-34	82	14.3	74	8	9	11	15	24	29	56
35-49	1894	13.8	38	8	9	12	16	21	25	39
50-64	6666	15.2	63	9	9	13	17	24	29	48
65+	2813	18.7	113	9	10	16	22	31	39	66
GRAND TOTAL	11461	15.8	74	9	9	13	18	25	31	53

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	370	2.3	4	1	2	2	2	3	4	10
20-34	363	3.5	9	2	2	2	4	7	10	20
35-49	2347	3.5	10	1	2	2	4	7	11	17
50-64	4173	3.6	14	1	2	2	3	8	11	19
65+	1118	4.1	17	1	2	2	4	10	13	20
2. MULTIPLE DX										
0-19 YRS	548	4.0	41	2	2	2	3	7	12	41
20-34	633	5.4	40	2	2	3	7	12	16	32
35-49	5191	5.4	30	2	2	3	7	12	16	27
50-64	12480	5.8	33	2	2	3	8	13	17	28
65+	4855	7.6	57	2	2	5	10	17	22	37
TOT. SINGLE DX	8371	3.6	13	1	2	2	3	8	11	18
" MULTIPLE DX	23707	6.0	39	2	2	3	8	14	18	30
TOTAL 0-19 YRS	918	3.3	27	1	2	2	2	5	9	33
20-34	996	4.7	30	2	2	2	6	10	14	28
35-49	7538	4.8	25	2	2	3	6	11	15	24
50-64	16653	5.2	30	2	2	3	7	12	16	26
65+	5973	6.9	52	2	2	4	10	16	21	34
GRAND TOTAL	32078	5.4	33	2	2	3	7	12	16	28

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.1	12	3	3	5	7	8	15	18
20-34	30	6.1	12	2	3	5	7	11	12	18
35-49	76	9.0	50	1	2	8	13	17	22	41
50-64	272	8.2	38	2	2	6	12	16	19	29
65+	1150	8.0	37	2	2	6	10	16	20	28
2. MULTIPLE DX										
0-19 YRS	20	16.3	445	5	6	8	14	37	70	95
20-34	67	8.0	34	2	2	7	10	14	19	31
35-49	302	13.2	71	3	4	12	17	24	30	43
50-64	1584	13.9	91	3	5	12	18	25	32	49
65+	7426	14.5	101	3	5	12	18	27	33	51
TOT. SINGLE DX	1544	8.1	38	2	2	6	11	16	20	28
" MULTIPLE DX	9399	14.3	99	3	5	12	18	26	33	51
TOTAL 0-19 YRS	36	11.8	273	3	4	7	10	23	41	95
20-34	97	7.4	28	2	3	6	9	14	18	30
35-49	378	12.4	70	2	3	11	16	23	27	44
50-64	1856	13.1	88	3	4	11	17	24	31	48
65+	8576	13.6	98	3	4	11	18	25	32	49
GRAND TOTAL	10943	13.4	95	3	4	11	17	25	32	49

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	7.7	19	2	3	8	10	13	18	18
20-34	19	8.8	12	2	4	8	12	14	14	14
35-49	41	11.1	43	2	3	10	14	21	25	30
50-64	65	9.7	55	2	2	9	14	17	21	40
65+	16	13.3	82	1	2	12	17	21	34	39
2. MULTIPLE DX										
0-19 YRS	31	12.9	72	6	7	10	15	23	30	46
20-34	62	17.2	184	5	6	12	24	34	39	75
35-49	161	14.4	169	3	4	11	17	26	40	67
50-64	381	15.4	133	3	4	13	20	31	37	64
65+	176	17.6	169	3	5	15	21	33	42	64
TOT. SINGLE DX	152	10.2	48	2	2	9	14	18	23	39
" MULTIPLE DX	811	15.7	151	3	4	13	19	31	39	66
TOTAL 0-19 YRS	42	11.5	63	3	5	10	11	19	29	46
20-34	81	15.2	156	4	6	11	17	31	38	71
35-49	202	13.7	145	3	4	11	17	25	35	66
50-64	446	14.6	126	3	4	12	19	29	36	59
65+	192	17.2	163	3	5	14	21	32	40	64
GRAND TOTAL	963	14.8	139	3	4	12	18	29	38	65

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	401	3.5	10	<1	1	2	5	7	10	17
20-34	247	4.3	26	1	1	2	5	10	16	23
35-49	300	3.9	19	1	1	2	4	10	14	21
50-64	459	4.2	32	1	1	2	4	10	15	29
65+	374	6.9	79	1	1	3	9	16	25	43
2. MULTIPLE DX										
0-19 YRS	968	5.2	22	2	2	4	6	10	14	25
20-34	365	9.3	91	1	2	6	12	21	28	50
35-49	661	9.6	87	1	2	7	13	20	28	43
50-64	1606	10.9	111	1	2	8	15	23	32	53
65+	2748	14.6	137	2	3	12	20	30	39	58
TOT. SINGLE DX	1781	4.6	36	1	1	2	5	11	16	29
" MULTIPLE DX	6348	11.4	117	2	2	8	15	25	33	53
TOTAL 0-19 YRS	1369	4.7	20	1	1	3	5	9	13	23
20-34	612	7.3	71	1	1	4	10	18	24	45
35-49	961	7.8	73	1	1	5	11	17	25	41
50-64	2065	9.4	102	1	2	6	13	22	29	50
65+	3122	13.7	137	2	2	11	19	29	37	57
GRAND TOTAL	8129	9.9	107	1	2	6	14	23	31	50

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	3.9	3	1	2	4	5	6	7	11
20-34	1055	4.2	4	2	2	4	5	6	8	13
35-49	1451	4.6	6	2	2	4	5	7	9	14
50-64	1137	5.1	8	2	3	4	6	8	10	18
65+	259	6.4	29	2	3	5	7	12	17	26
2. MULTIPLE DX										
0-19 YRS	5	6.2	25	3	3	5	8	15	15	15
20-34	270	5.9	16	3	3	5	7	10	11	25
35-49	578	6.7	20	3	3	5	8	12	17	24
50-64	738	8.3	44	3	3	6	10	16	22	31
65+	329	11.0	71	3	4	8	15	22	26	45
TOT. SINGLE DX	3949	4.8	8	2	2	4	6	8	9	17
" MULTIPLE DX	1920	7.9	41	3	3	6	9	15	20	31
TOTAL 0-19 YRS	52	4.2	5	2	2	4	5	6	7	15
20-34	1325	4.5	7	2	2	4	5	7	9	14
35-49	2029	5.2	11	2	3	4	6	9	11	19
50-64	1875	6.3	25	2	3	5	7	11	15	26
65+	588	9.0	58	2	3	6	11	18	24	41
GRAND TOTAL	5869	5.8	21	2	3	5	6	10	14	25

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	13.4	190	4	5	9	13	32	51	58
20-34	56	8.3	32	2	2	7	11	14	20	29
35-49	162	11.3	58	3	4	10	12	18	22	45
50-64	616	12.9	57	4	6	11	15	20	26	48
65+	503	14.2	64	5	7	13	17	22	29	46
2. MULTIPLE DX										
0-19 YRS	60	14.8	134	4	5	11	18	28	37	61
20-34	182	15.4	198	2	3	11	19	33	46	81
35-49	508	16.1	129	3	5	13	20	29	39	62
50-64	2033	17.2	137	5	8	14	20	31	40	68
65+	2282	21.8	206	8	9	18	26	40	51	83
TOT. SINGLE DX	1353	13.0	62	4	6	12	15	21	27	48
" MULTIPLE DX	5065	19.1	176	5	8	15	23	35	46	79
TOTAL 0-19 YRS	76	14.5	144	4	5	10	17	29	38	61
20-34	238	13.7	168	2	3	10	17	29	41	75
35-49	670	14.9	116	3	5	12	18	27	36	62
50-64	2649	16.2	122	5	7	13	19	29	38	63
65+	2785	20.4	189	7	9	17	25	38	49	81
GRAND TOTAL	6418	17.8	158	5	7	14	21	33	43	76

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	15.8	17	11	11	15	18	21	21	21
50-64	14	16.1	17	11	12	15	17	21	26	28
65+	5	21.2	51	17	17	18	23	34	34	34
2. MULTIPLE DX										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	13.6	42	7	7	10	20	22	22	22
50-64	14	21.9	140	9	9	20	34	44	86	99+
65+	3	14.3	32	8	8	17	59	99+	99+	99+
TOT. SINGLE DX	24	16.9	27	11	12	16	18	22	30	34
" MULTIPLE DX	23	18.6	112	8	9	17	29	44	99+	99+
TOTAL 0-19 YRS										
20-34	2	11.0	2	10	10	11	12	12	12	12
35-49	9	14.6	29	7	8	15	19	22	22	22
50-64	28	19.0	85	9	10	17	28	36	47	99+
65+	8	18.6	51	8	11	18	23	74	99+	99+
GRAND TOTAL	47	17.7	68	9	9	17	20	35	47	99+

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.4	19	<1	<1	1	5	11	11	11
20-34	38	4.2	32	<1	<1	2	5	10	14	32
35-49	37	4.2	22	<1	<1	3	6	8	12	26
50-64	44	4.0	13	<1	<1	3	6	10	12	14
65+	23	6.3	34	<1	1	5	7	17	21	22
2. MULTIPLE DX										
0-19 YRS	93	3.4	12	<1	<1	2	4	8	12	16
20-34	566	5.3	47	<1	<1	3	7	12	17	40
35-49	536	7.1	55	<1	<1	5	9	15	22	32
50-64	950	7.6	70	<1	<1	5	9	16	22	49
65+	829	9.9	125	<1	1	7	12	21	30	68
TOT. SINGLE DX	147	4.4	24	<1	<1	3	6	10	13	26
" MULTIPLE DX	2974	7.6	80	<1	<1	5	9	16	23	48
TOTAL 0-19 YRS	98	3.4	12	<1	<1	2	4	9	11	16
20-34	604	5.3	47	<1	<1	3	7	12	16	38
35-49	573	6.9	54	<1	<1	5	9	15	21	32
50-64	994	7.4	68	<1	<1	5	9	15	22	48
65+	852	9.8	123	<1	1	7	12	21	29	68
GRAND TOTAL	3121	7.4	78	<1	<1	5	9	16	23	46

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	7.7	52	1	1	6	10	14	19	42
20-34	397	7.4	69	1	1	5	9	16	22	43
35-49	443	9.2	73	1	2	7	12	18	24	48
50-64	1521	10.3	56	3	4	9	13	18	23	45
65+	1797	11.2	54	3	4	10	14	19	24	37
2. MULTIPLE DX										
0-19 YRS	1908	20.1	406	2	3	12	29	54	77	99+
20-34	810	13.1	197	1	2	9	17	31	45	83
35-49	1235	13.5	146	2	3	11	17	28	41	77
50-64	4979	15.1	153	3	4	12	18	29	40	73
65+	7510	17.5	176	4	6	14	22	34	45	78
TOT. SINGLE DX	4445	10.1	60	2	3	9	13	18	23	41
" MULTIPLE DX	16442	16.5	199	3	4	13	21	34	47	86
TOTAL 0-19 YRS	2195	18.5	378	2	3	11	26	51	73	99+
20-34	1207	11.2	163	1	2	7	14	27	38	69
35-49	1678	12.4	131	2	2	10	16	26	37	68
50-64	6500	13.9	135	3	4	11	17	27	37	69
65+	9307	16.3	159	4	5	13	20	31	41	72
GRAND TOTAL	20887	15.2	176	3	4	12	19	31	43	81

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	639	3.7	15	1	1	2	4	8	11	18
20-34	749	5.0	24	1	1	3	6	11	15	24
35-49	401	5.9	42	1	1	3	7	13	20	29
50-64	511	7.1	43	2	2	5	9	16	19	31
65+	450	8.5	71	2	2	6	11	16	22	49
2. MULTIPLE DX										
0-19 YRS	294	5.9	30	1	1	4	8	13	17	25
20-34	533	9.2	80	2	2	7	12	19	25	47
35-49	610	9.3	66	2	2	7	12	19	25	42
50-64	1275	11.9	112	2	3	9	16	24	32	53
65+	1468	14.0	147	2	3	11	17	27	38	65
TOT. SINGLE DX	2750	5.8	39	1	1	3	8	13	17	29
" MULTIPLE DX	4180	11.5	114	2	2	9	15	23	30	55
TOTAL 0-19 YRS	933	4.4	21	1	1	3	5	10	14	24
20-34	1282	6.8	52	1	2	4	9	15	20	31
35-49	1011	8.0	59	1	2	5	11	17	24	37
50-64	1786	10.5	97	2	2	8	14	21	29	49
65+	1918	12.7	135	2	3	10	16	26	33	62
GRAND TOTAL	6930	9.2	92	1	2	6	12	20	27	48

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.4	11	1	1	3	7	9	11	13
20-34	48	7.7	29	1	2	7	9	14	20	25
35-49	58	7.8	26	2	2	7	10	14	18	26
50-64	108	10.0	57	3	3	8	12	19	27	38
65+	87	11.3	63	4	5	9	13	18	27	49
2. MULTIPLE DX										
0-19 YRS	15	6.6	38	1	2	4	9	16	22	24
20-34	70	8.7	17	3	4	8	11	14	17	23
35-49	95	13.5	167	2	3	9	16	29	40	69
50-64	292	13.7	142	3	5	10	16	28	36	69
65+	284	14.3	119	4	5	11	17	29	37	55
TOT. SINGLE DX	321	9.3	50	2	2	8	12	17	23	37
" MULTIPLE DX	756	13.3	126	3	4	10	16	27	36	63
TOTAL 0-19 YRS	35	5.3	23	1	2	4	7	10	15	24
20-34	118	8.3	22	2	3	8	11	14	18	24
35-49	153	11.4	121	2	3	8	13	23	32	57
50-64	400	12.7	122	3	4	9	15	25	33	64
65+	371	13.6	108	4	5	11	16	27	36	54
GRAND TOTAL	1077	12.1	107	3	4	9	14	24	32	59

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	20.5	61	15	15	20	26	26	26	26
35-49	3	8.7	44	3	3	7	14	16	16	16
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	14.0		14	14	14	14	14	14	14
65+										
TOT. SINGLE DX	6	12.7	67	3	3	12	16	25	26	26
" MULTIPLE DX	2	9.5	41	5	5	9	14	14	14	14
TOTAL 0-19 YRS										
20-34	2	20.5	61	15	15	20	26	26	26	26
35-49	4	7.8	33	3	3	6	11	16	16	16
50-64	2	11.5	13	9	9	11	14	14	14	14
65+										
GRAND TOTAL	8	11.9	56	3	4	11	15	23	26	26

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+										
TOT. SINGLE DX	2	3.5	1	3	3	3	4	4	4	4
" MULTIPLE DX	3	18.3	352	7	7	8	32	40	40	40
TOTAL 0-19 YRS										
20-34	2	22.0	648	4	4	22	40	40	40	40
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+										
GRAND TOTAL	5	12.4	242	3	3	7	16	40	40	40

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	477	8.5	62	2	2	6	9	16	24	43
20-34	484	9.5	69	2	3	7	11	17	26	48
35-49	362	10.3	99	2	3	7	12	21	31	51
50-64	621	10.2	103	2	3	7	12	21	29	54
65+	775	10.1	69	2	3	8	12	20	27	42
2. MULTIPLE DX										
0-19 YRS	596	11.2	106	2	4	8	13	23	31	68
20-34	1066	12.9	130	3	4	10	15	25	36	60
35-49	1274	13.7	147	3	4	10	16	27	38	73
50-64	2772	14.4	160	3	4	11	17	28	40	71
65+	6035	14.4	111	3	5	12	18	27	36	57
TOT. SINGLE DX	2719	9.8	80	2	3	7	11	19	28	46
" MULTIPLE DX	11743	14.0	129	3	4	11	17	27	37	64
TOTAL 0-19 YRS	1073	10.0	89	2	3	7	11	20	29	54
20-34	1550	11.8	114	3	3	9	14	23	33	59
35-49	1636	12.9	139	3	4	9	15	26	36	70
50-64	3393	13.6	153	3	4	10	17	27	38	68
65+	6810	13.9	109	3	4	11	18	27	35	56
GRAND TOTAL	14462	13.2	123	3	4	10	16	26	35	61

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	9.0	79	2	3	6	10	21	33	39
20-34	50	14.9	197	2	3	10	16	39	46	59
35-49	37	13.8	138	1	2	11	17	28	41	46
50-64	46	12.2	91	2	3	8	18	28	30	41
65+	31	21.1	281	2	3	17	28	45	60	70
2. MULTIPLE DX										
0-19 YRS	171	13.3	222	3	3	7	17	34	60	99+
20-34	167	17.0	261	2	3	10	28	39	49	73
35-49	192	17.4	236	2	3	12	23	39	50	72
50-64	370	17.4	208	3	4	13	23	37	49	70
65+	473	21.0	228	4	6	17	28	41	50	77
TOT. SINGLE DX	211	13.7	161	2	3	9	18	32	40	59
" MULTIPLE DX	1373	18.1	233	3	4	13	25	39	50	76
TOTAL 0-19 YRS	218	12.4	195	2	3	7	15	32	46	99+
20-34	217	16.6	246	2	3	10	27	39	48	66
35-49	229	16.8	222	2	3	12	23	38	46	71
50-64	416	16.9	198	3	4	13	23	36	49	69
65+	504	21.0	231	4	6	17	28	41	50	77
GRAND TOTAL	1584	17.5	226	3	4	13	24	39	49	73

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	4.1	32	<1	1	2	5	9	15	35
20-34	112	5.9	29	1	2	4	8	11	14	32
35-49	139	7.1	52	1	1	5	10	16	20	28
50-64	264	9.5	103	1	2	6	11	22	29	53
65+	311	9.4	93	1	2	6	12	20	27	47
2. MULTIPLE DX										
0-19 YRS	64	10.3	157	1	2	7	11	20	29	82
20-34	278	9.5	77	2	2	7	12	19	25	61
35-49	573	10.3	83	2	3	8	12	20	29	53
50-64	1196	11.9	148	2	3	8	14	24	34	73
65+	1855	12.9	121	2	3	10	16	27	35	59
TOT. SINGLE DX	898	8.2	80	1	1	5	10	18	24	46
" MULTIPLE DX	3966	12.0	123	2	3	9	15	25	34	60
TOTAL 0-19 YRS	136	7.0	100	1	1	4	9	14	21	48
20-34	390	8.5	66	2	2	7	10	17	21	46
35-49	712	9.7	79	2	2	7	12	19	26	49
50-64	1460	11.5	141	2	2	8	14	24	33	70
65+	2166	12.4	119	2	3	9	16	26	35	57
GRAND TOTAL	4864	11.3	117	2	2	8	14	24	32	58

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	551	4.2	5	2	2	4	5	7	8	10
20-34	8	12.8	25	6	7	13	16	19	20	20
35-49	4	9.0	8	6	6	9	11	12	12	12
50-64	12	17.8	240	5	8	11	19	45	55	57
65+	10	22.2	142	9	9	20	28	40	49	49
2. MULTIPLE DX										
0-19 YRS	124	6.3	9	3	3	6	8	11	12	17
20-34	10	20.3	546	4	5	10	18	62	77	77
35-49	20	16.7	122	6	7	15	19	33	46	47
50-64	37	23.8	156	9	10	22	30	39	53	54
65+	46	24.0	361	9	9	19	25	46	66	94
TOT. SINGLE DX	585	5.0	22	2	2	4	5	8	10	26
" MULTIPLE DX	237	13.9	196	3	4	9	18	28	45	79
TOTAL 0-19 YRS	675	4.6	7	2	2	4	6	8	9	13
20-34	18	16.9	315	5	6	11	17	39	65	77
35-49	24	15.4	111	6	7	12	18	23	46	47
50-64	49	22.3	179	9	10	19	29	40	54	57
65+	56	23.7	319	9	9	19	26	46	58	94
GRAND TOTAL	822	7.5	89	2	2	5	8	15	24	52

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.3	4	3	3	6	8	9	9	9
20-34	8	8.9	32	3	3	8	12	17	19	19
35-49	7	10.1	13	4	5	11	12	14	15	15
50-64	33	16.8	113	3	7	15	21	36	39	48
65+	42	22.3	314	5	6	16	30	58	65	99+
2. MULTIPLE DX										
0-19 YRS	48	22.4	420	4	5	14	39	62	86	99+
20-34	31	27.1	390	7	8	25	46	65	96	99+
35-49	38	24.0	287	5	7	22	42	76	99+	99+
50-64	152	25.7	322	6	7	22	37	62	87	99+
65+	575	28.9	342	7	9	26	40	59	76	99+
TOT. SINGLE DX	96	17.4	206	3	5	14	21	39	57	87
" MULTIPLE DX	844	27.7	345	6	8	25	39	60	80	99+
TOTAL 0-19 YRS	54	20.6	399	4	4	11	37	57	81	99+
20-34	39	23.4	370	4	7	15	36	61	88	99+
35-49	45	21.8	269	4	6	18	35	64	99+	99+
50-64	185	24.1	296	6	7	20	34	52	81	99+
65+	617	28.5	343	7	9	25	40	59	73	99+
GRAND TOTAL	940	26.6	340	6	8	23	38	58	77	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	5.4	10	2	2	5	7	10	13	13
20-34	193	6.7	17	2	2	6	9	12	14	20
35-49	305	7.7	35	2	3	6	10	14	18	32
50-64	374	7.7	31	2	2	7	10	14	18	29
65+	380	8.5	35	1	2	7	11	16	21	29
2. MULTIPLE DX										
0-19 YRS	98	7.6	20	3	3	6	10	13	15	25
20-34	781	9.1	47	2	4	8	11	17	21	38
35-49	1424	10.2	55	3	4	8	12	18	22	42
50-64	2544	10.7	58	3	4	9	13	19	24	40
65+	3816	12.8	91	3	5	10	15	24	30	53
TOT. SINGLE DX	1289	7.7	31	2	2	6	10	14	18	29
" MULTIPLE DX	8663	11.4	73	3	4	9	14	21	27	47
TOTAL 0-19 YRS	135	7.0	18	2	3	6	10	13	14	25
20-34	974	8.6	43	2	3	7	10	16	19	36
35-49	1729	9.7	53	2	4	8	12	17	21	41
50-64	2918	10.4	56	3	4	9	13	18	24	40
65+	4196	12.4	88	3	4	10	15	23	29	52
GRAND TOTAL	9952	10.9	69	3	4	9	13	20	26	45

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	8	3	3	9	10	10	10	10
20-34	87	12.4	28	7	7	11	14	21	23	27
35-49	210	12.8	27	7	8	11	15	20	25	31
50-64	217	15.4	54	8	9	13	18	24	27	44
65+	150	18.8	95	9	10	16	22	30	38	61
2. MULTIPLE DX										
0-19 YRS	8	34.1	793	7	8	20	56	78	83	83
20-34	126	15.9	88	7	8	13	20	29	39	69
35-49	360	17.8	101	8	9	15	21	31	36	60
50-64	605	21.7	177	9	10	18	26	38	51	72
65+	815	25.8	215	11	12	22	31	45	57	90
TOT. SINGLE DX	669	14.9	57	8	8	13	18	24	27	43
" MULTIPLE DX	1914	22.4	188	9	10	19	27	39	51	82
TOTAL 0-19 YRS	13	24.1	641	4	6	12	28	71	81	83
20-34	213	14.4	67	7	7	12	18	25	29	49
35-49	570	16.0	80	8	9	14	19	27	33	52
50-64	822	20.0	152	9	10	16	23	35	46	70
65+	965	24.7	203	10	11	21	30	44	53	89
GRAND TOTAL	2583	20.4	165	8	9	17	25	36	46	73

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	16.7	16	13	13	16	20	21	21	21
50-64	29	19.3	106	10	11	18	23	27	36	63
65+	22	21.0	47	12	13	20	27	30	34	35
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	11	20.1	387	9	11	15	17	85	98	99+
35-49	19	30.6	589	12	13	23	34	72	95	98
50-64	90	26.0	206	11	13	21	31	44	55	80
65+	120	27.3	179	12	14	24	32	42	54	77
TOT. SINGLE DX	56	19.2	85	10	11	18	24	27	35	61
" MULTIPLE DX	241	26.7	230	11	13	23	32	45	56	92
TOTAL 0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	12	18.7	376	4	8	15	16	83	97	99+
35-49	22	28.7	531	12	13	21	32	58	94	98
50-64	119	24.3	189	10	12	19	28	42	53	78
65+	142	26.3	163	12	14	23	30	41	52	73
GRAND TOTAL	297	25.3	211	11	13	22	29	42	55	91

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	11.9	18	8	8	10	16	18	20	20
20-34	93	12.2	27	6	7	11	15	19	24	28
35-49	136	12.1	26	7	7	11	15	19	23	29
50-64	125	13.3	40	7	8	11	16	20	22	41
65+	63	16.9	85	8	9	14	20	32	38	49
2. MULTIPLE DX										
0-19 YRS	8	21.4	183	8	8	19	28	43	48	48
20-34	83	14.6	66	6	7	12	16	28	32	41
35-49	204	15.2	74	7	8	13	19	28	32	61
50-64	289	16.4	83	8	8	13	20	28	34	47
65+	280	21.8	118	10	11	19	27	37	47	57
TOT. SINGLE DX	427	13.2	42	7	7	11	16	21	25	39
" MULTIPLE DX	864	17.8	100	8	8	18	22	31	38	56
TOTAL 0-19 YRS	18	16.1	109	8	8	12	20	30	42	48
20-34	176	13.3	47	6	7	11	16	23	28	39
35-49	340	14.0	58	7	8	12	17	24	30	40
50-64	414	15.5	72	7	8	13	19	26	33	46
65+	343	20.9	116	9	10	18	25	37	45	57
GRAND TOTAL	1291	16.2	85	7	8	14	20	28	36	51

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	7.8	23	3	4	7	9	11	16	34
20-34	645	8.8	14	5	6	8	10	13	15	25
35-49	518	9.6	25	5	6	8	11	15	18	29
50-64	207	12.3	31	6	7	11	15	21	24	31
65+	163	15.3	92	6	7	12	20	25	31	64
2. MULTIPLE DX										
0-19 YRS	127	15.7	200	5	6	10	20	30	52	86
20-34	1094	10.7	60	5	6	9	11	16	24	54
35-49	1392	11.7	78	5	6	9	12	19	26	60
50-64	756	15.5	120	6	7	12	18	30	39	59
65+	754	22.3	217	7	9	18	27	42	55	77
TOT. SINGLE DX	1618	10.1	33	5	6	8	11	16	21	32
" MULTIPLE DX	4123	14.2	128	5	6	10	16	27	38	67
TOTAL 0-19 YRS	212	12.5	145	4	5	9	14	24	39	79
20-34	1739	10.0	44	5	6	8	11	14	20	45
35-49	1910	11.1	65	5	6	9	12	17	23	52
50-64	963	14.8	103	6	7	12	17	26	36	54
65+	917	21.0	202	7	8	17	25	39	53	75
GRAND TOTAL	5741	13.0	105	5	6	10	14	24	34	62

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	258	5.1	18	<1	1	4	7	9	11	22
20-34	559	6.8	30	1	2	5	9	12	17	30
35-49	524	5.9	23	1	1	5	8	12	15	23
50-64	787	5.2	23	1	1	3	8	11	15	23
65+	739	6.3	46	1	1	4	9	14	20	32
2. MULTIPLE DX										
0-19 YRS	253	8.2	55	2	2	7	10	14	21	39
20-34	774	9.1	56	2	3	7	11	17	22	34
35-49	1272	9.4	57	2	2	8	12	17	22	37
50-64	2595	10.0	74	1	2	8	13	20	26	41
65+	3796	11.9	97	2	3	10	15	23	30	50
TOT. SINGLE DX	2867	5.9	31	1	1	4	8	12	16	27
" MULTIPLE DX	8690	10.6	81	2	2	9	13	21	27	46
TOTAL 0-19 YRS	511	6.7	39	1	1	5	8	12	16	38
20-34	1333	8.1	47	1	2	7	10	16	20	32
35-49	1796	8.4	50	1	2	7	11	16	20	35
50-64	3382	8.9	67	1	2	7	12	18	23	39
65+	4535	11.0	93	1	2	9	14	22	29	49
GRAND TOTAL	11557	9.4	73	1	2	8	12	19	25	42

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	11.1	43	6	7	9	12	17	20	43
20-34	67	12.7	34	5	6	12	16	20	25	31
35-49	69	13.0	51	7	8	11	14	20	26	50
50-64	74	14.3	116	6	7	12	17	20	26	78
65+	99	15.8	50	7	8	15	19	24	29	45
2. MULTIPLE DX										
0-19 YRS	95	19.2	305	5	6	12	23	45	56	81
20-34	213	18.6	213	7	8	13	23	38	50	80
35-49	259	18.5	171	7	8	14	22	39	51	99+
50-64	449	23.0	253	8	9	18	28	46	59	86
65+	713	24.0	222	9	10	20	29	43	55	96
TOT. SINGLE DX	345	13.8	63	6	7	12	16	21	26	43
" MULTIPLE DX	1729	22.0	231	8	9	17	27	42	55	93
TOTAL 0-19 YRS	131	17.0	245	5	6	11	20	39	55	79
20-34	280	17.2	177	7	7	13	20	32	44	79
35-49	328	17.3	151	7	8	13	20	35	50	99+
50-64	523	21.8	243	8	9	17	26	42	57	87
65+	812	23.0	208	8	10	19	28	41	54	94
GRAND TOTAL	2074	20.6	212	7	8	16	25	40	53	89

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	13.2	44	5	5	12	16	21	27	34
20-34	161	14.4	85	7	7	11	16	26	33	49
35-49	336	13.0	34	7	8	11	15	20	24	34
50-64	829	14.2	39	8	9	13	16	21	25	35
65+	1146	16.7	60	9	10	14	19	27	31	48
2. MULTIPLE DX										
0-19 YRS	90	18.1	237	6	7	14	20	36	56	96
20-34	382	19.3	163	8	9	15	23	37	50	74
35-49	742	17.3	102	8	9	14	21	29	38	74
50-64	2563	18.7	123	9	10	16	22	31	40	74
65+	5523	22.1	147	10	11	19	26	37	45	77
TOT. SINGLE DX	2520	15.2	53	8	9	13	17	23	29	42
" MULTIPLE DX	9300	20.6	142	9	10	18	25	35	44	77
TOTAL 0-19 YRS	138	16.4	175	6	7	13	19	31	44	91
20-34	543	17.9	145	7	8	14	21	35	44	66
35-49	1078	15.9	85	8	9	13	19	27	34	61
50-64	3392	17.6	107	9	10	15	20	29	37	66
65+	6669	21.2	136	10	11	18	25	36	44	73
GRAND TOTAL	11820	19.5	128	9	10	16	23	33	41	71

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.2	54	2	2	6	10	21	21	21
20-34	20	9.2	12	3	5	9	11	14	16	17
35-49	18	13.1	73	3	6	10	17	27	33	36
50-64	32	15.7	188	2	6	11	17	31	37	74
65+	56	15.4	95	7	8	12	18	24	40	52
2. MULTIPLE DX										
0-19 YRS	35	17.8	297	5	5	11	19	44	59	79
20-34	24	16.7	169	5	7	13	23	39	70	99+
35-49	63	16.1	86	7	8	14	21	26	28	62
50-64	154	19.8	142	7	9	17	24	36	42	70
65+	317	23.7	188	9	10	21	29	44	55	77
TOT. SINGLE DX	131	13.9	105	5	6	11	17	25	34	56
" MULTIPLE DX	593	21.2	178	7	9	18	26	38	51	77
TOTAL 0-19 YRS	40	16.6	276	4	5	10	18	38	58	79
20-34	44	13.3	111	5	6	10	15	31	44	99+
35-49	81	15.4	84	6	7	13	20	26	29	57
50-64	186	19.1	152	7	8	16	24	35	41	73
65+	373	22.5	183	8	10	20	28	41	52	75
GRAND TOTAL	724	19.9	173	7	8	16	25	37	48	74

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	7.4	20	2	3	6	10	12	16	24
20-34	206	9.8	34	4	5	9	11	14	17	40
35-49	206	10.3	19	5	6	10	13	15	18	27
50-64	276	10.9	57	4	5	10	12	17	20	39
65+	298	12.5	49	4	5	11	15	21	28	47
2. MULTIPLE DX										
0-19 YRS	164	12.6	130	4	4	9	14	28	37	97
20-34	401	13.3	86	6	7	11	15	23	28	57
35-49	465	14.4	114	6	7	11	15	26	34	57
50-64	714	15.9	136	6	7	12	18	30	41	78
65+	1180	18.2	168	6	8	14	22	33	45	78
TOT. SINGLE DX	1115	10.6	42	4	5	10	12	16	21	35
" MULTIPLE DX	2924	16.0	143	5	7	12	18	30	41	77
TOTAL 0-19 YRS	293	10.3	88	3	4	8	12	20	32	73
20-34	607	12.1	72	5	6	10	13	20	26	53
35-49	671	13.1	89	6	7	11	14	22	30	52
50-64	990	14.5	120	5	7	11	16	27	36	73
65+	1478	17.0	150	6	7	13	20	31	42	73
GRAND TOTAL	4039	14.5	121	5	6	11	16	27	36	68

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	13.6	36	7	7	11	19	22	23	23
20-34	18	14.7	157	6	6	10	15	35	48	53
35-49	31	13.0	48	4	6	12	16	20	22	40
50-64	48	19.7	265	6	8	15	20	39	68	74
65+	104	20.4	78	10	11	19	24	33	37	77
2. MULTIPLE DX										
0-19 YRS	25	20.7	357	5	8	16	26	85	99+	99+
20-34	51	24.3	394	8	9	18	29	46	71	94
35-49	111	22.8	272	8	10	18	27	52	69	99+
50-64	394	23.9	208	9	10	20	30	44	56	99
65+	816	26.2	219	10	12	23	32	46	59	94
TOT. SINGLE DX	214	18.3	127	7	9	16	22	32	41	72
" MULTIPLE DX	1397	25.1	230	9	11	21	31	46	59	99+
TOTAL 0-19 YRS	38	18.3	255	6	7	15	22	46	96	99+
20-34	69	21.8	348	7	8	16	25	45	68	93
35-49	142	20.7	239	7	9	16	25	46	60	99+
50-64	442	23.4	216	9	10	19	29	44	57	98
65+	920	25.6	207	10	12	22	31	45	57	94
GRAND TOTAL	1611	24.2	222	9	10	20	30	45	57	98

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9392	4.5	5	2	2	4	5	7	9	14
20-34	6074	4.6	5	2	3	4	5	7	9	13
35-49	1746	5.5	8	2	3	5	7	9	11	16
50-64	901	6.8	13	3	3	6	8	11	13	19
65+	310	8.9	26	3	4	8	11	16	19	24
2. MULTIPLE DX										
0-19 YRS	2533	6.8	25	3	3	5	8	12	16	27
20-34	2118	7.2	25	3	3	6	9	13	16	27
35-49	867	9.0	41	3	4	7	11	16	21	32
50-64	821	11.8	59	4	5	10	14	20	25	42
65+	634	14.1	75	5	6	12	17	24	32	46
TOT. SINGLE DX	18423	4.8	7	2	3	4	6	8	10	15
" MULTIPLE DX	6973	8.4	42	3	3	6	10	16	20	33
TOTAL 0-19 YRS	11925	5.0	11	2	3	4	6	8	11	18
20-34	8192	5.3	12	2	3	4	6	9	11	18
35-49	2613	6.7	22	3	3	5	8	11	15	24
50-64	1722	9.2	42	3	4	8	11	16	21	33
65+	944	12.4	66	4	5	10	15	22	27	41
GRAND TOTAL	25396	5.8	19	2	3	4	7	10	14	23

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	4.6	9	2	3	4	5	7	9	14
20-34	111	5.8	14	2	3	5	7	10	11	25
35-49	20	7.1	9	4	4	6	9	12	13	13
50-64	15	7.1	21	2	2	7	8	9	19	22
65+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	45	7.0	18	3	3	6	9	14	15	25
20-34	83	6.9	10	3	4	6	8	11	14	18
35-49	25	8.1	10	4	5	8	10	12	14	19
50-64	13	15.2	105	5	6	13	18	31	40	42
65+	18	15.3	295	4	5	11	13	23	58	81
TOT. SINGLE DX	309	5.3	12	2	3	4	6	9	11	23
" MULTIPLE DX	184	8.5	55	3	4	7	10	14	18	37
TOTAL 0-19 YRS	206	5.1	12	2	3	4	6	8	10	20
20-34	194	6.2	13	3	3	5	8	11	13	21
35-49	45	7.6	10	4	4	7	10	12	13	19
50-64	28	10.9	75	2	4	8	14	21	29	42
65+	20	14.6	271	4	5	11	13	22	52	81
GRAND TOTAL	493	6.5	30	2	3	5	8	11	14	26

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	9.9	69	3	5	8	10	15	31	45
20-34	18	9.4	28	4	6	9	10	13	22	28
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64	11	12.0	40	2	4	10	14	22	23	23
65+	6	19.2	196	7	7	13	29	42	43	43
2. MULTIPLE DX										
0-19 YRS	18	9.1	10	4	4	9	12	13	14	14
20-34	21	14.0	75	3	5	11	19	28	31	33
35-49	10	12.9	43	4	5	12	16	23	24	24
50-64	7	13.7	39	8	8	12	14	25	27	27
65+	10	24.0	130	12	13	18	35	39	43	43
TOT. SINGLE DX	67	10.9	66	3	5	9	11	21	29	45
" MULTIPLE DX	66	14.0	76	4	6	12	16	27	34	42
TOTAL 0-19 YRS	47	9.6	46	4	4	8	11	13	19	45
20-34	39	11.9	58	3	6	10	12	27	29	33
35-49	13	11.7	39	4	5	11	14	23	24	24
50-64	18	12.7	38	4	7	11	14	23	25	27
65+	16	22.2	149	8	10	16	34	42	43	43
GRAND TOTAL	133	12.4	73	4	6	10	14	26	32	44

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	3.9	11	1	1	3	5	8	10	19
20-34	260	4.7	19	1	2	4	6	8	10	29
35-49	153	4.6	13	1	1	4	6	9	11	18
50-64	260	5.3	26	1	1	4	7	11	14	23
65+	403	7.4	68	1	2	5	9	16	24	40
2. MULTIPLE DX										
0-19 YRS	100	7.3	67	1	1	5	9	14	26	44
20-34	252	8.5	69	2	2	6	11	16	21	49
35-49	329	8.3	57	2	2	6	10	16	21	40
50-64	718	9.1	74	2	2	7	11	19	25	46
65+	1459	11.6	103	2	3	9	15	24	30	49
TOT. SINGLE DX	1286	5.5	36	1	1	4	6	11	16	33
" MULTIPLE DX	2858	10.2	89	2	3	7	13	21	28	47
TOTAL 0-19 YRS	310	5.0	32	1	1	3	6	10	13	29
20-34	512	6.6	48	1	2	5	7	13	18	45
35-49	482	7.1	47	1	2	5	9	14	18	38
50-64	978	8.0	64	1	2	6	10	16	22	40
65+	1862	10.7	99	2	2	8	14	23	29	47
GRAND TOTAL	4144	8.7	77	1	2	6	11	19	25	45

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.8	7	1	1	3	5	8	10	12
20-34	299	3.5	4	1	1	3	4	7	8	10
35-49	217	3.8	8	1	1	3	5	7	8	18
50-64	124	5.0	21	1	2	4	6	8	14	27
65+	51	5.7	15	2	2	5	7	10	14	22
2. MULTIPLE DX										
0-19 YRS	18	5.0	8	2	2	4	6	10	12	12
20-34	182	6.1	57	1	2	4	7	11	17	35
35-49	198	7.5	106	2	2	5	8	16	21	72
50-64	163	9.1	101	2	3	5	11	18	27	58
65+	97	12.0	124	2	3	8	17	27	31	54
TOT. SINGLE DX	753	4.0	10	1	1	3	5	7	9	17
" MULTIPLE DX	658	8.1	95	2	2	5	9	17	25	57
TOTAL 0-19 YRS	80	4.1	8	1	1	3	5	8	11	12
20-34	481	4.5	26	1	1	3	5	8	11	21
35-49	415	5.6	59	1	2	4	6	9	16	29
50-64	287	7.3	71	2	2	5	8	15	22	51
65+	148	9.8	96	2	2	6	12	23	30	51
GRAND TOTAL	1411	5.9	54	1	2	4	7	12	17	34

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	12.1	45	2	3	11	16	23	25	25
20-34	39	16.4	105	2	5	14	22	30	39	48
35-49	56	13.9	52	3	8	13	16	21	26	97
50-64	240	16.7	39	9	10	15	20	25	29	36
65+	323	20.0	63	10	12	18	24	30	35	45
2. MULTIPLE DX										
0-19 YRS	31	17.2	168	8	8	12	20	31	46	67
20-34	56	20.1	181	3	5	16	28	36	47	64
35-49	126	18.4	162	4	6	16	22	29	43	71
50-64	570	20.5	98	9	11	18	25	34	40	57
65+	1073	24.7	149	11	13	22	30	42	50	66
TOT. SINGLE DX	672	17.9	60	8	10	17	22	28	32	45
" MULTIPLE DX	1856	22.7	141	9	11	20	28	38	47	66
TOTAL 0-19 YRS	45	15.6	133	5	8	12	18	28	36	67
20-34	95	18.6	152	3	5	16	24	33	45	61
35-49	182	17.0	132	4	7	15	20	27	39	78
50-64	810	19.4	84	9	10	17	23	32	37	52
65+	1396	23.6	133	11	13	21	28	40	47	64
GRAND TOTAL	2528	21.5	124	9	11	19	26	35	44	63

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	4.8	9	1	1	4	6	9	11	16
20-34	1107	5.5	14	1	2	5	7	10	13	20
35-49	1153	6.0	17	1	2	5	8	10	13	22
50-64	1005	6.2	21	1	2	5	8	11	14	25
65+	832	7.3	33	1	2	6	10	14	18	32
2. MULTIPLE DX										
0-19 YRS	500	6.7	28	2	2	6	8	12	14	28
20-34	3059	7.8	38	2	3	6	9	14	18	32
35-49	4305	8.8	45	2	3	7	11	16	21	35
50-64	5684	9.5	55	2	3	8	12	17	23	39
65+	7104	11.3	73	3	4	9	14	21	28	47
TOT. SINGLE DX	4405	6.1	21	1	2	5	8	11	14	24
" MULTIPLE DX	20652	9.6	58	2	3	8	12	18	24	40
TOTAL 0-19 YRS	808	6.0	22	1	2	5	8	11	13	24
20-34	4166	7.2	33	2	2	6	9	13	16	30
35-49	5458	8.2	41	2	3	7	10	15	20	33
50-64	6689	9.0	51	2	3	7	11	17	22	37
65+	7936	10.9	70	2	3	9	14	21	27	46
GRAND TOTAL	25057	9.0	53	2	3	7	11	17	22	38

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.0	2	<1	1	3	4	5	6	7
20-34	423	3.6	3	1	2	3	4	6	7	11
35-49	401	3.9	5	1	2	4	5	6	7	11
50-64	253	4.4	7	2	2	4	5	7	9	14
65+	67	4.3	4	2	2	4	5	6	7	15
2. MULTIPLE DX										
0-19 YRS	19	5.3	11	1	2	5	7	8	13	17
20-34	330	4.8	13	2	2	4	5	8	11	22
35-49	445	5.2	11	2	3	4	6	9	11	20
50-64	381	5.5	13	2	3	4	6	9	12	23
65+	169	7.9	61	3	3	6	8	12	23	46
TOT. SINGLE DX	1188	3.9	5	2	2	4	5	6	8	12
" MULTIPLE DX	1344	5.5	20	2	3	4	6	9	12	26
TOTAL 0-19 YRS	63	3.7	6	1	1	3	5	6	7	16
20-34	753	4.2	8	2	2	4	5	7	8	15
35-49	846	4.6	9	2	2	4	5	8	10	18
50-64	634	5.1	12	2	2	4	6	9	11	21
65+	236	6.9	48	2	3	5	8	11	17	41
GRAND TOTAL	2532	4.8	13	2	2	4	5	8	10	21

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.5	2	<1	<1	2	3	4	6	8
20-34	562	3.0	3	1	1	3	4	5	5	9
35-49	256	3.6	4	2	2	3	4	5	7	12
50-64	145	4.0	6	2	2	3	4	7	8	19
65+	68	5.3	19	2	2	4	5	9	18	24
2. MULTIPLE DX										
0-19 YRS	53	4.4	8	2	2	4	5	7	9	20
20-34	472	5.1	17	2	2	4	6	8	9	26
35-49	479	5.3	12	2	2	5	6	9	12	18
50-64	434	6.1	20	2	3	5	7	10	13	27
65+	273	8.1	80	3	3	5	9	15	21	59
TOT. SINGLE DX	1126	3.4	5	1	2	3	4	5	7	12
" MULTIPLE DX	1711	5.9	28	2	3	5	6	10	13	28
TOTAL 0-19 YRS	148	3.2	5	<1	1	3	4	6	7	9
20-34	1034	4.0	11	1	2	3	5	6	8	17
35-49	735	4.7	10	2	2	4	5	8	10	18
50-64	579	5.6	18	2	3	4	7	9	12	26
65+	341	7.5	70	2	3	5	8	14	20	46
GRAND TOTAL	2837	4.9	20	1	2	4	5	8	11	22

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.3	3	1	2	4	5	7	8	8
20-34	716	5.2	5	2	3	5	6	8	9	13
35-49	794	5.2	4	2	3	5	6	8	9	12
50-64	473	5.6	9	2	3	5	6	9	11	18
65+	159	6.2	9	3	3	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	110	5.6	9	2	3	5	7	8	10	21
20-34	2872	5.9	12	3	3	5	7	9	11	20
35-49	3927	6.4	14	3	3	5	7	10	13	20
50-64	3284	7.1	23	3	4	6	8	12	15	25
65+	1340	8.6	34	3	4	7	10	16	20	30
TOT. SINGLE DX	2171	5.4	6	2	3	5	6	8	10	14
" MULTIPLE DX	11533	6.7	19	3	3	6	8	11	14	24
TOTAL 0-19 YRS	139	5.3	8	2	3	5	6	8	9	20
20-34	3588	5.7	11	3	3	5	7	8	11	18
35-49	4721	6.2	13	3	3	5	7	10	12	20
50-64	3757	6.9	22	3	4	6	8	11	14	24
65+	1499	8.4	33	3	4	7	10	15	19	29
GRAND TOTAL	13704	6.5	18	3	3	5	7	10	13	23

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	4.1	11	1	1	3	5	7	9	21
20-34	500	3.8	5	1	1	3	5	7	8	12
35-49	357	4.1	7	1	2	3	5	7	10	15
50-64	220	4.7	11	1	2	4	6	9	11	18
65+	101	5.8	17	1	2	5	8	10	13	23
2. MULTIPLE DX										
0-19 YRS	52	7.5	93	1	2	5	8	14	17	61
20-34	345	5.8	26	1	2	4	7	11	15	25
35-49	376	6.1	28	2	2	5	7	11	16	25
50-64	376	7.9	54	2	2	6	9	17	24	34
65+	301	10.1	58	2	3	8	13	20	27	42
TOT. SINGLE DX	1264	4.2	9	1	1	3	5	8	10	16
" MULTIPLE DX	1450	7.4	46	2	2	5	9	15	20	35
TOTAL 0-19 YRS	138	5.4	45	1	2	4	6	10	14	42
20-34	845	4.6	15	1	2	4	6	8	11	20
35-49	733	5.1	19	1	2	4	6	10	13	22
50-64	596	6.7	41	2	2	5	8	13	20	31
65+	402	9.0	51	2	3	7	11	19	26	39
GRAND TOTAL	2714	5.9	31	1	2	4	7	12	16	29

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	8	11.1	60	1	1	12	16	21	23	23
35-49	6	13.8	32	5	5	14	19	20	20	20
50-64	10	16.5	138	3	4	14	25	34	35	35
65+	7	14.3	88	4	4	15	23	27	27	27
2. MULTIPLE DX										
0-19 YRS	4	23.0	552	3	3	16	39	56	56	56
20-34	15	17.4	366	4	4	9	19	46	65	72
35-49	16	16.9	211	3	4	12	22	32	52	60
50-64	31	24.7	345	3	7	21	34	48	67	80
65+	41	23.8	301	3	5	22	29	40	63	88
TOT. SINGLE DX	35	13.2	80	2	4	10	19	25	32	35
" MULTIPLE DX	107	22.1	316	3	4	20	28	46	63	83
TOTAL 0-19 YRS	8	14.6	318	3	3	7	16	46	56	56
20-34	23	15.2	262	2	3	10	17	36	55	72
35-49	22	16.0	161	4	5	13	21	28	44	60
50-64	41	22.7	302	3	5	20	33	44	59	80
65+	48	22.4	279	4	4	21	28	36	63	88
GRAND TOTAL	142	19.9	271	3	4	17	26	38	58	81

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	7.0	42	1	1	4	9	15	19	35
20-34	373	6.0	40	1	1	4	8	12	16	31
35-49	341	6.0	32	1	1	4	8	14	18	27
50-64	345	8.0	73	1	1	6	11	19	22	36
65+	236	10.4	89	1	1	8	14	22	27	39
2. MULTIPLE DX										
0-19 YRS	143	13.5	144	2	2	10	16	30	41	53
20-34	600	11.5	107	2	2	9	14	24	32	68
35-49	959	12.3	116	1	2	10	16	25	33	55
50-64	1759	12.9	109	2	2	10	17	25	32	53
65+	1579	16.4	152	2	4	13	22	31	41	61
TOT. SINGLE DX	1361	7.3	58	1	1	5	10	17	21	35
" MULTIPLE DX	5040	13.7	129	2	2	11	18	28	36	58
TOTAL 0-19 YRS	209	11.4	121	1	2	8	14	27	37	52
20-34	973	9.4	89	1	2	7	12	20	29	55
35-49	1300	10.7	102	1	2	8	14	22	30	52
50-64	2104	12.1	107	1	2	10	16	24	31	51
65+	1815	15.7	148	2	3	13	21	30	39	60
GRAND TOTAL	6401	12.4	120	1	2	10	16	26	33	54

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	522	7.5	9	4	5	7	9	11	14	19
20-34	5926	7.4	7	4	5	7	8	11	13	17
35-49	4870	7.8	9	5	5	7	9	11	14	19
50-64	4807	8.5	12	5	5	8	10	13	15	21
65+	2547	10.6	24	6	6	9	13	17	20	28
2. MULTIPLE DX										
0-19 YRS	345	9.9	33	5	6	8	12	16	18	32
20-34	4464	9.6	24	5	5	8	11	15	18	30
35-49	5408	10.5	38	5	6	9	12	17	21	32
50-64	7889	12.0	47	6	6	10	15	20	24	39
65+	8336	16.1	91	7	8	14	19	27	34	53
TOT. SINGLE DX	18672	8.2	13	5	5	7	9	12	15	21
" MULTIPLE DX	26442	12.6	62	5	6	10	15	21	27	44
TOTAL 0-19 YRS	867	8.5	20	5	5	7	10	14	16	23
20-34	10390	8.3	16	5	5	7	9	13	15	23
35-49	10278	9.2	26	5	5	8	11	15	18	28
50-64	12696	10.7	37	5	6	9	13	18	22	34
65+	10883	14.8	81	6	7	12	18	25	32	50
GRAND TOTAL	45114	10.8	46	5	6	9	13	18	23	38

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.0	48	1	1	5	12	16	16	16
20-34	60	9.0	56	2	3	7	10	16	25	42
35-49	99	9.8	76	2	2	8	12	20	22	50
50-64	136	12.3	65	2	2	12	18	23	26	36
65+	226	14.4	106	2	3	13	19	26	32	50
2. MULTIPLE DX										
0-19 YRS	10	10.7	63	2	2	8	15	24	25	25
20-34	101	15.2	138	3	5	13	19	27	35	70
35-49	166	16.0	135	3	5	13	21	28	35	60
50-64	377	19.6	183	4	8	17	25	35	47	90
65+	915	21.4	166	6	9	19	26	37	45	68
TOT. SINGLE DX	525	12.3	88	2	2	11	17	24	28	41
" MULTIPLE DX	1569	20.0	169	4	8	17	25	36	44	74
TOTAL 0-19 YRS	14	9.6	58	1	2	8	15	23	25	25
20-34	161	12.9	116	2	4	10	16	24	30	49
35-49	265	13.7	123	2	3	11	18	26	32	60
50-64	513	17.7	162	3	5	16	22	33	42	79
65+	1141	20.0	162	4	8	18	25	36	43	67
GRAND TOTAL	2094	18.0	160	3	5	16	23	33	42	69

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	6.6	50	1	1	3	11	18	23	24
20-34	115	7.6	51	1	2	6	10	15	21	37
35-49	161	9.9	100	1	2	7	12	22	31	53
50-64	139	9.6	80	1	2	8	12	22	29	66
65+	115	12.0	94	1	2	9	17	25	31	43
2. MULTIPLE DX										
0-19 YRS	14	22.0	481	2	4	12	32	59	68	71
20-34	188	14.0	240	2	2	9	16	31	56	77
35-49	328	16.9	240	2	3	12	23	38	49	71
50-64	490	19.2	279	2	4	14	27	43	59	93
65+	485	18.4	186	2	4	15	25	35	44	73
TOT. SINGLE DX	543	9.7	84	1	2	7	13	22	29	46
" MULTIPLE DX	1505	17.8	240	2	3	13	24	38	52	76
TOTAL 0-19 YRS	27	14.6	325	1	2	8	16	44	60	71
20-34	303	11.6	178	1	2	8	13	24	38	71
35-49	489	14.6	205	2	2	10	19	34	46	69
50-64	629	17.1	251	2	3	12	24	38	55	92
65+	600	17.2	175	2	3	14	24	34	41	66
GRAND TOTAL	2048	15.7	212	2	2	11	21	35	47	74

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	586	4.8	16	1	1	4	6	9	10	25
20-34	1766	5.2	15	1	2	4	6	9	12	21
35-49	1487	5.4	27	1	1	4	7	10	12	21
50-64	1754	5.6	26	1	1	4	7	11	14	25
65+	1926	6.4	41	1	2	5	8	12	16	30
2. MULTIPLE DX										
0-19 YRS	644	5.9	25	2	2	5	7	10	14	22
20-34	3122	6.9	36	2	2	5	8	13	17	31
35-49	4648	7.5	37	2	3	6	9	14	19	30
50-64	8115	7.8	37	2	2	6	10	15	19	33
65+	14726	9.5	60	2	3	7	12	18	24	40
TOT. SINGLE DX	7519	5.6	27	1	2	4	7	11	14	25
" MULTIPLE DX	31255	8.4	49	2	3	7	10	16	21	36
TOTAL 0-19 YRS	1230	5.4	21	1	2	4	7	10	12	23
20-34	4888	6.3	29	2	2	5	7	11	15	28
35-49	6135	6.9	36	1	2	5	8	13	17	29
50-64	9869	7.4	37	2	2	6	9	14	18	33
65+	16652	9.1	60	2	3	7	11	18	23	40
GRAND TOTAL	38774	7.9	46	2	2	6	10	15	20	35

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4986	2.3	1	1	1	2	3	4	5	7
20-34	4893	3.8	2	2	2	4	4	6	6	8
35-49	3885	4.2	3	2	2	4	5	6	7	9
50-64	5657	4.5	3	2	3	4	5	7	8	11
65+	3831	5.4	6	3	3	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	2914	2.8	14	1	1	2	3	5	6	14
20-34	1766	4.8	12	2	2	4	5	7	9	18
35-49	2267	5.4	10	2	3	5	6	9	11	19
50-64	4676	6.4	20	3	3	5	7	11	14	25
65+	5576	8.4	40	3	4	7	10	15	20	34
TOT. SINGLE DX	23252	4.0	4	1	2	4	5	6	7	11
" MULTIPLE DX	17199	6.1	28	2	2	5	7	11	15	27
TOTAL 0-19 YRS	7900	2.5	6	1	1	2	3	4	5	9
20-34	6659	4.0	5	2	2	4	5	6	7	11
35-49	6152	4.6	6	2	3	4	5	7	8	14
50-64	10333	5.4	12	2	3	5	6	8	11	19
65+	9407	7.2	29	3	3	6	8	12	17	28
GRAND TOTAL	40451	4.9	15	1	2	4	6	8	11	20

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	669	2.2	1	<1	1	2	2	4	5	8
20-34	425	4.5	2	2	3	4	5	6	8	10
35-49	574	4.8	2	3	3	5	6	7	8	11
50-64	900	5.3	4	3	3	5	6	8	9	12
65+	579	6.1	6	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	637	4.0	91	1	1	2	3	5	9	75
20-34	203	5.1	6	2	3	5	6	8	9	12
35-49	423	5.6	7	2	3	5	7	8	10	14
50-64	934	6.7	14	3	4	6	8	11	13	20
65+	894	9.4	40	4	4	8	11	18	22	34
TOT. SINGLE DX	3147	4.6	5	1	2	4	6	7	9	12
" MULTIPLE DX	3091	6.7	40	1	2	5	8	12	16	33
TOTAL 0-19 YRS	1306	3.0	47	1	1	2	3	4	6	48
20-34	628	4.7	4	2	3	4	5	7	8	11
35-49	997	5.2	5	3	3	5	6	8	9	13
50-64	1834	6.0	10	3	3	5	7	9	11	18
65+	1473	8.1	30	3	4	7	9	14	19	31
GRAND TOTAL	6238	5.6	24	1	2	5	7	9	12	24

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.7	3	<1	1	4	5	7	7	8
20-34	103	4.3	3	2	2	4	5	6	8	11
35-49	155	4.6	4	2	3	4	5	6	8	11
50-64	220	5.5	10	3	3	5	6	8	10	22
65+	288	6.6	14	3	3	6	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	17	6.7	161	<1	1	3	6	9	39	55
20-34	35	4.3	4	2	2	4	5	8	8	10
35-49	112	6.6	25	2	3	5	8	14	17	26
50-64	191	6.6	19	3	3	5	7	11	17	25
65+	418	12.0	89	4	5	9	14	23	32	49
TOT. SINGLE DX	800	5.5	10	2	3	5	6	9	11	19
" MULTIPLE DX	773	9.4	69	3	3	7	11	19	25	44
TOTAL 0-19 YRS	51	4.7	56	<1	1	4	5	7	8	54
20-34	138	4.3	4	2	2	4	5	6	8	11
35-49	267	5.4	14	2	3	4	6	9	13	23
50-64	411	6.0	15	3	3	5	7	10	13	23
65+	706	9.8	66	3	4	7	11	19	25	44
GRAND TOTAL	1573	7.4	43	2	3	5	8	14	20	34

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	994	2.2	1	<1	1	2	3	4	4	6
20-34	385	3.6	2	1	2	3	4	6	7	9
35-49	435	4.0	5	2	2	3	5	7	8	12
50-64	369	4.7	7	2	2	4	6	8	9	15
65+	164	6.3	12	2	3	5	8	10	12	20
2. MULTIPLE DX										
0-19 YRS	261	3.5	10	1	1	3	4	6	9	17
20-34	238	5.5	18	2	2	4	7	10	12	23
35-49	433	6.8	22	2	3	5	8	13	16	25
50-64	535	7.6	42	2	3	6	9	13	18	33
65+	419	10.9	58	3	4	9	14	21	27	40
TOT. SINGLE DX	2347	3.4	6	1	1	3	4	6	8	11
" MULTIPLE DX	1886	7.3	39	2	2	6	9	14	19	31
TOTAL 0-19 YRS	1255	2.5	3	<1	1	2	3	4	5	9
20-34	623	4.3	10	2	2	4	5	7	9	15
35-49	868	5.4	16	2	2	4	6	10	13	22
50-64	904	6.4	30	2	2	5	7	11	15	29
65+	583	9.6	49	3	3	8	12	19	24	36
GRAND TOTAL	4233	5.2	24	1	2	4	6	10	14	26

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	2.6	4	1	1	2	3	5	5	9
20-34	590	4.5	5	2	2	4	6	8	8	14
35-49	877	5.5	10	2	2	5	7	9	11	18
50-64	1064	6.3	11	2	3	6	8	10	12	18
65+	710	7.6	13	3	4	7	9	12	15	20
2. MULTIPLE DX										
0-19 YRS	65	4.7	22	1	2	4	5	7	11	32
20-34	465	6.9	21	2	3	6	8	12	15	28
35-49	957	8.4	32	3	3	7	10	15	18	33
50-64	1522	9.6	43	3	4	8	12	17	21	34
65+	1493	11.9	67	4	5	10	14	21	27	42
TOT. SINGLE DX	3456	5.9	12	2	2	5	8	10	12	18
" MULTIPLE DX	4502	9.8	50	3	4	8	12	17	22	37
TOTAL 0-19 YRS	280	3.1	9	1	1	2	4	5	7	16
20-34	1055	5.6	14	2	2	5	7	9	12	21
35-49	1834	7.0	24	2	3	6	8	12	16	27
50-64	2586	8.3	33	3	3	7	10	14	18	30
65+	2203	10.5	54	3	4	9	13	19	24	38
GRAND TOTAL	7958	8.1	37	2	3	7	10	14	19	33

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.6	14	<1	1	3	8	11	11	12
20-34	36	7.7	16	2	3	7	11	14	15	17
35-49	57	7.7	10	3	4	7	9	12	14	17
50-64	83	8.8	20	3	4	9	11	14	16	23
65+	67	10.9	26	4	5	10	14	17	20	26
2. MULTIPLE DX										
0-19 YRS	33	10.2	86	1	1	8	11	26	30	39
20-34	77	12.4	110	4	7	10	13	22	28	72
35-49	183	11.1	39	5	6	9	13	19	23	31
50-64	350	13.4	73	6	7	11	16	22	30	46
65+	291	17.9	102	8	9	15	22	32	38	65
TOT. SINGLE DX	269	8.5	21	2	3	8	11	14	17	24
" MULTIPLE DX	934	14.1	86	5	7	11	17	26	32	52
TOTAL 0-19 YRS	59	7.7	62	1	1	6	10	13	27	38
20-34	113	10.9	85	3	4	9	12	18	23	52
35-49	240	10.3	35	4	5	9	12	18	21	30
50-64	433	12.5	66	4	6	10	15	21	29	44
65+	358	16.6	95	6	8	14	21	30	37	61
GRAND TOTAL	1203	12.9	77	4	5	10	15	23	30	49

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	3.8	10	1	1	3	5	8	11	17
20-34	426	5.8	26	1	2	4	7	11	15	28
35-49	321	6.9	32	1	2	6	9	14	18	26
50-64	368	9.5	67	2	3	7	13	20	25	38
65+	273	10.7	89	1	2	8	14	21	29	49
2. MULTIPLE DX										
0-19 YRS	231	7.8	89	1	2	5	9	16	24	71
20-34	565	9.4	85	2	2	6	12	20	27	47
35-49	764	12.6	135	2	3	9	16	26	35	56
50-64	1480	13.5	130	2	3	11	18	27	36	63
65+	1632	16.4	170	2	4	13	21	33	43	67
TOT. SINGLE DX	1677	7.3	50	1	2	5	9	15	21	37
" MULTIPLE DX	4672	13.6	145	2	3	10	18	28	38	64
TOTAL 0-19 YRS	520	5.6	49	1	1	3	6	11	16	37
20-34	991	7.8	63	1	2	5	9	16	23	44
35-49	1085	10.9	112	2	2	8	14	23	29	53
50-64	1848	12.7	121	2	3	10	17	26	34	60
65+	1905	15.6	163	2	3	12	20	32	41	66
GRAND TOTAL	6349	11.9	127	2	2	9	16	25	34	59

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	6.5	17	2	3	6	8	11	13	24
20-34	752	7.0	23	2	3	6	8	12	16	28
35-49	305	9.2	35	3	4	8	11	18	22	30
50-64	256	12.7	92	4	5	9	15	25	33	52
65+	230	14.3	90	4	6	12	18	26	30	42
2. MULTIPLE DX										
0-19 YRS	391	10.9	113	3	4	8	13	22	34	99
20-34	1215	10.3	88	3	4	7	11	19	27	56
35-49	742	14.8	146	4	6	11	18	29	43	77
50-64	800	19.0	189	6	7	15	24	38	47	87
65+	1051	21.7	202	7	9	18	27	39	53	87
TOT. SINGLE DX	1860	9.0	50	3	3	7	10	17	23	36
" MULTIPLE DX	4199	15.7	171	4	5	12	20	32	43	79
TOTAL 0-19 YRS	708	9.0	75	3	3	7	10	17	23	63
20-34	1967	9.0	66	3	4	7	10	17	24	47
35-49	1047	13.2	121	4	5	10	15	26	37	64
50-64	1056	17.5	173	5	6	14	22	35	45	79
65+	1281	20.4	190	6	8	17	26	37	51	86
GRAND TOTAL	6059	13.6	143	3	4	10	17	28	38	70

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	780	3.6	7	1	1	3	5	7	9	13
20-34	3227	2.9	6	<1	1	2	3	6	8	12
35-49	405	2.7	8	<1	1	2	3	6	7	10
50-64	92	4.7	43	1	1	2	5	9	22	37
65+	38	8.2	99	1	1	4	12	24	31	45
2. MULTIPLE DX										
0-19 YRS	610	5.1	44	1	1	3	7	10	13	26
20-34	3992	3.9	16	<1	1	2	5	8	11	18
35-49	704	4.9	36	1	1	2	6	11	17	28
50-64	175	8.1	79	1	2	5	10	21	29	41
65+	106	12.0	163	2	2	10	16	27	38	94
TOT. SINGLE DX	4542	3.1	8	<1	1	2	4	6	8	13
" MULTIPLE DX	5587	4.5	28	1	1	3	6	10	13	25
TOTAL 0-19 YRS	1390	4.3	24	1	1	3	6	8	11	17
20-34	7219	3.4	12	<1	1	2	4	7	10	16
35-49	1109	4.1	27	<1	1	2	4	9	13	27
50-64	267	6.9	70	1	1	3	8	10	25	41
65+	144	11.0	149	1	2	8	15	27	35	90
GRAND TOTAL	10129	3.8	20	<1	1	2	5	8	11	21

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	7.3	24	1	2	7	9	14	17	25
20-34	625	6.9	35	1	2	6	9	13	18	25
35-49	404	8.9	40	2	2	8	11	16	18	31
50-64	321	11.1	45	4	5	9	13	19	24	41
65+	283	13.0	52	5	7	12	15	21	24	43
2. MULTIPLE DX										
0-19 YRS	237	10.0	91	2	3	8	11	18	27	66
20-34	1421	7.9	46	2	2	6	9	15	20	38
35-49	908	13.0	115	2	4	10	16	26	34	61
50-64	947	16.2	143	4	6	13	20	30	41	70
65+	1236	20.0	183	7	9	16	24	36	47	76
TOT. SINGLE DX	1762	9.1	45	2	2	8	12	17	21	32
" MULTIPLE DX	4749	13.8	139	2	4	10	17	28	37	63
TOTAL 0-19 YRS	366	9.1	70	2	2	7	11	17	22	53
20-34	2046	7.6	43	1	2	6	9	14	19	34
35-49	1312	11.8	96	2	3	9	14	22	31	56
50-64	1268	14.9	124	4	5	12	18	27	38	61
65+	1519	18.7	167	7	8	15	23	33	44	74
GRAND TOTAL	6511	12.5	118	2	3	9	16	25	33	58

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.4	26	5	5	8	11	17	20	28
20-34	62	10.0	10	7	7	9	11	13	15	25
35-49	100	12.3	29	7	8	10	15	19	24	31
50-64	178	13.7	32	7	8	12	17	21	23	31
65+	155	15.1	33	8	9	14	18	22	26	38
2. MULTIPLE DX										
0-19 YRS	98	12.3	74	5	6	9	14	27	37	99+
20-34	182	13.5	67	6	7	11	15	25	33	44
35-49	269	16.3	87	7	8	14	19	28	38	58
50-64	573	18.6	109	8	9	16	22	31	39	59
65+	678	19.9	116	9	10	17	24	35	43	58
TOT. SINGLE DX	526	13.1	32	7	8	12	16	21	24	30
" MULTIPLE DX	1800	17.9	108	7	8	15	22	32	40	58
TOTAL 0-19 YRS	129	11.6	65	5	6	9	13	25	35	99+
20-34	244	12.6	55	7	7	10	14	23	28	43
35-49	369	15.2	75	7	8	13	18	26	34	51
50-64	751	17.4	96	8	9	15	20	29	36	57
65+	833	19.0	105	9	10	16	23	32	41	56
GRAND TOTAL	2326	16.8	95	7	8	14	20	29	37	55

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	8.6	50	2	2	8	12	17	22	45
20-34	431	9.6	35	2	3	9	12	17	21	31
35-49	421	10.0	34	2	3	9	12	16	20	33
50-64	396	11.0	43	2	3	10	14	18	23	33
65+	179	10.9	38	2	3	10	13	20	23	31
2. MULTIPLE DX										
0-19 YRS	229	11.0	62	2	2	10	14	21	27	43
20-34	645	13.7	133	2	3	11	17	25	35	71
35-49	584	14.4	119	2	3	12	18	28	37	57
50-64	810	14.9	106	3	5	12	18	27	35	55
65+	701	16.3	117	3	5	14	20	30	36	53
TOT. SINGLE DX	1604	10.1	40	2	3	9	12	17	21	33
" MULTIPLE DX	2969	14.6	116	2	4	12	18	27	35	57
TOTAL 0-19 YRS	406	10.0	58	2	2	9	13	20	26	44
20-34	1076	12.1	98	2	3	10	15	23	31	63
35-49	1005	12.5	89	2	3	10	15	23	32	54
50-64	1206	13.6	89	2	4	11	16	24	32	52
65+	880	15.2	106	3	5	13	19	28	34	51
GRAND TOTAL	4573	13.0	94	2	3	11	16	24	32	53

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	8.6	17	3	4	8	10	16	17	17
20-34	363	9.3	15	4	5	9	12	14	16	19
35-49	435	9.5	20	3	4	9	12	15	18	25
50-64	420	10.1	18	4	5	9	12	15	18	25
65+	163	12.1	49	4	6	11	14	19	26	43
2. MULTIPLE DX										
0-19 YRS	24	9.4	37	2	3	8	12	18	22	27
20-34	212	10.6	30	3	5	10	13	17	21	30
35-49	315	12.1	42	5	6	10	15	19	21	36
50-64	523	12.9	49	5	7	11	15	21	26	40
65+	389	15.5	96	4	7	14	19	26	33	59
TOT. SINGLE DX	1409	9.9	22	4	5	9	12	15	18	26
" MULTIPLE DX	1463	13.0	60	4	6	11	16	21	26	42
TOTAL 0-19 YRS	52	9.0	26	2	4	8	11	17	18	27
20-34	575	9.8	21	3	5	9	12	15	18	28
35-49	750	10.6	31	3	5	10	13	17	20	28
50-64	943	11.6	38	4	6	10	14	19	23	34
65+	552	14.5	85	4	6	12	18	25	32	56
GRAND TOTAL	2872	11.5	44	4	5	10	14	19	23	36

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	176	9.5	9	6	7	9	11	13	16	22
20-34	29	13.3	48	7	7	11	16	21	33	35
35-49	19	12.5	10	8	9	12	14	16	19	21
50-64	23	17.6	79	4	8	16	21	33	35	36
65+	24	16.5	57	5	7	16	21	24	31	37
2. MULTIPLE DX										
0-19 YRS	235	10.7	26	6	7	9	11	16	20	37
20-34	70	18.2	185	7	8	13	21	40	49	65
35-49	59	18.0	126	7	9	16	21	27	37	75
50-64	102	21.8	171	5	10	18	27	42	50	63
65+	122	22.6	166	8	9	20	29	39	48	65
TOT. SINGLE DX	271	11.4	32	6	7	10	13	18	22	35
" MULTIPLE DX	588	16.7	135	6	7	12	21	32	40	58
TOTAL 0-19 YRS	411	10.2	20	6	7	9	11	14	18	30
20-34	99	16.8	149	7	8	13	19	34	46	62
35-49	78	16.6	103	7	9	14	20	26	36	68
50-64	125	21.0	156	5	9	18	27	36	49	61
65+	146	21.6	154	7	9	19	28	39	46	65
GRAND TOTAL	859	15.0	109	6	7	11	18	28	37	56

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	5.5	17	1	1	5	8	10	11	25
20-34	539	5.0	9	2	2	4	6	8	9	15
35-49	592	5.5	16	2	2	5	7	10	13	19
50-64	460	5.5	15	2	2	5	7	10	12	21
65+	168	5.9	17	2	2	5	7	12	13	21
2. MULTIPLE DX										
0-19 YRS	74	8.0	50	1	1	7	11	15	22	39
20-34	311	6.9	29	2	2	6	9	12	17	25
35-49	388	7.0	35	2	3	6	8	12	15	33
50-64	505	8.3	52	2	3	7	10	15	19	34
65+	366	10.9	78	2	3	8	14	23	26	50
TOT. SINGLE DX	1822	5.4	14	2	2	5	7	9	12	19
" MULTIPLE DX	1644	8.3	52	2	3	6	10	15	21	37
TOTAL 0-19 YRS	137	6.8	37	1	1	5	9	13	17	29
20-34	850	5.7	18	2	2	5	7	10	12	20
35-49	980	6.1	25	2	2	5	7	11	14	25
50-64	965	7.0	37	2	2	6	9	13	16	28
65+	534	9.3	65	2	3	7	12	19	24	47
GRAND TOTAL	3466	6.8	34	2	2	5	8	12	16	29

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1408	2.6	5	<1	1	2	3	6	7	12
20-34	1911	4.0	13	1	1	3	5	8	10	18
35-49	2114	4.2	13	1	1	3	5	9	12	18
50-64	2688	4.0	13	1	1	3	5	8	11	17
65+	2616	5.0	27	1	1	3	7	11	15	25
2. MULTIPLE DX										
0-19 YRS	1889	4.3	38	1	1	2	5	9	12	26
20-34	3707	6.8	56	1	2	5	8	13	19	41
35-49	4573	7.7	64	1	2	6	10	16	21	40
50-64	7896	7.7	66	1	1	5	10	16	22	41
65+	12552	10.0	98	1	2	7	13	22	29	49
TOT. SINGLE DX	10737	4.1	16	1	1	3	5	9	12	20
" MULTIPLE DX	30617	8.3	79	1	2	6	11	18	24	48
TOTAL 0-19 YRS	3297	3.6	25	1	1	2	4	7	10	20
20-34	5618	5.8	44	1	1	4	7	12	16	32
35-49	6687	6.6	51	1	1	5	9	14	19	34
50-64	10584	6.8	56	1	1	4	9	14	19	38
65+	15168	9.2	90	1	2	6	12	20	27	47
GRAND TOTAL	41354	7.2	66	1	1	5	9	16	22	41

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.6	3	1	1	2	3	5	7	9
20-34	125	4.0	13	1	1	3	5	8	9	23
35-49	273	4.2	23	1	1	3	5	8	9	18
50-64	1096	4.5	15	1	2	3	6	9	11	20
65+	2153	5.1	16	1	2	4	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	43	4.3	12	1	1	3	5	8	11	18
20-34	281	5.3	36	1	1	3	6	12	16	42
35-49	479	6.1	36	1	2	4	8	12	18	34
50-64	1778	6.6	56	1	2	4	8	13	18	45
65+	4447	8.6	66	2	2	6	11	18	24	41
TOT. SINGLE DX	3666	4.8	17	1	2	4	6	9	12	20
" MULTIPLE DX	7028	7.8	62	2	2	5	10	16	22	41
TOTAL 0-19 YRS	62	3.8	10	1	1	3	5	7	9	18
20-34	406	4.9	30	1	1	3	6	10	14	32
35-49	752	5.4	33	1	2	4	7	11	14	30
50-64	2874	5.8	42	1	2	4	7	11	15	35
65+	6600	7.5	53	2	2	5	9	16	21	37
GRAND TOTAL	10694	6.8	49	1	2	5	8	14	19	36

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	6.0	10	2	2	5	8	10	12	15
20-34	154	6.3	18	1	2	5	9	12	14	19
35-49	225	6.8	31	1	2	6	9	13	17	23
50-64	361	7.9	50	1	2	5	11	18	22	33
65+	546	8.5	55	1	2	6	12	19	23	34
2. MULTIPLE DX										
0-19 YRS	224	10.0	99	2	3	7	12	20	31	66
20-34	379	9.0	93	1	2	6	11	21	31	63
35-49	451	9.9	110	1	2	7	12	21	29	58
50-64	1000	11.4	124	2	2	8	15	24	30	58
65+	2164	13.7	145	2	3	11	18	29	37	62
TOT. SINGLE DX	1383	7.6	44	1	2	5	10	17	21	31
" MULTIPLE DX	4218	12.1	132	2	2	9	16	26	34	62
TOTAL 0-19 YRS	321	8.8	75	2	3	7	10	17	24	60
20-34	533	8.2	73	1	2	6	10	18	26	54
35-49	676	8.9	86	1	2	7	11	17	25	57
50-64	1361	10.4	107	2	2	7	14	22	28	49
65+	2710	12.6	132	2	2	9	17	27	34	58
GRAND TOTAL	5601	11.0	114	2	2	8	15	24	31	56

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	360	1.5		<1	<1	1	2	2	3	4
20-34	30	3.2	9	1	1	2	4	7	9	15
35-49	23	2.6	2	<1	1	2	3	5	6	6
50-64	25	3.1	4	<1	1	2	4	7	8	8
65+	18	4.3	10	1	2	3	6	8	12	14
2. MULTIPLE DX										
0-19 YRS	360	2.5	4	<1	1	2	3	5	7	12
20-34	92	3.0	6	1	2	2	3	6	8	15
35-49	81	4.6	21	1	1	3	5	11	16	21
50-64	110	5.3	17	1	2	4	7	11	14	21
65+	90	7.7	55	2	2	5	11	18	21	38
TOT. SINGLE DX	456	1.9	2	<1	1	1	2	3	5	8
" MULTIPLE DX	733	3.9	18	1	1	2	4	8	13	21
TOTAL 0-19 YRS	720	2.0	3	<1	1	2	2	4	5	9
20-34	122	3.1	7	1	1	2	3	6	8	16
35-49	104	4.2	18	1	1	3	5	10	15	21
50-64	135	4.9	16	1	2	3	7	10	13	20
65+	108	7.1	49	2	2	5	10	16	19	38
GRAND TOTAL	1189	3.1	13	<1	1	2	3	6	10	19

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	411	6.0	16	1	1	5	9	11	13	17
20-34	230	4.5	16	1	1	3	6	10	13	19
35-49	130	5.4	16	1	1	4	7	12	15	18
50-64	146	5.4	15	1	2	4	7	10	11	22
65+	180	5.2	28	1	2	4	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	281	4.9	23	1	1	3	7	11	13	23
20-34	271	5.6	37	1	1	3	7	12	18	36
35-49	236	6.9	60	1	2	5	9	13	21	36
50-64	373	6.8	38	2	2	5	9	14	19	28
65+	486	8.5	65	2	2	6	11	17	25	36
TOT. SINGLE DX	1097	5.4	18	1	1	4	8	11	13	20
" MULTIPLE DX	1647	6.8	48	1	2	4	9	14	20	34
TOTAL 0-19 YRS	692	5.5	19	1	1	4	9	11	13	19
20-34	501	5.1	28	1	1	3	6	11	15	30
35-49	366	6.4	46	1	2	4	8	13	18	31
50-64	519	6.4	32	2	2	5	8	13	17	26
65+	666	7.6	58	2	2	5	10	15	22	35
GRAND TOTAL	2744	6.2	37	1	2	4	8	12	17	30

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	451	2.0	9	<1	1	1	2	3	5	8
20-34	285	3.0	8	<1	1	2	3	6	8	15
35-49	305	3.8	21	1	1	2	4	7	11	17
50-64	261	3.7	16	1	1	2	4	7	10	26
65+	315	4.8	26	1	1	3	6	10	14	31
2. MULTIPLE DX										
0-19 YRS	982	2.7	10	1	1	2	3	6	7	15
20-34	1104	5.2	24	1	1	4	7	10	15	27
35-49	1155	6.9	48	1	2	5	9	15	20	36
50-64	1586	7.2	57	1	2	5	9	15	21	36
65+	2221	9.4	76	2	2	7	13	19	25	43
TOT. SINGLE DX	1617	3.3	17	1	1	2	4	7	9	20
" MULTIPLE DX	7048	6.9	55	1	1	4	9	15	21	36
TOTAL 0-19 YRS	1433	2.5	11	1	1	2	3	5	7	12
20-34	1389	4.8	22	1	1	3	6	10	14	24
35-49	1460	6.2	45	1	2	4	8	14	18	34
50-64	1847	6.7	53	1	2	4	9	15	19	34
65+	2536	8.8	73	1	2	6	12	19	24	42
GRAND TOTAL	8665	6.2	50	1	1	4	8	14	19	35

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	184	2.6	4	<1	1	2	3	4	5	10
20-34	241	4.5	12	1	1	4	5	9	11	21
35-49	159	5.0	20	1	2	3	6	10	13	25
50-64	194	5.2	13	1	2	4	6	11	13	19
65+	198	5.4	10	2	2	5	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	197	3.6	16	1	1	2	4	6	9	27
20-34	312	4.9	21	2	2	3	5	10	13	24
35-49	255	6.5	38	2	2	4	8	14	19	35
50-64	430	6.3	28	2	2	5	8	12	16	26
65+	698	9.6	76	2	3	7	12	19	29	44
TOT. SINGLE DX	976	4.5	13	1	2	4	5	9	12	19
" MULTIPLE DX	1892	7.0	50	2	2	5	9	15	20	37
TOTAL 0-19 YRS	381	3.1	11	1	1	2	4	5	7	21
20-34	553	4.7	17	1	2	3	5	10	12	22
35-49	414	5.9	32	1	2	4	7	13	18	29
50-64	624	6.0	24	2	2	4	8	11	15	22
65+	896	8.7	65	2	3	6	11	17	24	40
GRAND TOTAL	2868	6.2	39	1	2	4	8	13	17	33

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	119	7.6	18	3	4	7	8	10	12	26
35-49	370	8.4	7	5	6	8	9	11	13	19
50-64	403	9.1	8	5	6	9	10	12	15	19
65+	142	11.0	23	6	7	10	12	17	20	31
2. MULTIPLE DX										
0-19 YRS	6	7.7	12	3	3	8	11	11	11	11
20-34	196	9.4	26	5	6	8	10	14	20	28
35-49	697	10.3	24	6	6	9	12	15	20	30
50-64	768	11.5	49	6	7	10	13	18	22	36
65+	393	13.6	61	7	7	11	16	22	26	45
TOT. SINGLE DX	1037	8.9	12	5	6	8	10	12	15	21
" MULTIPLE DX	2060	11.3	43	6	6	9	13	18	23	33
TOTAL 0-19 YRS	9	6.1	14	2	2	4	10	11	11	11
20-34	315	8.8	24	5	5	8	9	13	16	28
35-49	1067	9.6	19	5	6	8	11	15	17	28
50-64	1171	10.6	37	6	6	9	12	16	20	31
65+	535	12.9	53	6	7	11	15	22	26	36
GRAND TOTAL	3097	10.5	34	5	6	9	12	16	20	31

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	37	8.3	3	5	6	8	9	11	12	13
35-49	120	8.7	8	5	6	8	10	13	15	19
50-64	103	9.3	11	5	6	9	10	13	17	22
65+	48	10.1	15	5	6	9	12	17	17	18
2. MULTIPLE DX										
0-19 YRS										
20-34	29	9.1	16	4	5	8	10	13	18	24
35-49	120	9.8	15	5	6	9	11	14	17	24
50-64	142	11.6	37	5	6	10	14	17	21	43
65+	113	12.6	33	5	7	12	16	21	23	59
TOT. SINGLE DX	310	9.1	10	5	6	8	10	13	16	20
" MULTIPLE DX	404	11.2	30	5	6	10	14	17	21	34
TOTAL 0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	66	8.7	9	5	6	8	10	11	13	23
35-49	240	9.2	12	5	6	8	10	13	16	22
50-64	245	10.6	28	5	6	9	12	16	19	33
65+	161	11.9	29	5	6	11	15	18	22	36
GRAND TOTAL	714	10.2	22	5	6	9	12	16	19	29

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.7	7	1	1	3	5	8	9	9
20-34	28	5.5	15	1	2	5	7	10	14	18
35-49	32	5.3	18	<1	1	4	7	13	14	16
50-64	37	6.4	30	1	1	5	8	17	19	21
65+	21	8.9	55	2	2	6	11	23	26	27
2. MULTIPLE DX										
0-19 YRS	18	2.9	4	<1	1	2	5	6	7	8
20-34	43	7.7	91	2	2	6	10	14	17	43
35-49	59	8.5	40	1	2	8	11	17	21	33
50-64	67	9.0	73	2	2	6	12	17	26	48
65+	76	12.8	113	2	2	10	17	24	36	56
TOT. SINGLE DX	130	6.1	27	1	2	5	8	12	18	26
" MULTIPLE DX	263	9.4	75	1	2	8	12	19	24	48
TOTAL 0-19 YRS	30	3.2	6	1	1	3	5	7	8	9
20-34	71	6.8	38	2	2	5	9	14	15	38
35-49	91	7.4	35	1	2	6	10	15	20	29
50-64	104	8.1	59	1	2	6	11	17	22	41
65+	97	11.9	103	2	2	9	16	24	30	54
GRAND TOTAL	393	8.3	62	1	2	6	11	17	23	42

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.3	21	3	3	10	12	14	14	14
20-34	13	6.5	14	1	2	7	10	11	12	12
35-49	13	10.5	44	1	2	10	14	21	23	23
50-64	12	12.3	54	2	3	12	17	21	27	28
65+	6	8.5	46	1	1	8	13	17	18	18
2. MULTIPLE DX										
0-19 YRS	8	10.3	18	6	6	9	12	17	19	19
20-34	28	12.3	113	3	4	9	15	20	29	58
35-49	33	11.8	96	3	3	10	15	21	25	55
50-64	48	18.5	199	1	6	14	22	42	46	63
65+	39	14.3	64	1	5	15	21	26	28	29
TOT. SINGLE DX	48	9.5	39	1	2	9	13	18	21	28
" MULTIPLE DX	156	14.5	125	3	5	12	18	26	38	62
TOTAL 0-19 YRS	12	9.9	18	3	5	9	12	15	18	19
20-34	41	10.4	89	2	3	8	12	18	23	58
35-49	46	11.5	81	2	3	10	15	21	23	55
50-64	60	17.2	175	2	5	14	20	36	44	63
65+	45	13.6	65	1	2	13	19	25	27	29
GRAND TOTAL	204	13.3	109	2	3	11	17	24	30	60

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	11.3	47	6	6	8	13	24	27	27
20-34	5	4.8	15	1	1	4	7	11	11	11
35-49	101	7.4	18	4	4	6	8	13	19	23
50-64	2344	7.3	9	4	5	7	8	11	13	19
65+	4584	8.3	14	4	5	7	10	13	16	22
2. MULTIPLE DX										
0-19 YRS	16	13.1	66	5	6	10	16	23	33	37
20-34	25	9.2	77	1	2	7	12	16	33	37
35-49	217	9.4	25	3	4	8	12	16	19	27
50-64	4757	10.1	51	4	5	8	12	17	22	40
65+	14784	12.7	75	5	6	10	15	23	30	47
TOT. SINGLE DX	7046	8.0	13	4	5	7	9	12	15	21
" MULTIPLE DX	19799	12.0	70	5	5	9	14	22	28	45
TOTAL 0-19 YRS	28	12.3	57	6	6	9	15	23	28	37
20-34	30	8.5	69	1	2	6	11	16	32	37
35-49	318	8.8	24	3	4	8	11	16	19	26
50-64	7101	9.2	40	4	5	7	10	15	20	35
65+	19368	11.6	64	5	5	9	14	21	27	43
GRAND TOTAL	26845	11.0	59	5	5	9	13	19	28	42

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.5	71	2	2	4	12	20	20	20
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	10.7	25	2	3	12	15	16	16	16
50-64	200	13.8	39	6	8	13	17	23	27	34
65+	359	13.5	26	7	8	13	16	19	22	30
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	13.0	128	5	5	13	21	21	21	21
35-49	11	15.1	89	2	3	15	24	28	31	31
50-64	321	15.9	69	7	9	14	19	26	32	43
65+	1059	18.0	82	8	10	16	21	28	35	52
TOT. SINGLE DX	573	13.5	32	6	8	13	16	20	24	30
" MULTIPLE DX	1394	17.5	81	8	9	15	21	28	34	52
TOTAL 0-19 YRS	5	6.2	62	1	1	3	9	20	20	20
20-34	3	9.3	104	2	2	5	17	21	21	21
35-49	20	13.2	64	2	3	13	16	25	28	31
50-64	521	15.1	59	6	8	14	18	24	29	40
65+	1418	16.9	72	8	9	15	20	26	32	51
GRAND TOTAL	1967	16.3	70	7	9	14	20	26	31	50

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.8	1	2	2	3	3	5	5	5
20-34	13	2.8	3	1	1	2	3	5	7	8
35-49	81	2.8	6	1	1	2	3	4	7	17
50-64	612	3.3	12	1	1	2	3	6	9	15
65+	791	4.0	14	1	2	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	6	5.5	20	2	2	3	9	13	13	13
20-34	18	7.3	69	1	1	4	9	19	27	32
35-49	118	5.2	19	1	2	4	7	10	12	28
50-64	815	6.7	58	1	2	4	8	15	21	40
65+	1667	9.2	86	2	2	6	12	20	25	46
TOT. SINGLE DX	1503	3.6	13	1	2	2	4	7	10	17
" MULTIPLE DX	2624	8.3	76	2	2	5	11	18	23	45
TOTAL 0-19 YRS	12	4.2	12	2	2	3	4	10	13	13
20-34	31	5.4	46	1	1	3	6	13	20	32
35-49	199	4.2	16	1	2	3	5	9	11	23
50-64	1427	5.3	42	1	2	3	6	11	17	33
65+	2458	7.5	70	2	2	4	10	17	22	43
GRAND TOTAL	4127	6.6	59	1	2	4	8	15	21	40

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	188	3.0	5	1	1	2	4	5	8	12
20-34	210	3.4	5	1	1	3	4	5	7	15
35-49	145	3.6	5	1	1	3	4	6	8	12
50-64	137	4.5	18	2	2	3	5	8	11	22
65+	78	4.3	9	1	2	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	118	3.5	12	1	1	3	4	5	8	24
20-34	145	6.4	39	1	2	5	8	13	18	36
35-49	130	6.9	58	2	2	5	9	13	14	46
50-64	171	8.1	93	2	2	5	9	19	25	50
65+	173	11.2	124	2	3	8	14	25	36	51
TOT. SINGLE DX	758	3.6	8	1	1	3	4	6	9	15
" MULTIPLE DX	737	7.5	77	1	2	5	9	15	25	46
TOTAL 0-19 YRS	306	3.2	8	1	1	2	4	5	8	15
20-34	355	4.6	22	1	1	3	5	8	13	28
35-49	275	5.2	33	1	2	4	6	10	14	34
50-64	308	6.5	63	2	2	4	7	12	20	45
65+	251	9.0	99	2	2	5	11	19	30	51
GRAND TOTAL	1495	5.6	46	1	2	3	6	11	16	38

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	3.2	3	1	1	3	4	6	7	11
20-34	330	4.8	12	1	2	4	6	9	12	19
35-49	114	4.6	7	2	2	4	6	8	10	15
50-64	111	7.0	28	3	3	5	9	14	17	27
65+	216	7.0	32	2	2	5	9	14	20	27
2. MULTIPLE DX										
0-19 YRS	212	4.0	11	1	2	3	4	7	11	20
20-34	233	6.6	33	2	2	4	9	14	17	28
35-49	121	6.9	34	2	2	5	9	14	18	60
50-64	278	10.1	107	2	3	7	13	20	27	61
65+	836	11.6	110	2	3	9	15	24	31	52
TOT. SINGLE DX	997	5.1	18	1	2	4	6	10	14	22
" MULTIPLE DX	1680	9.4	89	2	2	6	12	20	27	50
TOTAL 0-19 YRS	438	3.6	8	1	2	3	4	6	9	15
20-34	563	5.5	22	1	2	4	6	11	15	23
35-49	235	5.8	22	2	2	4	7	11	15	29
50-64	389	9.2	87	2	3	6	12	18	25	47
65+	1052	10.7	98	2	3	8	14	22	28	51
GRAND TOTAL	2677	7.8	67	2	2	5	10	17	23	39

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1091	2.8	2	1	1	2	3	5	6	8
20-34	152	3.0	3	1	1	3	3	5	6	9
35-49	11	2.5	1	<1	1	2	3	4	4	4
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	856	3.4	4	1	2	3	4	5	7	11
20-34	56	5.0	12	2	2	4	6	10	12	20
35-49	13	3.6	10	1	1	3	4	6	13	14
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	3	34.7	3008	3	3	3	74	98	98	98
TOT. SINGLE DX	1257	2.8	2	1	1	2	3	5	6	8
" MULTIPLE DX	930	3.6	15	1	2	3	4	6	8	14
TOTAL 0-19 YRS	1947	3.0	3	1	1	3	4	5	6	9
20-34	208	3.5	7	1	2	3	4	7	8	14
35-49	24	3.1	7	<1	1	3	4	4	7	14
50-64	4	4.8	6	2	2	4	6	8	8	8
65+	4	26.3	2289	1	1	3	51	98	98	98
GRAND TOTAL	2187	3.1	8	1	1	3	4	5	6	10

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	2.6	7	1	1	2	3	4	5	16
20-34	229	2.8	3	1	1	2	3	5	6	8
35-49	72	2.7	3	1	1	2	3	4	5	12
50-64	25	3.8	31	<1	1	3	4	4	11	30
65+	7	10.1	93	3	3	4	16	26	28	28
2. MULTIPLE DX										
0-19 YRS	90	3.3	7	1	1	3	4	6	6	19
20-34	125	3.4	4	1	1	3	4	6	8	12
35-49	48	4.3	6	1	2	4	5	8	9	11
50-64	43	6.0	43	1	2	4	7	10	23	35
65+	22	14.1	207	2	3	9	15	42	45	46
TOT. SINGLE DX	539	2.8	8	1	1	2	3	5	6	19
" MULTIPLE DX	328	4.5	31	1	1	3	5	8	11	36
TOTAL 0-19 YRS	296	2.8	8	1	1	2	3	5	6	18
20-34	354	3.0	4	1	1	3	4	5	6	11
35-49	120	3.3	5	1	1	3	4	6	8	12
50-64	68	5.2	40	1	1	3	5	10	22	34
65+	29	13.2	179	2	3	9	16	38	44	46
GRAND TOTAL	867	3.5	17	1	1	3	4	6	8	28

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34	232	1.3		<1	<1	1	2	2	2	4
35-49	102	1.8	5	<1	<1	1	2	3	4	16
50-64	13	4.3	14	<1	<1	4	7	9	12	13
65+	20	7.6	15	2	3	7	9	14	15	15
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	143	3.5	12	<1	1	2	4	8	11	17
35-49	106	4.0	17	<1	<1	3	4	9	13	22
50-64	42	7.6	18	1	2	7	12	14	15	18
65+	81	12.3	91	5	6	10	14	20	29	61
TOT. SINGLE DX	371	1.9	6	<1	<1	1	2	3	7	14
" MULTIPLE DX	374	6.0	44	<1	1	3	8	14	16	29
TOTAL 0-19 YRS	6	2.7	4	<1	<1	2	4	6	6	6
20-34	375	2.2	6	<1	<1	1	2	4	8	14
35-49	208	2.9	13	<1	<1	2	3	6	11	20
50-64	55	6.8	19	1	1	7	9	13	14	18
65+	101	11.3	79	4	5	9	14	19	28	56
GRAND TOTAL	745	4.0	29	<1	<1	2	5	10	14	22

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	704	2.5	2	1	1	3	3	4	5	8
20-34	984	2.8	2	1	1	3	3	4	5	9
35-49	587	2.9	2	1	1	3	3	5	6	10
50-64	601	3.4	2	2	2	3	4	5	6	10
65+	229	4.2	12	2	2	3	5	7	8	20
2. MULTIPLE DX										
0-19 YRS	458	2.7	2	1	1	2	3	4	6	9
20-34	701	3.1	3	1	2	3	4	5	6	11
35-49	406	4.3	9	2	2	4	5	7	10	15
50-64	631	5.1	15	2	2	4	6	9	11	19
65+	388	6.7	22	2	3	5	8	14	17	22
TOT. SINGLE DX	3105	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	2584	4.2	12	1	2	3	5	8	11	18
TOTAL 0-19 YRS	1162	2.6	2	1	1	2	3	4	5	8
20-34	1685	2.9	3	1	1	3	3	5	6	9
35-49	993	3.5	6	1	2	3	4	6	8	13
50-64	1232	4.3	10	2	2	4	5	7	9	15
65+	617	5.8	20	2	2	4	7	12	16	22
GRAND TOTAL	5689	3.6	8	1	2	3	4	6	8	15

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1425	1.8		<1	1	2	2	2	3	5
20-34	577	2.2	1	1	1	2	2	3	4	5
35-49	342	2.2	2	1	1	2	2	3	4	8
50-64	227	2.3	1	1	1	2	3	3	4	8
65+	136	2.5	1	<1	1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	480	3.0	15	1	1	2	3	5	8	21
20-34	411	3.9	17	1	1	2	4	9	11	24
35-49	459	4.9	34	1	1	3	6	10	13	30
50-64	495	4.9	26	1	2	3	6	11	13	29
65+	427	6.6	43	1	2	4	9	16	22	29
TOT. SINGLE DX	2857	2.0	1	1	1	2	2	3	3	6
" MULTIPLE DX	2398	4.7	29	1	1	3	5	10	15	28
TOTAL 0-19 YRS	1986	2.1	5	<1	1	2	2	3	4	10
20-34	1025	2.9	10	1	1	2	3	5	8	17
35-49	853	3.7	22	1	1	2	4	8	11	25
50-64	784	4.1	21	1	1	2	4	9	12	21
65+	607	5.6	36	1	2	3	7	13	19	28
GRAND TOTAL	5255	3.2	16	1	1	2	3	6	10	21

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.4	9	<1	<1	2	5	8	9	15
20-34	162	2.8	8	<1	<1	2	3	7	10	16
35-49	89	4.4	14	1	1	3	5	9	12	21
50-64	175	5.1	11	1	2	5	6	8	10	24
65+	78	5.9	28	1	2	4	7	11	15	32
2. MULTIPLE DX										
0-19 YRS	113	4.0	12	1	1	3	5	7	9	22
20-34	140	6.3	62	1	1	4	7	12	24	40
35-49	168	7.2	35	2	2	6	9	14	18	34
50-64	332	7.4	34	2	2	6	9	13	18	29
65+	182	9.5	81	2	3	7	11	19	26	53
TOT. SINGLE DX	625	4.2	14	<1	1	3	5	8	11	20
" MULTIPLE DX	935	7.2	48	1	2	5	8	14	21	38
TOTAL 0-19 YRS	234	3.7	11	<1	1	3	5	8	9	17
20-34	302	4.4	37	<1	1	2	5	9	14	38
35-49	257	6.2	30	1	2	5	8	13	16	29
50-64	507	6.6	28	2	2	5	8	12	16	27
65+	260	8.4	68	2	2	6	10	16	24	44
GRAND TOTAL	1560	6.0	36	1	1	5	7	12	16	31

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	5.8	5	3	3	5	7	9	10	13
20-34	1318	5.8	5	2	3	6	7	8	9	14
35-49	175	6.9	16	2	3	6	8	10	13	26
50-64	37	7.8	7	3	4	7	10	12	13	13
65+	22	12.7	86	6	7	10	14	22	35	48
2. MULTIPLE DX										
0-19 YRS	423	6.7	23	3	4	6	8	10	12	23
20-34	2476	6.7	13	3	4	6	7	10	13	20
35-49	471	8.5	58	2	4	7	9	14	19	35
50-64	109	12.6	87	5	6	9	15	21	36	50
65+	106	19.0	130	7	8	16	23	35	44	61
TOT. SINGLE DX	1984	6.0	8	3	3	6	7	9	10	18
" MULTIPLE DX	3585	7.5	32	3	4	6	8	12	16	30
TOTAL 0-19 YRS	855	6.3	15	3	4	6	7	9	11	17
20-34	3794	6.4	11	3	4	6	7	9	12	18
35-49	646	8.0	47	2	4	7	9	13	18	32
50-64	146	11.4	72	3	5	9	13	19	34	48
65+	128	17.9	128	7	7	15	22	33	43	58
GRAND TOTAL	5569	7.0	24	3	4	6	8	10	14	26

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	6.5	5	4	4	6	7	10	11	14
20-34	1382	6.3	5	4	4	6	7	8	10	14
35-49	422	7.0	8	4	4	6	8	10	12	18
50-64	61	8.8	30	5	5	7	9	13	21	34
65+	64	10.6	26	5	6	9	13	18	20	28
2. MULTIPLE DX										
0-19 YRS	316	7.5	11	4	5	7	8	12	15	19
20-34	2707	7.3	12	4	5	6	8	11	14	21
35-49	1094	8.7	36	4	5	7	9	13	16	34
50-64	207	11.6	51	5	6	9	14	20	25	38
65+	162	18.8	186	6	7	15	22	34	48	73
TOT. SINGLE DX	2146	6.6	8	4	4	6	7	9	11	18
" MULTIPLE DX	4486	8.3	31	4	5	7	9	13	17	32
TOTAL 0-19 YRS	533	7.1	9	4	4	6	8	11	12	18
20-34	4089	7.0	10	4	5	6	8	10	13	20
35-49	1516	8.2	29	4	5	7	9	12	16	33
50-64	268	11.0	48	5	5	9	13	19	25	37
65+	226	16.5	154	6	7	13	20	30	42	71
GRAND TOTAL	6632	7.8	24	4	5	7	8	12	15	27

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	4.3	10	1	2	4	5	8	10	20
20-34	309	3.7	7	1	1	3	5	7	8	15
35-49	48	3.9	7	1	1	3	6	8	10	11
50-64	8	4.6	12	1	1	4	7	10	10	10
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	116	5.2	17	1	2	5	6	9	12	26
20-34	771	5.2	18	1	2	5	7	9	11	20
35-49	130	6.9	55	1	1	5	8	16	22	41
50-64	13	10.9	49	1	3	9	13	24	24	24
65+	5	8.8	73	3	3	3	15	22	22	22
TOT. SINGLE DX	449	3.8	8	1	1	3	5	7	9	13
" MULTIPLE DX	1035	5.5	24	1	2	5	7	9	13	26
TOTAL 0-19 YRS	198	4.9	15	1	2	4	6	8	11	24
20-34	1080	4.8	16	1	1	4	6	8	10	18
35-49	178	6.1	44	1	1	4	7	11	18	39
50-64	21	8.5	44	1	1	8	10	20	24	24
65+	7	8.0	56	2	2	3	12	20	22	22
GRAND TOTAL	1484	5.0	20	1	1	4	6	9	11	23

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.9	2	5	5	7	8	10	10	10
20-34	136	7.4	17	4	5	6	8	11	13	27
35-49	222	7.7	9	5	5	7	8	11	14	20
50-64	107	8.7	13	5	6	8	10	13	15	26
65+	49	11.2	31	5	6	9	14	19	22	30
2. MULTIPLE DX										
0-19 YRS	18	8.2	14	5	6	7	8	11	18	22
20-34	558	8.1	18	4	5	7	9	12	17	26
35-49	858	9.4	38	5	5	8	10	15	20	33
50-64	337	12.6	73	5	6	10	15	22	29	44
65+	218	17.6	118	7	7	15	22	31	38	61
TOT. SINGLE DX	523	8.2	15	5	5	7	9	12	16	25
" MULTIPLE DX	1989	10.5	55	5	5	8	12	19	24	41
TOTAL 0-19 YRS	27	7.7	11	5	5	7	8	10	13	22
20-34	694	8.0	18	4	5	7	9	12	16	26
35-49	1080	9.0	33	5	5	8	10	15	19	31
50-64	444	11.7	61	5	6	9	13	20	26	42
65+	267	16.4	108	6	7	14	21	29	36	56
GRAND TOTAL	2512	10.0	48	5	5	8	11	17	23	38

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.6		<1	<1	2	2	2	2	3
20-34	5016	1.5		<1	<1	1	2	2	2	4
35-49	1612	1.4		<1	<1	1	2	2	2	4
50-64	7	1.7		<1	<1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	33	1.9	2	<1	<1	2	2	3	5	8
20-34	3864	2.0	4	<1	<1	2	2	3	4	8
35-49	1500	2.1	9	<1	<1	2	2	3	5	14
50-64	17	1.8		<1	<1	2	2	3	4	4
65+										
TOT. SINGLE DX	6665	1.5		<1	<1	1	2	2	2	4
" MULTIPLE DX	5414	2.0	6	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	63	1.7	1	<1	<1	2	2	3	4	8
20-34	8880	1.7	2	<1	<1	1	2	2	3	6
35-49	3112	1.7	5	<1	<1	1	2	2	3	8
50-64	24	1.8	1	<1	<1	2	2	3	3	4
65+										
GRAND TOTAL	12079	1.7	3	<1	<1	1	2	2	3	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	3.6	4	1	2	3	4	6	8	12
20-34	4290	2.6	2	1	1	2	3	4	5	7
35-49	1313	2.4	1	1	1	2	3	4	5	7
50-64	17	4.7	30	1	1	3	5	9	19	24
65+										
2. MULTIPLE DX										
0-19 YRS	59	4.3	9	<1	1	4	5	7	13	17
20-34	5128	3.8	4	1	2	4	5	6	7	12
35-49	1479	3.7	7	1	1	3	5	6	8	14
50-64	23	7.7	83	1	2	5	8	15	26	45
65+										
TOT. SINGLE DX	5660	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	6689	3.8	6	1	2	3	5	6	7	13
TOTAL 0-19 YRS	99	4.0	8	1	2	3	5	6	11	16
20-34	9418	3.3	4	1	1	3	4	5	6	10
35-49	2792	3.1	5	1	1	3	4	5	7	12
50-64	40	6.4	62	1	1	4	7	14	20	45
65+										
GRAND TOTAL	12349	3.3	4	1	1	3	4	5	6	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (3)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	5.4	3	2	3	5	6	8	9	12
20-34	2215	5.0	4	1	2	5	6	7	8	11
35-49	222	5.1	7	1	2	5	6	8	10	14
50-64	5	7.8	12	3	3	8	10	12	12	12
65+	3	13.0	39	8	8	11	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	171	6.7	12	2	3	6	8	10	12	23
20-34	2468	5.8	8	2	2	6	7	8	10	15
35-49	287	6.2	15	1	2	6	8	10	14	21
50-64	5	10.0	23	5	5	9	12	18	18	18
65+	6	14.0	83	4	4	13	21	26	27	27
TOT. SINGLE DX	2604	5.0	5	1	2	5	6	7	8	11
" MULTIPLE DX	2937	5.9	10	2	2	6	7	9	11	17
TOTAL 0-19 YRS	330	6.1	9	2	3	6	7	9	11	19
20-34	4683	5.4	7	1	2	5	7	8	9	14
35-49	509	5.7	12	1	2	5	7	9	11	18
50-64	10	8.9	17	3	4	9	10	15	18	18
65+	9	13.7	62	4	5	11	20	25	27	27
GRAND TOTAL	5541	5.5	8	1	2	5	7	8	10	15

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	2.3	1	1	1	2	3	4	4	9
20-34	1096	2.2	1	1	1	2	3	3	4	6
35-49	363	2.6	2	1	1	2	3	4	6	10
50-64	136	2.6	2	1	1	2	3	4	6	10
65+	59	3.6	25	1	2	3	3	4	11	35
2. MULTIPLE DX										
0-19 YRS	43	3.0	2	1	2	3	3	5	7	8
20-34	892	3.0	7	1	1	2	3	5	7	13
35-49	430	3.4	14	1	1	2	3	6	10	23
50-64	214	4.2	22	1	2	3	4	9	12	21
65+	87	7.3	90	1	2	3	9	16	32	45
TOT. SINGLE DX	1722	2.4	3	1	1	2	3	3	4	9
" MULTIPLE DX	1666	3.5	16	1	1	2	3	6	10	20
TOTAL 0-19 YRS	111	2.6	2	1	1	2	3	4	6	9
20-34	1988	2.6	4	1	1	2	3	4	5	10
35-49	793	3.1	9	1	1	2	3	5	8	19
50-64	350	3.6	16	1	2	2	3	7	11	17
65+	146	5.8	67	1	2	3	4	14	18	44
GRAND TOTAL	3388	2.9	10	1	1	2	3	4	7	15

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.0		<1	1	2	2	4	4	5
20-34	525	2.3	4	<1	1	2	3	4	5	13
35-49	440	2.5	7	<1	<1	2	2	4	6	12
50-64	315	2.9	7	<1	1	2	3	6	8	14
65+	177	5.1	20	1	2	3	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	70	3.9	55	1	1	2	4	6	7	53
20-34	1015	3.1	7	1	1	2	3	6	8	15
35-49	1085	3.7	21	<1	1	2	4	8	11	27
50-64	764	5.2	47	1	1	3	6	11	16	31
65+	530	8.8	70	2	2	7	11	17	24	48
TOT. SINGLE DX	1503	2.8	8	<1	1	2	3	5	8	15
" MULTIPLE DX	3464	4.6	35	1	1	3	5	10	14	31
TOTAL 0-19 YRS	116	3.2	34	1	1	2	3	5	7	29
20-34	1540	2.8	7	<1	1	2	3	5	7	15
35-49	1525	3.4	18	<1	1	2	3	7	10	22
50-64	1079	4.5	37	1	1	2	5	10	13	29
65+	707	7.9	60	2	2	6	10	15	21	41
GRAND TOTAL	4967	4.1	28	<1	1	2	4	9	12	27

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.2	4	1	1	3	4	6	8	13
20-34	1205	3.1	3	1	1	3	4	5	6	10
35-49	93	2.9	1	1	1	3	4	5	5	7
50-64	3	1.7		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	16	5.1	11	1	2	4	6	9	13	15
20-34	324	4.3	8	1	2	3	5	8	10	16
35-49	25	3.1	3	1	1	3	5	5	6	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	1385	3.1	4	1	1	3	4	5	6	10
" MULTIPLE DX	368	4.3	8	1	2	3	5	8	10	16
TOTAL 0-19 YRS	100	3.5	6	1	1	3	4	6	8	15
20-34	1529	3.4	5	1	2	3	4	6	7	12
35-49	118	3.0	2	1	1	3	4	5	6	8
50-64	5	3.0	8	1	1	2	4	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	1753	3.4	5	1	1	3	4	6	7	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.5	5	<1	1	5	6	8	8	8
20-34	372	4.7	10	<1	<1	5	7	8	10	16
35-49	114	3.6	7	1	1	2	6	8	9	12
50-64	39	5.7	226	1	1	2	3	9	14	95
65+	27	4.6	21	1	2	2	4	13	16	19
2. MULTIPLE DX										
0-19 YRS	19	4.1	10	<1	1	2	6	9	11	12
20-34	664	5.4	15	<1	1	6	7	9	11	18
35-49	258	5.6	26	1	1	5	8	11	13	27
50-64	116	5.6	42	1	1	3	7	12	19	36
65+	96	11.2	172	2	2	7	15	23	37	72
TOT. SINGLE DX	569	4.6	25	<1	1	4	6	8	10	17
" MULTIPLE DX	1153	5.9	36	1	1	5	7	11	15	31
TOTAL 0-19 YRS	36	4.3	8	<1	1	4	6	8	9	12
20-34	1036	5.2	14	<1	1	5	7	9	11	17
35-49	372	5.0	21	1	1	3	7	10	12	25
50-64	155	5.6	88	1	1	3	6	10	17	43
65+	123	9.7	147	2	2	5	14	22	31	62
GRAND TOTAL	1722	5.5	33	<1	1	5	7	10	13	27

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	7.5	4	5	5	7	9	10	11	12
20-34	2020	7.3	5	5	5	7	8	9	11	16
35-49	3021	7.6	4	5	6	7	8	10	11	16
50-64	1089	8.4	8	5	6	8	9	11	14	17
65+	465	10.2	17	6	7	9	12	15	18	26
2. MULTIPLE DX										
0-19 YRS	89	8.5	27	5	5	7	9	13	16	37
20-34	9424	8.1	11	5	6	7	9	11	13	20
35-49	18992	8.4	11	5	6	8	9	12	14	22
50-64	5521	9.6	23	6	6	8	10	14	18	29
65+	1821	13.5	77	7	7	11	15	22	28	54
TOT. SINGLE DX	6611	7.8	7	5	6	7	8	10	12	18
" MULTIPLE DX	35847	8.8	18	5	6	8	9	12	16	26
TOTAL 0-19 YRS	105	8.3	24	5	5	7	9	12	16	35
20-34	11444	7.9	10	5	6	7	9	11	13	20
35-49	22013	8.3	11	5	6	8	9	11	14	21
50-64	6610	9.4	21	6	6	8	10	14	17	28
65+	2286	12.8	67	6	7	10	15	21	27	51
GRAND TOTAL	42458	8.6	16	5	6	8	9	12	15	28

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.0	1	7	7	8	9	9	9	9
20-34	979	6.3	3	4	5	5	7	8	10	13
35-49	984	7.0	6	4	5	6	8	10	12	16
50-64	572	8.5	8	5	6	8	10	12	14	19
65+	416	9.4	12	6	6	8	11	13	15	26
2. MULTIPLE DX										
0-19 YRS	7	8.0	5	5	5	8	9	11	12	12
20-34	3248	7.1	7	4	5	6	8	10	12	16
35-49	5269	7.6	10	5	5	7	9	11	13	19
50-64	2058	9.1	11	6	6	8	10	13	15	20
65+	1356	10.7	24	6	7	9	12	16	19	31
TOT. SINGLE DX	2955	7.4	8	4	5	7	8	11	12	17
" MULTIPLE DX	11938	8.1	13	5	5	7	9	12	14	21
TOTAL 0-19 YRS	11	8.0	4	5	6	8	9	10	12	12
20-34	4227	6.9	6	4	5	6	8	10	11	16
35-49	6253	7.5	10	4	5	7	8	11	13	18
50-64	2630	9.0	11	5	6	8	10	13	15	20
65+	1772	10.4	22	6	7	9	12	15	19	30
GRAND TOTAL	14893	8.0	12	5	5	7	9	12	14	20

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	32	13.4	94	5	7	11	15	20	27	59
35-49	33	14.5	29	9	10	13	17	20	30	32
50-64	21	13.0	39	6	8	11	16	19	26	34
65+	17	17.6	46	9	9	18	20	25	33	37
2. MULTIPLE DX										
0-19 YRS										
20-34	36	12.9	36	5	7	12	15	20	26	28
35-49	54	16.2	69	7	9	14	20	31	36	97
50-64	59	21.0	170	8	9	17	27	41	50	97
65+	34	24.6	243	10	11	19	35	45	53	75
TOT. SINGLE DX	103	14.4	55	7	8	13	17	21	29	47
" MULTIPLE DX	183	18.6	142	8	9	15	22	37	45	91
TOTAL 0-19 YRS										
20-34	68	13.1	63	5	7	12	15	20	27	59
35-49	87	15.6	54	8	9	13	18	29	32	79
50-64	80	18.9	148	8	8	16	21	37	45	92
65+	51	22.3	186	9	10	18	29	40	50	75
GRAND TOTAL	286	17.1	115	7	8	14	19	33	39	75

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	1.9	1	<1	<1	1	2	4	5	7
20-34	366	1.8	1	<1	<1	1	2	3	5	7
35-49	39	1.9		<1	<1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	4.1	8	<1	<1	4	6	7	8	15
20-34	233	3.5	12	<1	1	2	4	7	10	19
35-49	74	3.0	9	<1	<1	2	4	6	8	19
50-64										
65+										
TOT. SINGLE DX	502	1.8	2	<1	<1	1	2	3	5	7
" MULTIPLE DX	344	3.4	11	<1	1	2	4	7	10	18
TOTAL 0-19 YRS	134	2.5	4	<1	<1	2	3	6	7	9
20-34	599	2.5	6	<1	<1	2	3	5	7	14
35-49	113	2.6	6	<1	<1	2	3	5	6	15
50-64										
65+										
GRAND TOTAL	846	2.5	6	<1	<1	2	3	5	7	14

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4047	2.0	2	<1	1	2	2	4	5	8
20-34	26832	1.9	2	<1	1	2	2	3	4	8
35-49	8787	1.9	2	<1	1	2	2	3	4	8
50-64	3305	2.1	3	<1	1	2	2	3	4	10
65+	923	3.2	12	1	1	2	3	7	9	16
2. MULTIPLE DX										
0-19 YRS	1713	3.6	11	1	1	3	4	7	10	15
20-34	16780	3.4	13	1	1	2	4	7	9	18
35-49	11773	3.3	13	<1	1	2	3	7	10	19
50-64	5184	3.7	19	1	1	2	4	8	12	23
65+	1983	5.7	42	1	2	3	7	13	19	33
TOT. SINGLE DX	43894	2.0	3	<1	1	2	2	3	4	8
" MULTIPLE DX	37433	3.5	16	1	1	2	4	7	10	20
TOTAL 0-19 YRS	5760	2.5	6	<1	1	2	3	5	7	12
20-34	43612	2.5	7	<1	1	2	3	5	7	13
35-49	20560	2.7	10	<1	1	2	3	5	8	16
50-64	8489	3.0	14	<1	1	2	3	6	10	19
65+	2906	4.9	34	1	1	3	5	11	16	31
GRAND TOTAL	81327	2.7	10	<1	1	2	3	5	8	15

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1433	1.3		<1	<1	1	1	2	2	3
20-34	3317	1.3		<1	<1	1	2	2	2	4
35-49	241	1.4		<1	<1	1	2	3	3	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	128	3.3	33	<1	<1	2	3	7	10	27
20-34	852	3.2	14	<1	<1	2	4	7	9	21
35-49	229	2.4	4	<1	<1	2	3	5	6	13
50-64										
65+										
TOT. SINGLE DX	4991	1.3	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	1209	3.1	15	<1	<1	2	3	6	9	19
TOTAL 0-19 YRS	1561	1.4	3	<1	<1	1	1	2	3	7
20-34	4169	1.7	4	<1	<1	1	2	3	4	10
35-49	470	1.9	3	<1	<1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	6200	1.7	4	<1	<1	1	2	2	4	9

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	1.7	1	<1	<1	1	2	3	5	7
20-34	1647	1.6	1	<1	<1	1	2	3	4	7
35-49	135	1.5		<1	<1	1	2	2	3	5
50-64	4	4.8	19	1	1	5	8	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	61	2.8	5	<1	1	2	3	5	7	13
20-34	329	2.9	15	1	1	2	3	6	7	14
35-49	54	4.0	30	1	1	2	4	8	16	34
50-64	9	12.3	206	<1	<1	2	24	34	38	38
65+	9	9.1	81	2	2	8	11	23	31	31
TOT. SINGLE DX	2103	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	462	3.3	23	1	1	2	3	6	10	28
TOTAL 0-19 YRS	377	1.9	2	<1	<1	1	2	4	5	8
20-34	1976	1.8	4	<1	<1	1	2	3	4	8
35-49	189	2.2	10	<1	<1	1	2	4	5	17
50-64	13	10.0	156	<1	<1	2	16	31	37	38
65+	10	8.9	73	2	2	7	10	21	31	31
GRAND TOTAL	2565	1.9	6	<1	<1	1	2	3	5	10

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	53	5.8	5	1	2	6	7	9	10	13
35-49	9	6.4	13	1	1	8	9	10	10	10
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	4	9.5	4	7	7	9	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	15	7.1	10	4	4	6	9	10	15	16
20-34	198	6.6	9	2	4	6	7	10	11	19
35-49	27	7.3	14	1	2	7	10	11	13	18
50-64	5	8.4	7	6	6	8	9	13	13	13
65+	10	13.8	55	6	6	12	19	25	28	28
TOT. SINGLE DX	70	6.1	7	1	2	6	8	10	10	13
" MULTIPLE DX	255	7.0	13	2	4	6	8	11	14	23
TOTAL 0-19 YRS	17	6.6	11	3	4	6	8	10	14	16
20-34	251	6.4	9	2	4	6	7	9	11	16
35-49	36	7.1	14	1	2	7	10	11	12	18
50-64	7	7.6	8	4	4	7	8	12	13	13
65+	14	12.6	44	6	7	10	15	23	27	28
GRAND TOTAL	325	6.8	12	2	4	6	8	10	13	21

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.7	3	1	1	2	4	6	7	8
20-34	160	3.0	4	<1	<1	2	4	6	7	9
35-49	55	3.5	5	<1	1	3	4	6	8	18
50-64	17	4.3	9	1	2	4	5	7	11	17
65+	28	4.3	9	2	2	4	5	5	7	19
2. MULTIPLE DX										
0-19 YRS	35	4.7	7	1	2	4	6	8	11	11
20-34	311	4.4	13	1	1	4	6	8	11	20
35-49	76	4.6	20	1	2	3	6	9	11	30
50-64	64	4.9	11	2	2	4	5	9	11	19
65+	67	6.4	97	2	3	4	5	12	20	68
TOT. SINGLE DX	444	3.2	5	<1	1	3	4	6	7	12
" MULTIPLE DX	553	4.7	24	1	1	4	6	8	11	23
TOTAL 0-19 YRS	99	3.4	6	1	1	3	5	7	8	11
20-34	571	3.7	10	<1	1	3	5	7	9	16
35-49	131	4.1	15	1	1	3	5	7	9	19
50-64	101	4.7	10	1	2	4	5	8	12	18
65+	95	5.8	72	2	2	4	5	8	18	67
GRAND TOTAL	997	4.1	16	1	1	3	5	7	9	19

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.3	29	1	2	5	9	16	18	18
20-34	138	6.4	8	3	4	6	8	9	12	19
35-49	440	7.3	9	3	4	7	9	11	12	18
50-64	687	7.5	8	4	5	7	9	11	13	17
65+	457	7.9	11	4	5	7	9	12	15	20
2. MULTIPLE DX										
0-19 YRS	7	6.3	8	<1	1	7	8	10	10	10
20-34	320	7.9	15	3	4	7	9	12	14	25
35-49	1004	9.2	20	5	5	8	11	14	17	26
50-64	1386	9.2	18	5	5	8	10	14	18	25
65+	869	10.1	25	5	6	9	12	16	19	28
TOT. SINGLE DX	1729	7.5	10	4	4	7	9	11	13	18
" MULTIPLE DX	3586	9.3	21	5	5	8	11	15	18	26
TOTAL 0-19 YRS	14	6.8	17	<1	1	6	8	11	16	18
20-34	458	7.5	14	3	4	7	9	12	13	22
35-49	1444	8.6	18	4	5	8	10	13	16	23
50-64	2073	8.6	16	4	5	8	10	13	16	23
65+	1326	9.4	22	5	5	8	11	15	18	26
GRAND TOTAL	5315	8.7	18	4	5	8	10	14	17	24

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	4.4	18	1	1	3	6	11	14	18
20-34	256	4.4	7	1	1	4	6	8	9	12
35-49	113	4.2	7	1	1	4	6	8	10	14
50-64	92	6.0	9	1	2	6	8	10	11	15
65+	43	7.1	10	2	3	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	41	6.2	35	1	1	4	8	13	16	32
20-34	153	6.0	18	1	2	5	8	11	13	23
35-49	108	7.6	41	1	2	7	9	13	16	41
50-64	139	8.3	24	2	2	8	10	14	18	27
65+	87	12.0	82	4	4	9	15	24	31	47
TOT. SINGLE DX	565	4.8	10	1	1	4	7	9	10	15
" MULTIPLE DX	528	7.9	41	2	2	7	10	15	19	33
TOTAL 0-19 YRS	102	5.1	26	1	1	3	6	13	14	25
20-34	409	5.0	12	1	1	4	6	9	10	20
35-49	221	5.9	27	1	1	5	8	11	14	24
50-64	231	7.4	20	2	2	7	9	13	16	25
65+	130	10.4	64	3	4	8	12	20	30	40
GRAND TOTAL	1093	6.3	27	1	2	5	8	12	15	27

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.1	9	<1	1	2	3	7	10	16
20-34	581	3.3	10	<1	1	2	4	7	9	19
35-49	210	4.5	18	1	1	3	6	9	12	23
50-64	156	4.5	11	1	1	3	6	9	11	15
65+	145	6.1	20	2	2	5	8	11	13	23
2. MULTIPLE DX										
0-19 YRS	174	4.8	20	1	1	3	6	11	16	21
20-34	572	5.0	22	1	1	4	6	9	13	21
35-49	308	7.7	52	1	2	6	10	17	22	35
50-64	372	7.8	51	2	2	6	9	15	22	36
65+	498	10.3	73	2	3	8	12	22	28	46
TOT. SINGLE DX	1282	3.9	14	1	1	3	5	9	11	19
" MULTIPLE DX	1924	7.3	50	1	2	5	9	15	21	36
TOTAL 0-19 YRS	364	3.9	15	1	1	2	5	8	13	20
20-34	1153	4.1	17	1	1	3	5	8	11	20
35-49	518	6.4	41	1	1	4	8	13	20	33
50-64	528	6.8	42	1	2	5	8	14	18	32
65+	643	9.4	65	2	2	7	11	19	25	43
GRAND TOTAL	3206	6.0	39	1	1	4	8	12	18	31

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	312	2.5	2	<1	1	2	3	4	5	8
20-34	1269	2.5	3	<1	1	2	3	4	5	8
35-49	522	2.8	5	<1	1	2	3	4	6	12
50-64	263	2.9	5	1	1	2	3	5	7	14
65+	130	4.3	27	1	1	3	4	7	12	30
2. MULTIPLE DX										
0-19 YRS	144	4.1	34	1	1	3	5	7	9	31
20-34	565	4.3	21	1	1	3	5	8	12	31
35-49	386	5.1	22	1	2	3	6	11	14	26
50-64	285	8.3	84	1	2	5	10	18	31	44
65+	281	9.5	64	2	2	6	13	20	27	48
TOT. SINGLE DX	2496	2.7	5	<1	1	2	3	4	6	11
" MULTIPLE DX	1661	6.0	49	1	2	4	7	13	19	38
TOTAL 0-19 YRS	456	3.0	13	<1	1	2	4	5	6	11
20-34	1834	3.0	10	<1	1	2	3	5	7	15
35-49	908	3.8	14	1	1	3	4	8	11	20
50-64	548	5.7	54	1	1	3	6	14	19	38
65+	411	7.9	72	2	2	4	10	18	26	45
GRAND TOTAL	4157	4.0	25	1	1	3	4	8	12	30

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0		1	1	2	2	3	3	3
20-34	28	6.5	25	2	2	5	9	13	18	23
35-49	24	6.1	30	1	2	4	7	15	19	23
50-64	44	11.4	107	2	2	8	16	27	35	45
65+	50	12.7	98	2	3	10	20	29	31	41
2. MULTIPLE DX										
0-19 YRS	6	2.8	4	2	2	2	2	7	7	7
20-34	19	6.6	16	2	2	6	10	12	14	15
35-49	38	9.5	81	2	2	7	11	25	30	39
50-64	47	15.4	166	3	3	12	18	30	46	64
65+	100	21.7	322	3	5	17	32	44	62	96
TOT. SINGLE DX	153	9.7	82	2	2	6	13	23	30	41
" MULTIPLE DX	210	16.2	241	2	3	12	21	37	45	91
TOTAL 0-19 YRS	13	2.4	2	1	1	2	2	4	6	7
20-34	47	6.5	22	2	2	6	10	13	15	23
35-49	62	8.2	63	2	2	5	9	21	27	38
50-64	91	13.5	141	2	3	10	18	27	38	59
65+	150	18.7	264	2	4	14	26	40	47	93
GRAND TOTAL	363	13.4	184	2	2	9	18	31	41	77

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.1	1	<1	1	2	3	4	5	5
20-34	90	3.2	2	1	1	3	4	5	6	10
35-49	30	4.1	11	1	2	3	5	7	9	19
50-64	19	4.2	16	<1	1	3	5	7	14	19
65+	6	4.0	13	<1	<1	3	5	10	11	11
2. MULTIPLE DX										
0-19 YRS	31	2.9	6	<1	<1	2	4	6	10	11
20-34	65	3.6	4	1	2	3	5	6	8	86
35-49	35	6.8	18	2	3	6	9	12	15	21
50-64	28	9.1	38	2	2	8	12	18	24	25
65+	8	15.4	170	3	4	10	24	37	40	40
TOT. SINGLE DX	196	3.1	6	<1	1	3	4	5	6	16
" MULTIPLE DX	167	5.6	30	1	2	4	7	11	16	38
TOTAL 0-19 YRS	82	2.4	4	<1	1	2	3	4	6	11
20-34	155	3.4	3	1	1	3	4	6	6	12
35-49	65	5.6	17	2	2	4	8	11	14	21
50-64	47	7.1	35	1	2	5	9	15	20	25
65+	14	10.5	131	<1	2	6	11	30	38	40
GRAND TOTAL	363	4.3	18	1	1	3	5	9	12	25

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.3	4	1	1	1	3	6	7	7
20-34	25	4.5	26	<1	1	2	5	16	17	18
35-49	4	4.5	5	2	2	4	6	7	7	7
50-64	5	4.0	15	2	2	2	5	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	16	3.6	16	<1	1	2	5	10	13	15
20-34	29	5.3	20	1	1	4	6	11	18	19
35-49	12	4.8	11	1	1	4	8	10	11	11
50-64	7	5.6	24	2	2	3	9	13	14	14
65+	11	15.0	338	1	1	6	23	43	59	60
TOT. SINGLE DX	42	4.0	19	<1	1	2	5	10	16	18
" MULTIPLE DX	75	6.3	74	1	1	3	7	14	22	53
TOTAL 0-19 YRS	24	3.2	13	<1	1	2	3	8	11	15
20-34	54	4.9	23	<1	1	3	6	12	18	19
35-49	16	4.8	10	1	2	4	7	9	10	11
50-64	12	4.9	20	2	2	3	8	12	14	14
65+	11	15.0	339	1	1	6	23	43	59	60
GRAND TOTAL	117	5.5	55	1	1	2	7	12	18	41

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4605	3.4	1	2	2	3	4	4	5	6
20-34	20361	3.6	1	2	3	3	4	5	5	7
35-49	731	3.8	1	2	3	4	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3049	4.0	5	2	3	4	4	5	6	11
20-34	14237	4.1	4	2	3	4	5	6	7	11
35-49	715	4.4	5	2	3	4	5	6	8	13
50-64										
65+										
TOT. SINGLE DX	25697	3.6	1	2	3	3	4	5	5	7
" MULTIPLE DX	18001	4.1	5	2	3	4	5	6	7	11
TOTAL 0-19 YRS	7654	3.6	3	2	2	3	4	5	6	8
20-34	34598	3.8	3	2	3	4	4	5	6	8
35-49	1446	4.1	3	2	3	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	43698	3.8	3	2	3	4	4	5	6	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.0		1	2	3	4	4	4	5
20-34	502	3.4	1	2	2	3	4	5	5	6
35-49	21	3.0		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	96	3.0	2	1	1	3	4	5	6	8
20-34	739	4.1	14	2	2	4	5	6	8	15
35-49	76	4.4	22	1	2	4	5	6	7	35
50-64										
65+										
TOT. SINGLE DX	586	3.4	1	2	2	3	4	5	5	6
" MULTIPLE DX	911	4.0	14	2	2	3	5	6	7	16
TOTAL 0-19 YRS	159	3.0	2	1	2	3	4	4	5	8
20-34	1241	3.9	9	2	2	3	4	5	7	11
35-49	97	4.1	18	2	2	3	4	6	7	30
50-64										
65+										
GRAND TOTAL	1497	3.8	9	2	2	3	4	5	6	11

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	3.5	1	2	2	3	4	5	5	7
20-34	2698	3.8	1	2	3	4	4	5	6	8
35-49	119	4.0	1	2	3	4	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	639	4.0	4	2	3	4	4	6	7	11
20-34	3385	4.3	5	2	3	4	5	6	7	11
35-49	189	4.6	5	2	3	4	5	7	8	16
50-64										
65+										
TOT. SINGLE DX	3217	3.8	2	2	3	4	4	5	6	8
" MULTIPLE DX	4213	4.3	5	2	3	4	5	6	7	11
TOTAL 0-19 YRS	1039	3.8	3	2	3	4	4	5	6	9
20-34	6083	4.1	4	2	3	4	5	6	6	10
35-49	308	4.4	4	2	3	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	7430	4.1	4	2	3	4	5	6	6	10

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19410	3.2	1	2	2	3	4	4	5	6
20-34	113801	3.3	1	2	2	3	4	4	5	6
35-49	4299	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4822	3.8	5	2	2	3	4	5	7	12
20-34	33299	4.0	5	2	2	4	4	5	6	11
35-49	2318	4.3	6	2	2	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	137510	3.3	2	2	2	3	4	4	5	6
" MULTIPLE DX	40439	4.0	5	2	2	4	4	6	7	11
TOTAL 0-19 YRS	24232	3.3	3	2	2	3	4	4	5	8
20-34	147100	3.5	2	2	2	3	4	5	5	7
35-49	6617	3.7	4	2	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	177949	3.5	2	2	2	3	4	5	5	8

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1917	6.0	2	4	5	6	7	8	8	11
20-34	15933	6.1	4	4	5	6	7	8	8	11
35-49	653	6.7	7	5	5	6	7	8	9	17
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3772	7.0	14	4	5	6	7	10	12	21
20-34	27484	6.8	12	4	5	6	7	9	11	21
35-49	1906	7.5	22	5	5	7	8	10	13	28
50-64										
65+										
TOT. SINGLE DX	18503	6.2	4	4	5	6	7	8	8	11
" MULTIPLE DX	33162	6.9	13	4	5	6	7	9	11	21
TOTAL 0-19 YRS	5689	6.7	11	4	5	6	7	9	11	18
20-34	43417	6.5	9	4	5	6	7	8	10	18
35-49	2559	7.3	19	5	5	7	8	9	12	26
50-64										
65+										
GRAND TOTAL	51665	6.6	10	4	5	6	7	8	10	19

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	6.0	2	4	4	6	7	8	9	12
20-34	1165	6.1	7	4	4	6	7	7	8	13
35-49	62	6.3	4	4	4	6	7	8	9	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	306	6.5	7	4	5	6	7	9	11	18
20-34	1890	7.1	23	4	5	6	7	9	12	28
35-49	145	8.0	12	5	5	7	9	13	15	22
50-64										
65+										
TOT. SINGLE DX	1442	6.1	7	4	4	6	7	8	8	13
" MULTIPLE DX	2341	7.1	21	4	5	6	7	10	13	27
TOTAL 0-19 YRS	521	6.3	5	4	4	6	7	8	10	16
20-34	3055	6.7	18	4	5	6	7	8	11	23
35-49	207	7.5	11	4	5	7	8	11	15	21
50-64										
65+										
GRAND TOTAL	3783	6.7	16	4	5	6	7	9	11	21

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0		4	4	5	5	6	6	6
20-34	46	5.5	4	2	3	5	7	8	9	11
35-49	3	6.3	9	3	3	7	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	5.8	3	4	4	5	8	8	8	8
20-34	55	6.9	9	3	4	6	8	11	14	17
35-49	4	8.0	3	6	6	8	9	10	10	10
50-64										
65+										
TOT. SINGLE DX	54	5.5	4	3	3	5	7	8	9	11
" MULTIPLE DX	65	6.9	9	3	4	6	8	11	13	17
TOTAL 0-19 YRS	11	5.5	2	4	4	5	6	8	8	8
20-34	101	6.3	8	3	3	6	7	10	12	16
35-49	7	7.3	6	3	4	7	9	10	10	10
50-64										
65+										
GRAND TOTAL	119	6.3	7	3	3	6	7	10	11	16

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	508	1.7		1	1	2	2	2	3	4
20-34	506	1.7	1	1	1	2	2	3	3	4
35-49	36	1.8	1	1	1	2	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	145	2.3	6	1	1	2	2	3	4	13
20-34	213	2.2	1	1	1	2	3	3	4	6
35-49	17	2.3	2	1	1	2	3	4	7	8
50-64										
65+										
TOT. SINGLE DX	1050	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	375	2.3	4	1	1	2	3	3	4	8
TOTAL 0-19 YRS	653	1.9	2	1	1	2	2	3	3	4
20-34	719	1.9	1	1	1	2	2	3	3	5
35-49	53	2.0	2	1	1	2	2	3	4	8
50-64										
65+										
GRAND TOTAL	1425	1.9	2	1	1	2	2	3	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	5.1	33	<1	<1	4	6	9	13	35
20-34	360	4.4	36	<1	<1	3	6	9	12	30
35-49	23	4.3	9	<1	1	4	5	10	11	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	54	6.1	26	1	1	4	8	14	18	22
20-34	259	6.5	88	<1	1	4	7	13	18	57
35-49	26	7.4	103	<1	1	4	8	19	37	41
50-64										
65+										
TOT. SINGLE DX	450	4.5	35	<1	<1	3	6	9	12	30
" MULTIPLE DX	339	6.5	79	<1	1	4	7	14	19	43
TOTAL 0-19 YRS	121	5.6	30	<1	1	4	6	12	17	32
20-34	619	5.3	59	<1	1	3	6	11	16	37
35-49	49	5.9	61	<1	1	4	7	11	20	41
50-64										
65+										
GRAND TOTAL	789	5.4	55	<1	1	3	6	11	17	36

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1290	2.6	2	<1	<1	3	3	4	4	6
20-34	6203	2.7	2	<1	<1	3	3	4	5	7
35-49	251	2.4	2	<1	<1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	480	3.4	3	<1	1	3	4	5	6	11
20-34	2669	3.6	3	1	2	3	4	5	6	10
35-49	188	4.0	4	2	2	4	5	6	7	14
50-64										
65+										
TOT. SINGLE DX	7744	2.7	2	<1	<1	3	3	4	5	6
" MULTIPLE DX	3337	3.6	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	1770	2.8	3	<1	<1	3	3	4	5	8
20-34	8872	3.0	3	<1	<1	3	4	5	5	8
35-49	439	3.1	4	<1	<1	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	11081	2.9	3	<1	<1	3	4	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2564	3.1	1	2	2	3	4	4	5	7
20-34	15752	3.2	1	2	2	3	4	4	5	6
35-49	761	3.3	1	1	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1819	3.5	2	2	2	3	4	5	6	10
20-34	11106	3.7	3	2	2	3	4	5	6	10
35-49	723	3.8	2	2	2	4	4	5	7	9
50-64										
65+										
TOT. SINGLE DX	19077	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	13648	3.7	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	4383	3.3	2	2	2	3	4	4	5	8
20-34	26858	3.4	2	2	2	3	4	5	5	8
35-49	1484	3.6	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	32725	3.4	2	2	2	3	4	5	5	8

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.7	18	1	2	3	4	5	10	27
20-34	78	3.9	18	1	2	3	4	6	10	29
35-49	31	3.5	9	1	2	2	3	9	11	13
50-64	68	5.5	39	1	2	3	6	14	22	29
65+	44	9.5	150	1	2	5	12	22	40	55
2. MULTIPLE DX										
0-19 YRS	27	4.3	9	2	2	4	6	6	8	17
20-34	54	5.4	134	1	2	3	4	9	11	82
35-49	57	9.1	276	1	1	3	9	17	37	95
50-64	121	10.4	240	1	2	5	11	26	47	91
65+	94	9.8	140	2	2	6	13	22	41	99+
TOT. SINGLE DX	265	5.2	48	1	2	3	5	11	17	36
" MULTIPLE DX	353	8.8	189	1	2	4	10	18	32	96
TOTAL 0-19 YRS	71	3.9	15	1	2	3	4	6	8	25
20-34	132	4.5	66	1	2	3	4	8	11	44
35-49	88	7.1	188	1	2	3	7	14	18	88
50-64	189	8.6	173	1	2	4	10	19	30	87
65+	138	9.7	143	2	2	5	13	22	40	99+
GRAND TOTAL	618	7.2	131	1	2	3	8	16	26	84

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	521	3.8	1	2	3	4	4	5	6	7
20-34	708	3.7	1	2	2	3	4	5	6	8
35-49	222	4.3	19	2	2	4	5	6	7	13
50-64	86	3.8	4	2	2	3	4	6	7	15
65+	19	7.8	59	2	3	4	10	21	25	28
2. MULTIPLE DX										
0-19 YRS	266	4.2	2	2	3	4	5	6	7	11
20-34	365	4.4	6	2	3	4	5	6	8	16
35-49	126	4.7	6	2	3	4	5	7	9	16
50-64	89	5.4	16	2	2	4	6	10	15	22
65+	21	11.7	149	2	2	6	14	35	39	41
TOT. SINGLE DX	1556	3.9	5	2	3	4	4	5	6	9
" MULTIPLE DX	867	4.6	11	2	3	4	5	7	9	18
TOTAL 0-19 YRS	787	4.0	2	2	3	4	4	5	6	9
20-34	1073	4.0	3	2	2	4	5	6	6	10
35-49	348	4.4	15	2	2	4	5	6	8	16
50-64	175	4.6	11	2	2	4	5	7	12	18
65+	40	9.8	108	2	3	4	12	26	35	41
GRAND TOTAL	2423	4.2	7	2	3	4	5	6	7	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	2.9	7	1	1	2	3	5	6	9
20-34	426	3.3	7	1	1	3	4	6	7	10
35-49	91	3.3	10	1	1	2	3	6	9	21
50-64	28	4.3	10	1	2	3	6	8	11	16
65+	6	7.3	67	2	2	4	9	22	23	23
2. MULTIPLE DX										
0-19 YRS	281	4.7	30	1	2	3	5	9	13	25
20-34	448	5.6	38	1	2	4	7	10	13	40
35-49	111	7.6	34	2	2	6	9	16	20	31
50-64	69	8.2	82	2	3	6	10	15	20	61
65+	34	14.1	184	4	5	8	15	34	41	64
TOT. SINGLE DX	800	3.2	9	1	1	3	4	6	7	12
" MULTIPLE DX	943	6.1	47	1	2	4	7	12	16	40
TOTAL 0-19 YRS	530	3.9	20	1	1	3	4	7	10	19
20-34	874	4.5	25	1	2	3	5	8	11	27
35-49	202	5.7	28	1	2	4	8	11	18	28
50-64	97	7.1	64	2	2	5	8	14	17	49
65+	40	13.1	170	2	3	7	15	33	39	64
GRAND TOTAL	1743	4.8	31	1	2	3	5	9	12	31

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	3.6	5	1	1	3	4	6	7	12
20-34	601	3.5	4	1	2	3	4	6	8	11
35-49	182	4.0	9	1	2	3	5	7	9	16
50-64	68	5.2	14	2	2	4	7	10	13	18
65+	26	6.2	14	2	2	5	8	13	14	15
2. MULTIPLE DX										
0-19 YRS	285	7.1	54	2	2	5	8	14	19	43
20-34	759	7.1	57	2	2	5	8	13	18	39
35-49	291	8.2	71	2	2	6	10	14	22	41
50-64	142	9.9	89	2	3	7	12	22	28	66
65+	79	12.0	81	2	3	10	15	25	32	47
TOT. SINGLE DX	1094	3.8	7	1	2	3	5	7	8	15
" MULTIPLE DX	1556	7.8	65	2	2	6	9	14	21	47
TOTAL 0-19 YRS	502	5.6	36	1	2	4	6	10	14	37
20-34	1360	5.5	37	1	2	4	7	10	14	31
35-49	473	6.6	52	2	2	5	8	12	16	31
50-64	210	8.4	70	2	2	6	10	16	24	57
65+	105	10.6	71	2	3	8	14	19	27	45
GRAND TOTAL	**2650**	**6.1**	**45**	**2**	**2**	**4**	**7**	**12**	**16**	**34**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.3	1	<1	1	3	4	5	6	6
20-34	36	4.4	49	<1	1	3	4	7	9	44
35-49	29	5.2	23	<1	1	4	6	9	17	24
50-64	24	4.6	6	2	2	4	6	8	9	11
65+	6	5.7	9	3	3	4	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	23	4.6	7	1	2	4	7	8	10	12
20-34	26	5.6	21	<1	1	4	7	12	17	17
35-49	21	6.3	22	2	2	5	8	14	18	19
50-64	31	10.5	98	2	3	6	12	28	31	43
65+	20	8.0	64	<1	1	5	8	22	27	30
TOT. SINGLE DX	117	4.5	23	<1	2	4	5	8	9	31
" MULTIPLE DX	121	7.2	49	1	2	5	8	16	22	35
TOTAL 0-19 YRS	45	4.0	5	1	2	3	5	7	8	12
20-34	62	4.9	38	<1	1	3	5	10	14	41
35-49	50	5.7	23	1	2	4	7	10	18	24
50-64	55	7.9	66	2	2	5	9	15	30	42
65+	26	7.4	52	1	2	5	8	19	26	30
GRAND TOTAL	**238**	**5.9**	**38**	**1**	**2**	**4**	**6**	**11**	**18**	**33**

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	675	5.2	28	1	2	4	6	9	15	29
20-34	888	4.6	34	1	2	3	5	7	10	32
35-49	607	4.8	23	1	2	4	6	9	11	21
50-64	597	6.6	25	2	2	5	8	11	16	29
65+	200	10.1	78	2	3	8	12	21	25	41
2. MULTIPLE DX										
0-19 YRS	421	6.8	57	2	2	5	7	12	17	47
20-34	1026	5.4	50	2	2	3	5	9	16	42
35-49	878	5.7	48	2	2	4	6	10	15	43
50-64	910	7.9	85	2	3	5	9	15	22	52
65+	375	12.0	116	3	3	9	15	25	33	52
TOT. SINGLE DX	2967	5.5	34	2	2	4	6	10	15	30
" MULTIPLE DX	3610	7.0	71	2	2	4	7	14	22	46
TOTAL 0-19 YRS	1096	5.8	40	1	2	4	6	11	16	35
20-34	1914	5.0	44	2	2	3	5	8	14	40
35-49	1485	5.3	39	2	2	4	6	9	13	35
50-64	1507	7.4	62	2	2	5	9	13	20	42
65+	575	11.4	104	3	3	8	14	23	30	52
GRAND TOTAL	**6577**	**6.3**	**55**	**2**	**2**	**4**	**7**	**12**	**19**	**41**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	452	3.8	3	2	2	4	4	6	7	12
20-34	1081	3.7	2	2	2	3	4	6	7	10
35-49	822	4.1	3	2	2	4	5	6	7	10
50-64	973	4.5	5	2	2	4	5	7	8	12
65+	359	4.9	10	2	3	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	503	4.2	2	2	2	4	5	6	7	10
20-34	1983	4.2	5	2	2	4	5	6	7	12
35-49	1976	4.7	8	2	3	4	5	7	9	16
50-64	3157	5.2	12	2	3	5	6	8	10	17
65+	1419	6.7	36	2	3	5	7	11	16	33
TOT. SINGLE DX	3687	4.2	5	2	2	4	5	6	8	11
" MULTIPLE DX	9038	5.1	14	2	3	4	6	8	9	20
TOTAL 0-19 YRS	955	4.0	3	2	2	4	5	6	7	10
20-34	3064	4.0	4	2	2	4	5	6	7	11
35-49	2798	4.6	7	2	2	4	5	7	8	13
50-64	4130	5.0	11	2	3	4	6	8	9	16
65+	1778	6.3	32	2	3	5	7	10	15	32
GRAND TOTAL	**12725**	**4.8**	**11**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2091	3.9	16	1	2	3	4	6	9	25
20-34	2738	4.5	27	1	2	3	5	8	12	32
35-49	1846	4.8	25	1	2	3	5	9	12	29
50-64	1523	5.3	30	2	2	4	6	10	15	34
65+	622	7.2	55	2	2	5	9	15	21	43
2. MULTIPLE DX										
0-19 YRS	812	7.1	111	1	2	4	6	17	32	72
20-34	2036	7.7	139	1	2	4	7	18	32	76
35-49	1839	7.7	108	2	2	4	8	18	29	61
50-64	2105	9.1	119	2	2	5	10	22	32	56
65+	1515	14.7	216	2	3	10	20	33	46	75
TOT. SINGLE DX	8820	4.8	27	1	2	3	5	9	13	31
" MULTIPLE DX	8307	9.3	146	2	2	5	10	23	35	67
TOTAL 0-19 YRS	2903	4.8	45	1	2	3	5	8	14	39
20-34	4774	5.9	78	1	2	3	5	11	20	53
35-49	3685	6.2	69	1	2	4	6	12	21	50
50-64	3628	7.5	86	2	2	4	8	16	26	49
65+	2137	12.5	181	2	3	8	16	29	41	69
GRAND TOTAL	17127	7.0	90	1	2	4	7	15	25	53

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	7.3	84	2	2	5	7	15	25	46
20-34	660	5.6	38	1	2	4	6	10	14	29
35-49	259	6.2	51	1	1	4	7	11	15	43
50-64	229	8.6	73	2	2	6	11	15	21	44
65+	365	15.8	73	4	6	15	19	25	31	47
2. MULTIPLE DX										
0-19 YRS	282	11.5	211	2	2	5	13	31	42	73
20-34	324	11.8	234	2	2	6	13	29	45	79
35-49	192	12.6	230	2	2	7	15	29	45	81
50-64	264	15.1	176	2	4	11	19	31	43	72
65+	687	21.7	206	5	7	19	26	39	50	78
TOT. SINGLE DX	2211	8.2	76	2	2	5	10	17	24	44
" MULTIPLE DX	1749	16.2	231	2	3	12	22	35	45	78
TOTAL 0-19 YRS	980	8.5	125	2	2	5	8	21	31	57
20-34	984	7.6	112	1	2	4	8	15	25	61
35-49	451	8.9	138	1	2	5	10	20	30	69
50-64	493	12.1	139	2	3	9	15	27	36	66
65+	1052	19.6	168	5	7	17	24	35	43	76
GRAND TOTAL	3960	11.7	160	2	2	7	16	26	37	68

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1411	3.1	15	1	1	2	3	5	7	27
20-34	2035	3.0	8	1	1	2	3	5	6	15
35-49	860	3.5	12	1	1	2	4	6	9	20
50-64	837	4.1	22	1	2	3	5	7	11	25
65+	708	7.3	67	1	2	4	9	16	24	42
2. MULTIPLE DX										
0-19 YRS	350	5.3	63	1	1	3	5	10	21	44
20-34	654	6.8	104	1	2	3	7	15	26	52
35-49	425	6.6	66	1	2	4	7	14	24	45
50-64	549	8.4	110	2	2	4	10	19	29	70
65+	762	14.3	173	2	3	11	20	31	40	70
TOT. SINGLE DX	5851	3.8	21	1	1	3	4	7	10	26
" MULTIPLE DX	2740	9.0	125	1	2	4	11	22	31	61
TOTAL 0-19 YRS	1761	3.6	25	1	1	2	4	6	9	31
20-34	2689	3.9	34	1	1	3	4	6	10	34
35-49	1285	4.5	33	1	1	3	4	9	15	30
50-64	1386	5.8	61	1	2	3	6	12	20	50
65+	1470	10.9	134	2	2	7	15	25	33	61
GRAND TOTAL	8591	5.4	60	1	1	3	5	12	20	43

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	20.3	195	2	4	21	30	40	50	61
20-34	49	19.4	242	4	6	12	25	49	54	56
35-49	39	14.2	77	5	6	11	16	28	35	41
50-64	121	13.6	74	5	6	11	15	23	28	57
65+	542	17.6	73	7	10	16	21	26	31	59
2. MULTIPLE DX										
0-19 YRS	97	22.7	222	4	7	21	29	39	53	95
20-34	79	25.4	321	9	10	20	30	46	73	90
35-49	49	24.7	426	6	7	18	36	66	90	99+
50-64	167	21.2	198	8	10	17	26	44	52	81
65+	1268	21.4	156	9	10	18	25	36	47	74
TOT. SINGLE DX	886	17.4	105	5	7	15	21	29	37	58
" MULTIPLE DX	1660	21.8	181	6	10	18	26	37	50	81
TOTAL 0-19 YRS	232	21.3	207	3	5	21	30	40	50	92
20-34	128	23.1	298	6	8	18	28	48	56	87
35-49	88	20.1	296	6	7	15	27	45	71	99+
50-64	288	18.0	160	6	8	14	22	33	50	74
65+	1810	20.3	135	8	10	17	23	33	43	70
GRAND TOTAL	2546	20.3	159	7	9	17	24	35	47	78

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	12.3	106	3	4	10	15	20	27	64
20-34	208	13.4	84	4	6	12	17	23	30	64
35-49	152	13.8	92	5	6	12	16	21	29	64
50-64	433	14.3	59	6	7	13	17	22	27	42
65+	2357	18.2	67	8	10	17	21	27	32	48
2. MULTIPLE DX										
0-19 YRS	259	19.2	157	5	7	16	23	36	47	82
20-34	435	20.7	191	7	8	17	25	43	53	75
35-49	243	22.0	215	6	9	18	28	47	69	99+
50-64	761	21.1	170	8	10	18	25	38	51	99
65+	5788	22.3	141	10	12	19	26	37	46	73
TOT. SINGLE DX	3354	16.8	76	6	8	15	20	26	31	51
" MULTIPLE DX	7486	22.0	151	9	11	19	26	37	48	79
TOTAL 0-19 YRS	463	16.2	147	4	5	13	20	30	40	77
20-34	643	18.4	169	6	7	15	22	36	50	73
35-49	395	18.8	184	6	7	15	23	41	56	99+
50-64	1194	18.6	141	7	9	16	22	33	44	82
65+	8145	21.1	124	9	11	18	25	34	43	69
GRAND TOTAL	10840	20.4	133	8	10	18	24	34	44	72

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	14.6	187	1	2	11	22	31	40	67
20-34	38	14.9	163	2	3	11	21	38	46	48
35-49	9	13.7	164	2	2	9	18	34	42	42
50-64	32	19.4	346	1	3	15	30	51	76	99+
65+	94	18.1	195	2	5	16	24	44	56	99+
2. MULTIPLE DX										
0-19 YRS	185	21.1	250	3	4	18	30	42	52	68
20-34	99	25.9	329	6	7	20	38	53	75	99+
35-49	36	27.3	400	4	6	24	38	55	86	99+
50-64	56	25.4	457	2	5	19	36	58	80	99+
65+	181	25.5	313	6	9	20	32	51	65	99+
TOT. SINGLE DX	549	15.5	197	2	2	12	22	33	46	86
" MULTIPLE DX	557	24.2	318	4	6	20	33	51	64	99+
TOTAL 0-19 YRS	561	16.8	217	2	2	14	24	35	47	68
20-34	137	22.9	307	3	5	18	33	49	69	99+
35-49	45	24.5	378	3	4	22	37	53	74	99+
50-64	88	23.2	421	2	4	17	33	57	78	99+
65+	275	23.0	284	4	7	19	29	50	63	99+
GRAND TOTAL	1106	19.9	277	2	3	16	27	45	55	99

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	5.7	48	1	1	2	7	17	21	29
20-34	488	4.1	17	1	1	3	5	8	11	23
35-49	271	4.7	34	1	1	3	5	9	11	30
50-64	343	4.5	26	1	1	3	5	9	12	29
65+	268	6.5	47	1	2	4	8	15	21	31
2. MULTIPLE DX										
0-19 YRS	145	11.0	165	1	2	5	15	30	40	64
20-34	266	8.7	102	1	2	5	10	18	27	53
35-49	176	11.0	206	1	2	6	12	25	45	80
50-64	203	10.0	131	1	2	6	12	24	34	53
65+	275	13.3	174	2	2	9	18	29	39	63
TOT. SINGLE DX	1912	5.0	35	1	1	3	6	11	18	29
" MULTIPLE DX	1065	10.8	155	1	2	6	14	26	38	67
TOTAL 0-19 YRS	687	6.8	77	1	1	3	8	19	25	41
20-34	754	5.7	52	1	1	3	7	12	18	35
35-49	447	7.1	111	1	1	4	8	14	24	69
50-64	546	6.6	72	1	1	4	7	13	22	45
65+	543	9.9	124	1	2	6	13	23	30	53
GRAND TOTAL	2977	7.1	86	1	1	4	8	18	25	47

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2367	3.7	8	1	1	3	5	7	9	14
20-34	3011	4.6	16	1	1	4	6	8	10	20
35-49	1571	5.6	18	1	2	5	7	10	13	20
50-64	1463	6.8	28	2	2	6	8	12	16	30
65+	906	9.5	56	2	3	8	12	18	22	38
2. MULTIPLE DX										
0-19 YRS	1052	8.0	103	1	2	5	8	18	28	60
20-34	1958	9.2	118	2	2	6	10	18	29	73
35-49	1184	9.2	96	2	2	6	11	19	27	54
50-64	1359	10.9	117	2	3	8	13	22	32	66
65+	1407	15.4	142	3	5	12	19	30	39	58
TOT. SINGLE DX	9318	5.4	23	1	2	4	7	10	13	24
" MULTIPLE DX	6960	10.6	124	2	2	7	13	22	33	62
TOTAL 0-19 YRS	3419	5.1	41	1	1	3	5	9	14	36
20-34	4969	6.4	62	1	2	4	7	12	18	49
35-49	2755	7.1	55	1	2	5	8	13	19	42
50-64	2822	8.8	75	2	3	6	10	16	24	49
65+	2313	13.0	117	3	4	10	17	25	34	56
GRAND TOTAL	16278	7.6	73	1	2	5	9	15	22	48

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5750	2.4	8	1	1	2	3	5	7	16
20-34	1608	4.0	16	1	1	3	5	8	11	19
35-49	951	4.3	20	1	1	3	5	9	11	23
50-64	1212	4.4	25	1	1	3	5	9	12	28
65+	1202	5.0	32	1	1	3	6	11	15	28
2. MULTIPLE DX										
0-19 YRS	1525	5.4	62	1	1	3	6	12	18	45
20-34	1112	8.1	113	1	1	5	9	18	28	71
35-49	825	8.4	109	1	1	5	9	19	30	58
50-64	1001	8.3	93	1	2	5	10	18	29	53
65+	1722	10.7	122	1	2	8	14	22	30	60
TOT. SINGLE DX	10723	3.3	17	1	1	2	4	7	10	19
" MULTIPLE DX	6185	8.2	103	1	1	5	10	18	27	57
TOTAL 0-19 YRS	7275	3.1	22	1	1	2	3	6	9	22
20-34	2720	5.7	60	1	1	3	6	11	17	46
35-49	1776	6.2	66	1	1	4	7	13	20	49
50-64	2213	6.2	60	1	1	4	7	13	20	45
65+	2924	8.4	93	1	1	5	11	18	25	54
GRAND TOTAL	**16908**	**5.1**	**54**	**1**	**1**	**3**	**6**	**12**	**17**	**40**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	479	4.1	32	<1	1	2	5	11	16	28
20-34	426	3.3	23	<1	1	2	4	6	11	24
35-49	167	3.5	31	<1	1	2	4	7	9	41
50-64	205	3.9	29	<1	1	2	4	8	12	32
65+	260	5.9	53	1	1	3	7	15	23	35
2. MULTIPLE DX										
0-19 YRS	193	8.4	116	1	1	4	11	23	33	53
20-34	290	10.1	154	1	1	5	14	25	37	57
35-49	154	8.7	104	1	1	5	11	22	33	54
50-64	249	9.2	145	1	1	5	10	25	33	66
65+	354	10.0	136	1	1	6	14	23	31	61
TOT. SINGLE DX	1537	4.1	34	<1	1	2	4	10	15	30
" MULTIPLE DX	1240	9.4	135	1	1	5	12	24	33	61
TOTAL 0-19 YRS	672	5.3	60	1	1	2	6	15	22	35
20-34	716	6.0	87	<1	1	3	6	16	24	50
35-49	321	6.0	73	<1	1	3	6	16	24	48
50-64	454	6.8	100	<1	1	3	7	17	28	52
65+	614	8.3	105	1	1	4	11	20	28	57
GRAND TOTAL	**2777**	**6.5**	**86**	**1**	**1**	**3**	**7**	**17**	**25**	**47**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	4.0	16	1	1	3	4	7	12	24
20-34	487	3.8	11	1	2	3	4	6	8	12
35-49	165	4.5	12	1	2	4	6	7	10	14
50-64	102	6.9	38	2	2	5	8	12	17	39
65+	57	8.5	32	1	2	7	12	18	19	23
2. MULTIPLE DX										
0-19 YRS	82	7.4	49	1	1	5	9	18	25	31
20-34	189	7.6	74	1	2	5	9	15	21	53
35-49	87	9.2	94	2	2	6	11	22	32	85
50-64	88	10.4	118	1	2	8	12	23	47	99+
65+	114	16.9	155	4	5	15	20	31	46	62
TOT. SINGLE DX	1095	4.5	18	1	2	3	5	8	11	22
" MULTIPLE DX	560	10.1	110	2	2	6	13	23	32	61
TOTAL 0-19 YRS	366	4.8	25	1	1	3	5	9	16	27
20-34	676	4.9	32	1	2	3	5	9	12	32
35-49	252	6.1	45	2	2	4	7	12	20	36
50-64	190	8.5	78	2	2	6	10	17	28	85
65+	171	14.1	130	2	4	12	18	27	39	56
GRAND TOTAL	**1655**	**6.4**	**56**	**1**	**2**	**4**	**7**	**14**	**20**	**46**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1276	4.1	17	1	2	3	4	7	11	24
20-34	1390	4.2	17	1	2	3	5	7	10	22
35-49	615	4.3	13	1	2	3	5	7	10	21
50-64	427	6.7	52	2	2	4	7	15	21	38
65+	214	14.2	197	2	2	8	21	34	43	64
2. MULTIPLE DX										
0-19 YRS	579	5.4	36	1	2	3	5	11	19	31
20-34	851	5.5	42	1	2	4	6	10	14	35
35-49	540	7.4	81	1	2	5	8	16	24	48
50-64	485	11.3	169	2	3	7	13	26	40	79
65+	439	19.6	271	3	4	15	27	42	53	73
TOT. SINGLE DX	3922	5.0	36	1	2	3	5	9	16	33
" MULTIPLE DX	2894	9.0	129	2	2	5	10	22	32	61
TOTAL 0-19 YRS	1855	4.5	24	1	2	3	5	8	14	27
20-34	2241	4.7	27	1	2	4	5	8	11	28
35-49	1155	5.7	48	1	2	4	6	11	17	42
50-64	912	9.1	120	2	2	5	11	20	31	63
65+	653	17.9	254	2	3	13	25	39	51	70
GRAND TOTAL	**6816**	**6.7**	**79**	**1**	**2**	**4**	**6**	**15**	**24**	**48**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	9.6	30	4	4	8	12	16	18	37
20-34	3034	10.5	29	4	5	9	13	18	21	30
35-49	4691	11.2	33	5	5	10	14	19	22	31
50-64	2439	12.3	42	5	6	11	15	21	25	34
65+	445	14.8	79	6	7	13	18	23	29	48
2. MULTIPLE DX										
0-19 YRS	56	13.3	73	4	5	11	18	29	76	99+
20-34	886	14.0	82	5	6	12	17	24	30	47
35-49	2027	14.5	79	6	7	12	18	25	32	45
50-64	2092	16.1	109	6	7	13	20	28	34	56
65+	865	20.9	162	8	9	18	26	38	46	65
TOT. SINGLE DX	10762	11.4	37	5	6	10	14	19	23	32
" MULTIPLE DX	5926	15.9	107	6	7	13	19	29	35	56
TOTAL 0-19 YRS	209	10.6	45	4	5	9	14	18	25	99+
20-34	3920	11.3	44	5	5	10	14	19	23	36
35-49	6718	12.2	50	5	6	10	15	21	25	37
50-64	4531	14.1	77	5	6	12	17	24	30	46
65+	1310	18.8	142	7	8	16	23	33	42	62
GRAND TOTAL	**16688**	**13.0**	**67**	**5**	**6**	**11**	**16**	**22**	**28**	**43**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1611	3.7	3	1	2	3	5	6	7	10
20-34	3662	3.9	4	1	2	4	5	6	7	11
35-49	1856	4.2	8	1	2	4	5	7	8	13
50-64	1046	4.4	7	2	2	4	6	7	9	14
65+	226	5.3	14	1	2	4	7	9	12	22
2. MULTIPLE DX										
0-19 YRS	895	4.2	7	1	2	4	5	7	8	17
20-34	2231	4.4	11	1	2	4	5	7	9	15
35-49	1415	4.9	14	1	2	4	6	9	12	22
50-64	1542	5.6	27	2	2	4	6	10	14	25
65+	490	7.5	64	2	2	5	9	15	21	42
TOT. SINGLE DX	8401	4.0	6	1	2	4	5	6	8	12
" MULTIPLE DX	6573	5.0	20	1	2	4	6	9	11	22
TOTAL 0-19 YRS	2506	3.8	5	1	2	4	5	6	7	12
20-34	5893	4.1	7	1	2	4	5	6	8	12
35-49	3271	4.5	11	1	2	4	5	8	9	17
50-64	2588	5.1	20	2	2	4	6	9	12	21
65+	716	6.8	50	2	2	5	8	13	19	33
GRAND TOTAL	**14974**	**4.4**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2362	2.8	6	1	1	2	3	5	6	13
20-34	3317	3.0	7	1	1	2	4	5	7	12
35-49	1612	3.5	10	1	1	3	4	6	9	19
50-64	988	4.1	16	1	2	3	4	8	11	21
65+	364	5.9	43	1	2	3	6	14	17	37
2. MULTIPLE DX										
0-19 YRS	1017	3.7	20	1	1	2	4	7	9	22
20-34	1866	4.2	23	1	1	3	5	8	11	28
35-49	1183	5.6	58	1	2	3	6	11	17	43
50-64	1343	6.3	57	1	2	4	7	14	20	41
65+	612	9.7	134	2	2	6	12	21	29	63
TOT. SINGLE DX	8643	3.3	11	1	1	2	4	6	8	16
" MULTIPLE DX	6021	5.4	52	1	1	3	6	11	17	40
TOTAL 0-19 YRS	3379	3.0	11	1	1	2	3	5	7	15
20-34	5183	3.4	14	1	1	2	4	6	8	17
35-49	2795	4.4	32	1	1	3	5	8	12	30
50-64	2331	5.4	41	1	2	3	6	11	16	34
65+	976	8.3	104	2	2	5	10	17	25	55
GRAND TOTAL	**14664**	**4.2**	**29**	**1**	**1**	**3**	**4**	**8**	**12**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	13.7	39	7	8	13	16	20	23	37
20-34	337	12.8	52	5	6	11	15	22	30	40
35-49	454	11.4	34	5	6	10	14	18	23	34
50-64	274	12.1	59	5	6	10	15	21	24	48
65+	34	15.4	44	7	7	14	19	23	29	34
2. MULTIPLE DX										
0-19 YRS	123	20.1	211	7	9	16	23	41	64	99+
20-34	233	19.1	258	6	8	14	22	39	55	99
35-49	350	15.5	114	5	6	13	19	29	37	87
50-64	334	16.8	153	6	7	13	20	33	41	69
65+	89	20.7	174	7	8	16	26	43	51	99+
TOT. SINGLE DX	1280	12.3	46	5	6	11	15	20	24	38
" MULTIPLE DX	1129	17.5	174	6	7	14	21	35	45	91
TOTAL 0-19 YRS	304	16.3	118	7	8	14	18	29	39	81
20-34	570	15.4	146	6	7	12	17	30	39	81
35-49	804	13.2	74	5	6	11	16	22	32	51
50-64	608	14.7	116	5	6	12	17	27	35	65
65+	123	19.2	143	7	8	16	24	39	47	99+
GRAND TOTAL	**2409**	**14.8**	**113**	**5**	**6**	**12**	**17**	**26**	**36**	**79**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	4.3	9	1	2	4	5	8	10	16
20-34	458	4.8	12	1	2	4	6	9	10	18
35-49	381	5.2	14	2	2	4	6	9	11	18
50-64	522	5.4	21	2	2	4	7	10	13	23
65+	251	7.0	46	2	2	5	9	16	19	32
2. MULTIPLE DX										
0-19 YRS	147	5.6	15	2	2	5	7	10	13	23
20-34	335	6.3	40	2	2	5	8	11	14	37
35-49	293	6.2	19	2	2	5	8	10	15	27
50-64	483	7.2	43	2	2	5	9	14	20	40
65+	309	9.5	97	2	3	6	12	21	29	46
TOT. SINGLE DX	1818	5.3	20	2	2	4	6	10	13	24
" MULTIPLE DX	1567	7.1	48	2	2	5	8	14	20	40
TOTAL 0-19 YRS	353	4.9	12	1	2	4	6	9	11	19
20-34	793	5.4	25	1	2	4	7	9	12	23
35-49	674	5.6	17	2	2	5	7	10	13	24
50-64	1005	6.3	32	2	2	5	8	12	16	31
65+	560	8.4	76	2	2	5	10	19	25	44
GRAND TOTAL	3385	6.2	34	2	2	5	7	11	16	31

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	13.0	42	1	2	15	17	20	20	20
20-34	104	14.6	65	8	9	12	16	24	27	53
35-49	187	14.4	30	8	9	13	17	21	23	33
50-64	997	15.1	31	9	10	14	17	21	25	35
65+	1674	17.0	36	10	11	16	19	24	27	39
2. MULTIPLE DX										
0-19 YRS	12	12.9	26	9	10	11	13	20	27	28
20-34	102	20.2	159	9	10	16	25	38	63	99+
35-49	255	19.1	105	9	10	17	22	34	42	57
50-64	1043	18.7	97	10	11	16	21	29	36	68
65+	2624	21.3	113	10	12	18	25	34	42	64
TOT. SINGLE DX	2969	16.1	37	9	10	15	18	23	26	36
" MULTIPLE DX	4036	20.4	111	10	11	18	24	33	41	66
TOTAL 0-19 YRS	19	12.9	30	4	8	12	15	19	24	28
20-34	206	17.3	120	8	9	14	19	30	39	84
35-49	442	17.1	79	9	10	15	19	28	35	52
50-64	2040	17.0	69	9	10	15	19	25	31	52
65+	4298	19.6	88	10	11	17	22	30	37	58
GRAND TOTAL	7005	18.6	84	9	11	16	21	29	35	58

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.0	46	4	4	10	14	19	24	31
20-34	34	14.6	98	4	7	12	17	26	43	46
35-49	51	14.6	120	6	8	12	15	19	23	73
50-64	266	15.3	42	8	10	14	17	23	27	44
65+	1570	17.7	50	9	10	16	21	26	31	40
2. MULTIPLE DX										
0-19 YRS	16	16.3	117	5	7	12	19	36	40	42
20-34	38	17.1	166	5	6	13	21	29	47	66
35-49	76	19.6	236	7	10	16	21	35	63	99+
50-64	433	21.3	168	9	10	18	25	36	48	96
65+	3500	22.2	129	10	12	19	26	36	44	73
TOT. SINGLE DX	1945	17.2	53	9	10	16	20	26	30	42
" MULTIPLE DX	4063	22.0	136	10	12	19	26	36	45	75
TOTAL 0-19 YRS	40	13.1	79	4	4	11	15	26	34	42
20-34	72	15.9	134	5	6	12	18	29	44	64
35-49	127	17.6	194	7	9	14	19	28	48	99
50-64	699	19.0	129	9	10	16	22	31	43	82
65+	5070	20.8	109	10	11	18	25	33	41	64
GRAND TOTAL	6008	20.4	115	9	11	18	24	33	41	68

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	924	4.9	5	2	2	5	6	7	9	13
20-34	1120	5.4	9	2	3	5	6	8	10	17
35-49	393	7.5	35	2	2	5	10	16	20	29
50-64	866	14.3	57	3	4	14	18	23	27	37
65+	1505	17.4	54	8	10	16	20	26	31	42
2. MULTIPLE DX										
0-19 YRS	584	5.7	13	2	3	5	7	9	11	21
20-34	1089	6.6	26	2	3	6	7	11	15	28
35-49	436	8.7	56	2	2	6	11	18	25	40
50-64	969	15.7	97	2	4	15	19	27	34	52
65+	2192	20.4	111	9	11	18	24	33	40	62
TOT. SINGLE DX	4808	10.8	64	2	3	8	16	21	25	37
" MULTIPLE DX	5270	14.1	115	2	4	12	19	27	34	54
TOTAL 0-19 YRS	1508	5.2	8	2	2	5	6	8	10	15
20-34	2209	6.0	18	2	3	5	7	9	13	23
35-49	829	8.1	47	2	2	6	10	17	22	36
50-64	1835	15.1	79	2	4	14	18	25	31	45
65+	3697	19.2	91	8	10	17	22	31	37	56
GRAND TOTAL	10078	12.5	93	2	3	11	17	24	31	46

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1107	3.5	2	1	2	3	4	5	6	9
20-34	2174	3.8	3	2	2	3	5	6	7	11
35-49	951	4.1	10	1	2	4	5	6	8	14
50-64	849	5.0	12	2	2	4	6	9	12	19
65+	355	6.8	28	2	2	5	9	14	17	26
2. MULTIPLE DX										
0-19 YRS	291	4.4	10	2	2	4	5	7	9	19
20-34	950	4.2	11	1	2	3	5	7	9	20
35-49	697	4.9	18	2	2	4	6	9	11	21
50-64	967	6.2	34	2	2	5	7	11	16	29
65+	514	9.2	77	2	3	6	11	20	28	50
TOT. SINGLE DX	5436	4.2	9	2	2	4	5	7	9	16
" MULTIPLE DX	3419	5.7	32	2	2	4	6	10	15	30
TOTAL 0-19 YRS	1398	3.7	4	1	2	3	4	6	7	12
20-34	3124	3.9	6	1	2	3	5	6	8	13
35-49	1648	4.4	14	1	2	4	5	8	10	18
50-64	1816	5.6	25	2	2	4	7	10	14	25
65+	869	8.2	59	2	2	6	10	17	24	39
GRAND TOTAL	**8855**	**4.7**	**18**	**2**	**2**	**4**	**5**	**8**	**11**	**22**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	490	3.4	10	1	1	3	4	7	8	18
20-34	532	3.8	12	1	1	3	5	7	10	21
35-49	520	3.7	16	1	1	3	4	7	9	21
50-64	465	3.2	10	1	1	2	3	6	9	16
65+	153	4.6	30	1	1	2	5	10	15	30
2. MULTIPLE DX										
0-19 YRS	317	6.7	53	1	2	4	7	15	22	40
20-34	392	7.8	86	1	2	4	9	18	27	49
35-49	311	6.6	66	1	2	4	7	13	23	50
50-64	357	6.4	48	1	2	4	8	14	23	37
65+	199	12.2	134	2	2	8	17	28	33	57
TOT. SINGLE DX	2160	3.6	14	1	1	3	4	7	9	19
" MULTIPLE DX	1576	7.6	77	1	2	4	9	18	26	44
TOTAL 0-19 YRS	807	4.7	30	1	1	3	5	9	15	30
20-34	924	5.5	48	1	1	3	6	11	18	41
35-49	831	4.8	37	1	1	3	5	9	14	34
50-64	822	4.6	29	1	1	3	5	10	14	29
65+	352	8.9	103	1	1	5	12	21	30	50
GRAND TOTAL	**3736**	**5.3**	**44**	**1**	**1**	**3**	**6**	**11**	**18**	**36**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1176	2.3	3	<1	1	2	3	4	5	9
20-34	2027	2.3	3	<1	1	2	2	4	5	11
35-49	1200	2.9	10	<1	1	2	3	5	7	16
50-64	871	3.8	15	1	1	3	4	7	11	20
65+	331	4.7	36	1	1	3	5	10	15	37
2. MULTIPLE DX										
0-19 YRS	230	5.1	64	1	1	2	4	10	20	51
20-34	656	4.8	35	1	1	3	5	11	17	30
35-49	731	5.9	43	1	2	4	7	14	18	31
50-64	839	8.1	85	1	2	5	10	18	26	55
65+	533	11.3	132	2	2	8	15	26	34	58
TOT. SINGLE DX	5605	2.8	9	<1	1	2	3	5	7	17
" MULTIPLE DX	2989	7.2	76	1	2	4	9	17	24	46
TOTAL 0-19 YRS	1406	2.7	14	<1	1	2	3	4	6	20
20-34	2683	2.9	13	<1	1	2	3	5	8	20
35-49	1931	4.1	25	1	1	2	4	8	14	24
50-64	1710	5.9	55	1	2	3	7	13	20	38
65+	864	8.8	106	1	2	5	11	21	31	51
GRAND TOTAL	**8594**	**4.3**	**37**	**1**	**1**	**2**	**4**	**9**	**15**	**32**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.6	2	1	1	2	3	5	6	8
20-34	126	3.1	37	1	1	2	3	5	6	25
35-49	213	2.5	2	1	1	2	3	4	4	9
50-64	560	2.6	1	1	1	2	3	4	5	7
65+	348	2.9	3	1	2	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	23	4.3	31	1	1	2	4	11	20	23
20-34	62	4.6	15	1	1	3	6	10	12	19
35-49	137	4.3	19	1	1	3	4	9	12	25
50-64	352	4.1	14	1	2	3	5	8	13	19
65+	229	5.3	42	2	2	3	5	11	19	35
TOT. SINGLE DX	1309	2.7	6	1	1	2	3	4	5	9
" MULTIPLE DX	803	4.5	24	1	2	3	5	9	14	26
TOTAL 0-19 YRS	85	3.0	11	1	1	2	3	5	7	22
20-34	188	3.6	31	1	1	2	4	7	9	19
35-49	350	3.2	10	1	1	2	3	5	8	18
50-64	912	3.2	7	1	1	2	3	5	7	16
65+	577	3.9	20	1	2	3	4	6	11	24
GRAND TOTAL	**2112**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	709	2.2	2	<1	1	2	3	4	5	9
20-34	1198	2.4	3	1	1	2	3	4	6	10
35-49	487	2.5	5	1	1	2	3	4	6	10
50-64	311	3.0	14	1	1	2	3	5	8	22
65+	84	2.5	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	447	2.8	8	1	1	2	3	5	7	16
20-34	879	3.4	22	1	1	2	4	6	9	26
35-49	296	4.0	33	1	1	2	4	7	13	34
50-64	227	3.9	13	1	1	2	4	8	13	18
65+	105	5.2	35	1	1	3	5	12	19	30
TOT. SINGLE DX	2789	2.4	5	1	1	2	3	4	6	10
" MULTIPLE DX	1954	3.5	21	1	1	2	4	6	10	22
TOTAL 0-19 YRS	1156	2.5	5	1	1	2	3	4	6	10
20-34	2077	2.8	12	1	1	2	3	5	7	17
35-49	783	3.1	16	1	1	2	3	6	8	16
50-64	538	3.3	14	1	1	2	4	7	10	19
65+	189	4.0	23	1	1	3	4	8	13	27
GRAND TOTAL	4743	2.9	12	1	1	2	3	5	7	16

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	352	2.9	6	<1	1	2	4	5	6	10
20-34	703	3.0	5	1	1	3	4	5	7	13
35-49	582	3.7	9	1	1	3	4	6	9	14
50-64	647	4.4	14	1	2	4	5	7	9	21
65+	229	5.6	32	2	2	5	7	10	13	32
2. MULTIPLE DX										
0-19 YRS	207	4.7	63	1	1	3	4	8	13	45
20-34	442	4.7	44	1	1	3	5	9	15	34
35-49	375	6.2	61	1	2	4	7	11	20	49
50-64	517	6.7	77	2	2	4	7	13	19	50
65+	274	9.5	133	2	2	5	10	21	34	69
TOT. SINGLE DX	2513	3.8	12	1	1	3	5	7	8	17
" MULTIPLE DX	1815	6.3	75	1	2	4	6	12	21	50
TOTAL 0-19 YRS	559	3.6	29	1	1	2	4	6	8	25
20-34	1145	3.7	21	1	1	3	4	6	9	25
35-49	957	4.7	31	1	1	3	5	8	12	31
50-64	1164	5.4	44	1	2	4	6	9	14	36
65+	503	7.7	91	2	2	5	8	15	28	58
GRAND TOTAL	4328	4.8	40	1	1	3	5	8	13	35

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	822	3.4	4	1	1	3	4	6	7	10
20-34	705	4.0	11	1	1	3	5	7	8	16
35-49	408	3.8	6	1	2	3	5	6	8	14
50-64	296	4.5	10	1	2	4	5	8	10	20
65+	89	7.3	75	2	2	5	9	14	18	56
2. MULTIPLE DX										
0-19 YRS	494	5.1	31	1	2	4	6	9	13	31
20-34	373	5.9	62	1	2	4	6	10	15	53
35-49	225	6.4	73	1	2	4	7	11	18	50
50-64	220	9.2	137	1	2	5	9	20	36	68
65+	111	14.3	190	3	3	9	17	34	47	62
TOT. SINGLE DX	2320	4.0	11	1	1	3	5	7	9	15
" MULTIPLE DX	1423	6.9	81	1	2	4	7	13	21	56
TOTAL 0-19 YRS	1316	4.0	15	1	1	3	5	7	9	18
20-34	1078	4.7	30	1	1	4	5	8	10	27
35-49	633	4.7	32	1	2	4	5	8	11	26
50-64	516	6.5	70	1	2	4	7	12	19	58
65+	200	11.2	151	2	3	7	13	27	39	62
GRAND TOTAL	3743	5.1	40	1	2	4	5	9	13	36

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	2.4	3	<1	1	2	3	5	7	9
20-34	261	3.2	13	1	1	2	3	7	10	20
35-49	198	3.3	16	1	1	2	3	7	10	25
50-64	161	4.0	42	1	1	2	3	9	14	28
65+	93	3.1	10	1	1	2	4	6	9	20
2. MULTIPLE DX										
0-19 YRS	72	4.8	35	1	1	3	6	10	17	35
20-34	188	4.7	26	1	1	3	6	11	15	25
35-49	159	8.1	120	1	1	4	9	23	34	53
50-64	169	7.4	87	1	1	3	9	19	26	46
65+	116	8.9	142	1	1	4	11	23	33	69
TOT. SINGLE DX	855	3.2	18	1	1	2	3	7	10	21
" MULTIPLE DX	704	6.8	85	1	1	3	8	17	25	46
TOTAL 0-19 YRS	214	3.2	16	1	1	2	3	7	10	20
20-34	449	3.9	20	1	1	2	4	9	14	20
35-49	357	5.4	68	1	1	2	5	13	23	45
50-64	330	5.7	68	1	1	3	6	14	21	44
65+	209	6.3	92	1	1	3	6	16	24	51
GRAND TOTAL	1559	4.8	51	1	1	2	5	11	18	38

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.7	5	1	1	3	6	7	7	7
20-34	18	4.9	38	1	1	2	4	17	19	20
35-49	11	16.2	802	2	2	6	10	58	95	98
50-64	16	5.9	35	1	2	3	7	16	19	20
65+	8	7.3	42	1	2	6	8	18	22	22
2. MULTIPLE DX										
0-19 YRS	9	16.7	178	3	3	12	27	36	41	41
20-34	18	8.9	73	1	1	5	17	22	25	26
35-49	9	23.1	316	2	3	19	36	50	54	54
50-64	14	14.6	133	2	4	12	20	30	41	44
65+	22	25.9	608	1	2	17	35	69	76	79
TOT. SINGLE DX	60	7.4	180	1	1	4	8	17	21	91
" MULTIPLE DX	72	18.0	324	1	2	12	23	44	64	78
TOTAL 0-19 YRS	16	11.0	141	1	2	6	16	29	37	41
20-34	36	6.9	58	1	1	4	12	19	23	26
35-49	20	19.3	568	2	2	9	27	49	76	98
50-64	30	10.0	98	2	2	5	15	22	29	44
65+	30	20.9	521	1	2	11	23	66	74	79
GRAND TOTAL	132	13.2	284	1	1	7	18	30	48	82

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	5.5	43	1	1	4	6	10	15	36
20-34	60	6.0	56	1	2	4	6	11	19	44
35-49	54	8.0	62	2	2	4	12	20	26	36
50-64	72	8.4	105	1	2	5	9	19	38	50
65+	104	11.0	210	2	2	5	11	27	41	75
2. MULTIPLE DX										
0-19 YRS	37	9.4	196	1	1	4	10	30	58	99+
20-34	87	14.0	246	2	3	9	19	37	60	99+
35-49	162	17.0	219	2	3	13	23	38	52	63
50-64	448	21.2	322	3	4	16	31	45	60	99+
65+	812	21.9	276	3	5	19	30	45	57	93
TOT. SINGLE DX	351	8.2	114	1	2	5	9	17	34	56
" MULTIPLE DX	1546	20.4	288	3	4	16	28	44	59	97
TOTAL 0-19 YRS	98	7.0	103	1	1	4	8	15	32	88
20-34	147	10.7	183	2	2	6	13	27	45	99+
35-49	216	14.7	195	2	3	10	20	35	47	62
50-64	520	19.5	311	2	3	14	28	44	59	98
65+	916	20.7	281	3	4	17	28	44	55	90
GRAND TOTAL	1897	18.2	278	2	3	14	26	41	55	93

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	12.5	15	7	8	12	13	18	21	21
20-34	11	16.0	199	5	6	12	17	35	54	56
35-49	12	18.4	171	5	6	16	26	37	46	48
50-64	25	33.8	384	13	16	26	41	56	82	87
65+	66	23.7	147	8	10	22	30	40	48	58
2. MULTIPLE DX										
0-19 YRS	7	34.7	463	10	11	38	49	66	69	69
20-34	44	29.0	556	6	9	20	38	73	90	99+
35-49	92	29.8	311	9	10	25	39	56	63	98
50-64	377	32.9	345	11	14	29	44	62	82	99+
65+	1061	32.8	364	11	14	28	43	62	81	99+
TOT. SINGLE DX	124	23.6	225	7	9	20	30	48	52	82
" MULTIPLE DX	1581	32.6	362	10	13	28	43	62	82	99+
TOTAL 0-19 YRS	17	21.6	309	8	9	13	25	50	63	69
20-34	55	26.4	507	6	8	17	34	63	88	99+
35-49	104	28.4	307	8	9	24	38	55	60	97
50-64	402	32.9	347	11	14	29	44	61	82	99+
65+	1127	32.3	356	11	14	28	42	61	81	99+
GRAND TOTAL	1705	31.9	358	10	13	28	42	60	81	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.5	25	5	5	11	15	15	15	15
20-34	7	12.1	64	5	5	9	18	25	26	26
35-49	4	22.5	65	15	15	22	29	30	30	30
50-64	22	15.2	52	8	9	13	16	26	33	37
65+	75	22.1	247	6	9	19	27	43	62	74
2. MULTIPLE DX										
0-19 YRS	5	27.0	396	9	9	17	39	59	59	59
20-34	21	29.1	286	10	12	24	43	82	99+	99+
35-49	41	31.0	333	7	12	30	39	63	69	75
50-64	221	32.3	373	9	11	28	44	65	79	99+
65+	1170	27.5	293	9	11	22	36	53	66	96
TOT. SINGLE DX	114	19.6	194	6	8	16	25	36	48	74
" MULTIPLE DX	1458	28.3	309	9	11	23	38	56	67	99+
TOTAL 0-19 YRS	11	18.0	245	5	5	15	17	43	58	59
20-34	28	24.9	283	7	8	22	41	66	99+	99+
35-49	45	30.2	314	7	12	30	38	62	67	75
50-64	243	30.7	368	9	10	26	42	63	78	99+
65+	1245	27.2	292	9	11	22	35	52	66	96
GRAND TOTAL	1572	27.7	306	9	11	22	36	55	67	99

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.1	49	2	3	8	13	21	23	23
20-34	12	16.0	444	1	2	10	16	45	72	77
35-49	6	23.2	355	3	4	19	33	53	55	55
50-64	12	19.8	232	3	4	18	24	38	57	60
65+	13	25.9	240	4	12	25	30	42	63	68
2. MULTIPLE DX										
0-19 YRS	8	26.1	638	4	4	16	45	66	72	72
20-34	25	31.8	371	3	4	33	52	59	71	99+
35-49	32	35.4	692	8	11	28	71	99+	99+	99+
50-64	131	31.6	295	10	13	30	42	53	68	99+
65+	178	32.3	355	7	11	30	44	62	75	99+
TOT. SINGLE DX	53	19.0	273	2	3	16	25	35	59	77
" MULTIPLE DX	374	32.1	367	7	12	30	44	62	83	99+
TOTAL 0-19 YRS	18	17.2	356	3	4	11	20	47	64	72
20-34	37	26.6	439	2	3	22	48	58	72	99+
35-49	38	33.5	649	6	11	27	59	98	99+	99+
50-64	143	30.6	300	7	13	29	41	52	66	99+
65+	191	31.9	349	7	12	29	43	61	74	99+
GRAND TOTAL	427	30.5	373	5	9	27	42	61	80	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	4.2	19	1	1	3	6	9	14	22
20-34	35	5.5	16	1	1	5	7	10	11	22
35-49	16	11.8	165	1	2	8	11	37	45	47
50-64	16	7.4	43	2	2	5	9	13	24	28
65+	7	3.6	4	1	1	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	18	5.4	11	1	2	5	9	10	11	11
20-34	29	8.7	30	2	3	7	11	15	22	26
35-49	11	12.0	120	1	1	8	16	31	34	34
50-64	11	5.8	15	2	2	4	7	13	15	15
65+	6	11.8	109	4	4	9	12	30	32	32
TOT. SINGLE DX	117	6.0	46	1	1	5	7	11	17	42
" MULTIPLE DX	75	8.2	46	1	2	7	11	15	25	33
TOTAL 0-19 YRS	61	4.6	18	1	1	3	6	10	11	22
20-34	64	6.9	25	1	2	6	9	12	18	25
35-49	27	11.9	142	1	1	8	14	33	40	47
50-64	27	6.7	32	2	2	5	8	13	17	28
65+	13	7.4	66	1	2	5	8	16	29	32
GRAND TOTAL	192	6.9	47	1	1	5	9	13	21	37

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.3	15	1	1	2	3	7	13	23
20-34	108	4.8	41	1	1	3	5	10	14	39
35-49	94	5.3	68	1	1	3	5	12	18	49
50-64	88	5.7	38	1	1	4	7	13	17	35
65+	47	9.3	116	1	1	7	10	21	31	61
2. MULTIPLE DX										
0-19 YRS	18	4.4	41	<1	1	2	5	7	20	29
20-34	56	6.7	77	1	1	3	6	17	31	38
35-49	61	10.6	111	1	2	7	14	27	34	45
50-64	127	17.1	302	2	2	12	21	41	57	99
65+	160	18.9	220	2	4	14	28	40	47	73
TOT. SINGLE DX	389	5.5	55	1	1	3	6	12	17	38
" MULTIPLE DX	422	14.9	226	1	2	10	20	37	44	75
TOTAL 0-19 YRS	70	3.6	22	1	1	2	3	7	14	28
20-34	164	5.5	54	1	1	3	6	11	22	38
35-49	155	7.4	92	1	1	3	9	18	27	46
50-64	215	12.4	225	1	2	7	16	36	44	86
65+	207	16.7	213	2	3	12	24	37	45	69
GRAND TOTAL	811	10.4	166	1	1	5	13	29	38	65

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	3.1	1	2	2	3	4	5	5	5
35-49	4	8.8	165	2	2	3	15	28	28	28
50-64	13	8.2	47	2	3	6	9	18	26	28
65+	9	14.9	69	2	4	13	21	26	26	26
2. MULTIPLE DX										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	3	11.0	271	1	1	2	23	30	30	30
35-49	9	6.6	29	1	1	6	10	15	18	18
50-64	7	14.7	185	3	3	7	25	36	38	38
65+	18	14.4	65	4	6	11	18	24	32	36
TOT. SINGLE DX	39	8.1	63	2	2	4	11	23	27	28
" MULTIPLE DX	41	11.5	92	1	2	9	17	27	33	38
TOTAL 0-19 YRS	6	3.3	3	2	2	3	5	6	6	6
20-34	14	4.8	54	1	2	3	4	7	25	30
35-49	13	7.2	62	1	1	4	10	20	26	28
50-64	20	10.5	99	2	3	6	13	28	33	38
65+	27	14.6	64	4	5	12	20	25	27	36
GRAND TOTAL	80	9.8	80	2	2	6	14	25	29	37

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	663	2.2	1	<1	1	2	2	3	4	7
20-34	2716	2.3	2	<1	1	2	3	3	4	9
35-49	4527	2.5	5	1	1	2	3	4	5	10
50-64	2533	3.0	6	1	1	2	3	5	8	14
65+	1258	3.9	12	1	2	3	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	142	3.7	24	1	1	2	4	7	8	21
20-34	1274	3.7	14	1	1	2	4	8	11	21
35-49	2824	4.3	25	1	2	3	5	9	13	25
50-64	2345	6.0	51	1	2	3	7	13	19	38
65+	1989	8.6	74	2	2	6	11	18	24	45
TOT. SINGLE DX	11697	2.7	6	1	1	2	3	4	6	12
" MULTIPLE DX	8574	5.7	46	1	2	3	7	13	18	36
TOTAL 0-19 YRS	805	2.5	6	<1	1	2	3	4	5	10
20-34	3990	2.7	7	<1	1	2	3	4	7	15
35-49	7351	3.2	14	1	1	2	3	6	9	18
50-64	4878	4.4	30	1	2	3	4	9	13	29
65+	3247	6.8	56	2	2	4	9	15	20	39
GRAND TOTAL	20271	4.0	25	1	1	2	4	8	12	24

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	2.9	1	1	1	2	4	5	6	8
20-34	94	2.8	2	1	1	2	3	5	6	8
35-49	121	5.1	11	1	2	5	7	10	11	17
50-64	162	5.4	19	2	2	5	7	9	14	22
65+	255	8.0	18	2	3	7	10	13	16	22
2. MULTIPLE DX										
0-19 YRS	27	5.7	62	1	1	3	4	15	21	38
20-34	50	4.9	8	1	2	4	6	10	11	12
35-49	147	6.9	16	2	3	6	9	13	14	22
50-64	231	9.0	53	2	3	7	10	19	25	42
65+	574	12.2	75	3	4	10	15	23	30	45
TOT. SINGLE DX	729	5.6	17	2	2	5	7	11	14	19
" MULTIPLE DX	1029	10.2	64	2	3	8	13	20	27	42
TOTAL 0-19 YRS	124	3.5	16	1	1	3	4	5	7	23
20-34	144	3.5	5	1	1	3	4	6	8	11
35-49	268	6.1	15	2	2	5	8	11	13	20
50-64	393	7.5	43	2	2	6	8	15	24	38
65+	829	10.9	62	3	4	9	14	20	27	40
GRAND TOTAL	1758	8.3	50	2	2	6	10	16	22	38

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.8	13	<1	<1	2	6	9	9	9
20-34	133	7.9	9	4	4	8	9	12	13	19
35-49	739	8.0	9	4	5	8	9	12	13	18
50-64	1221	9.0	12	5	6	8	10	13	15	22
65+	1132	9.5	14	5	6	9	11	14	16	24
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	131	9.8	29	5	6	9	11	15	20	38
35-49	839	9.6	21	5	6	8	11	15	19	26
50-64	1610	10.8	31	5	6	9	12	17	21	33
65+	1924	12.4	49	6	7	10	15	20	25	39
TOT. SINGLE DX	3229	8.9	13	5	5	8	10	13	15	22
" MULTIPLE DX	4506	11.2	38	5	6	10	13	18	22	37
TOTAL 0-19 YRS	6	4.2	12	<1	<1	3	8	9	9	9
20-34	264	8.9	20	4	5	8	10	13	16	25
35-49	1578	8.9	17	5	5	8	10	13	16	24
50-64	2831	10.0	24	5	6	9	11	15	19	27
65+	3056	11.3	39	5	6	10	13	18	22	36
GRAND TOTAL	7735	10.3	29	5	6	9	12	16	20	33

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	3.3	3	1	2	3	4	5	7	10
20-34	1071	3.6	5	1	1	3	5	6	7	12
35-49	726	4.0	5	1	2	4	5	7	8	11
50-64	330	4.2	4	2	2	4	5	7	9	12
65+	85	4.7	16	1	2	4	6	7	10	27
2. MULTIPLE DX										
0-19 YRS	93	4.4	26	1	2	3	5	7	9	36
20-34	565	4.7	19	1	2	4	5	8	11	21
35-49	847	5.1	14	2	2	4	6	9	11	19
50-64	495	5.6	19	2	2	5	6	10	14	24
65+	134	6.9	35	2	2	5	8	14	22	28
TOT. SINGLE DX	2589	3.8	6	1	1	3	5	6	8	12
" MULTIPLE DX	2134	5.2	19	1	2	4	6	9	12	25
TOTAL 0-19 YRS	470	3.6	8	1	2	3	4	6	7	12
20-34	1636	4.0	11	1	1	3	5	6	8	16
35-49	1573	4.6	11	1	2	4	6	8	10	17
50-64	825	5.1	14	2	2	4	6	8	11	20
65+	219	6.1	29	2	2	5	7	11	17	29
GRAND TOTAL	4723	4.4	12	1	2	4	5	7	10	18

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1292	4.0	3	2	2	4	5	6	8	10
20-34	2343	4.2	8	2	2	4	5	7	8	13
35-49	326	4.0	6	1	2	3	5	6	8	13
50-64	82	4.6	9	2	2	4	6	8	9	20
65+	23	6.5	54	1	2	3	7	17	27	28
2. MULTIPLE DX										
0-19 YRS	202	5.6	28	2	2	4	6	10	13	26
20-34	425	5.6	23	2	2	5	6	9	13	23
35-49	144	6.8	38	2	3	5	8	14	19	55
50-64	80	7.6	37	2	2	6	10	15	21	32
65+	24	11.0	74	2	3	9	15	25	28	32
TOT. SINGLE DX	4066	4.1	7	2	2	4	5	6	8	12
" MULTIPLE DX	875	6.2	31	2	2	5	7	12	15	28
TOTAL 0-19 YRS	1494	4.2	7	2	2	4	5	7	8	13
20-34	2768	4.4	11	2	2	4	5	7	9	15
35-49	470	4.8	18	2	2	4	6	8	12	24
50-64	162	6.1	26	2	2	4	7	12	16	25
65+	47	8.8	68	2	2	5	11	25	27	32
GRAND TOTAL	4941	4.5	12	2	2	4	5	7	9	17

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1817	2.6	9	<1	1	2	3	4	7	15
20-34	2043	3.5	16	1	1	2	4	6	9	20
35-49	1582	3.7	19	1	1	2	4	7	11	20
50-64	1455	4.2	21	1	1	3	4	9	12	24
65+	956	5.5	44	1	1	3	6	12	18	35
2. MULTIPLE DX										
0-19 YRS	771	5.6	80	1	1	3	6	11	20	45
20-34	1789	8.2	101	1	2	5	9	20	31	66
35-49	2215	8.6	98	1	2	6	11	18	27	52
50-64	3198	9.6	99	2	2	7	12	21	28	53
65+	3613	11.7	121	2	2	8	15	24	34	61
TOT. SINGLE DX	7853	3.7	21	<1	1	2	4	7	11	23
" MULTIPLE DX	11586	9.6	108	1	2	6	12	21	29	57
TOTAL 0-19 YRS	2588	3.5	33	<1	1	2	3	6	10	26
20-34	3832	5.6	62	1	1	3	6	13	20	44
35-49	3797	6.6	71	1	1	4	8	14	21	42
50-64	4653	7.9	82	1	2	5	10	18	24	47
65+	4569	10.4	112	2	2	7	13	22	32	57
GRAND TOTAL	19439	7.2	81	1	1	4	9	17	24	48

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2389	4.4	34	1	1	3	5	9	14	32
20-34	2546	5.3	43	1	1	3	6	11	16	34
35-49	1313	6.0	52	1	1	4	7	13	17	36
50-64	1060	7.6	97	1	1	5	9	16	22	57
65+	870	9.9	132	1	2	6	13	24	34	63
2. MULTIPLE DX										
0-19 YRS	3402	6.2	76	1	1	3	7	14	22	50
20-34	4945	7.5	117	1	1	4	8	17	29	64
35-49	2694	10.2	144	1	1	6	13	25	37	64
50-64	3060	13.8	220	1	2	9	18	33	45	82
65+	4127	16.2	240	2	3	11	22	38	51	85
TOT. SINGLE DX	8178	5.9	62	1	1	3	7	13	19	41
" MULTIPLE DX	18228	10.7	174	1	1	6	13	27	40	71
TOTAL 0-19 YRS	5791	5.5	60	1	1	3	6	12	20	43
20-34	7491	6.7	94	1	1	4	8	14	24	57
35-49	4007	8.8	119	1	1	5	10	21	32	59
50-64	4120	12.2	196	1	2	8	15	29	42	76
65+	4997	15.1	227	2	2	10	20	36	49	83
GRAND TOTAL	26406	9.2	144	1	1	5	11	23	35	64

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	7.4	62	1	1	5	10	17	23	38
20-34	455	8.2	93	1	1	5	10	19	28	46
35-49	252	8.9	81	1	1	6	11	21	26	41
50-64	261	11.7	176	1	1	8	15	26	35	67
65+	258	17.3	261	1	2	13	24	38	46	78
2. MULTIPLE DX										
0-19 YRS	297	18.0	271	2	3	13	28	39	52	80
20-34	472	17.1	245	2	2	13	23	39	53	99
35-49	328	18.6	301	2	2	14	26	44	63	99+
50-64	477	22.2	308	2	3	19	31	46	59	87
65+	718	27.7	317	5	8	25	39	55	69	99+
TOT. SINGLE DX	1633	10.1	135	1	1	6	13	24	33	61
" MULTIPLE DX	2292	21.8	311	2	3	18	31	48	62	99+
TOTAL 0-19 YRS	704	11.9	178	1	1	7	15	29	38	69
20-34	927	12.7	191	1	2	8	17	30	43	76
35-49	580	14.3	229	1	2	9	20	34	47	84
50-64	738	18.5	287	1	2	14	26	42	55	84
65+	976	25.0	324	2	5	22	35	52	65	99+
GRAND TOTAL	3925	16.9	271	1	2	12	24	41	53	87

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	3.9	26	1	1	2	4	8	13	32
20-34	192	4.6	48	1	1	2	4	11	22	36
35-49	106	5.8	54	1	1	3	7	15	26	34
50-64	70	7.0	55	1	1	4	11	19	24	86
65+	32	9.8	121	1	1	5	15	23	39	42
2. MULTIPLE DX										
0-19 YRS	73	5.7	96	1	1	3	5	10	20	62
20-34	147	13.2	288	1	2	6	17	39	51	99+
35-49	85	17.0	366	1	2	7	31	44	60	74
50-64	105	16.7	372	1	2	10	24	50	68	99+
65+	95	21.8	608	1	2	12	37	63	96	99+
TOT. SINGLE DX	527	5.3	52	1	1	2	6	14	22	36
" MULTIPLE DX	505	15.1	372	1	2	6	22	46	65	99+
TOTAL 0-19 YRS	200	4.5	53	1	1	2	5	8	16	42
20-34	339	8.3	170	1	1	3	9	23	38	89
35-49	191	10.8	223	1	1	4	11	33	42	66
50-64	175	12.8	267	1	2	6	17	40	62	99+
65+	127	18.8	511	1	2	9	28	58	82	99+
GRAND TOTAL	1032	10.1	232	1	1	4	11	32	47	93

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	804	2.4	5	1	1	2	3	4	5	11
20-34	607	3.2	9	1	1	2	4	6	7	13
35-49	416	3.5	11	1	1	3	4	6	8	13
50-64	476	3.0	5	1	1	3	4	5	6	12
65+	193	3.5	9	1	1	3	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	397	4.4	56	1	1	3	4	9	12	41
20-34	523	5.5	39	1	2	4	6	11	15	32
35-49	643	6.4	45	1	2	5	8	12	17	31
50-64	800	7.1	65	2	2	5	8	15	22	44
65+	620	9.9	85	2	2	7	13	20	27	50
TOT. SINGLE DX	2496	3.0	8	1	1	2	3	5	7	13
" MULTIPLE DX	2983	6.9	63	1	2	4	8	14	21	42
TOTAL 0-19 YRS	1201	3.1	24	1	1	2	3	5	8	17
20-34	1130	4.3	25	1	1	3	5	8	11	29
35-49	1059	5.3	34	1	1	4	6	10	14	30
50-64	1276	5.6	47	1	1	3	6	11	17	36
65+	813	8.4	75	1	2	6	11	18	24	44
GRAND TOTAL	5479	5.1	42	1	1	3	6	11	16	33

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	4.8	37	<1	1	4	5	8	13	41
20-34	86	6.4	53	1	2	4	8	13	18	43
35-49	68	6.5	40	2	2	5	8	13	16	41
50-64	73	6.3	43	2	2	4	7	13	20	38
65+	43	8.7	97	1	2	5	9	22	29	51
2. MULTIPLE DX										
0-19 YRS	85	7.0	72	2	2	5	7	15	20	54
20-34	147	8.5	52	2	3	6	10	15	22	43
35-49	165	9.5	73	2	3	7	11	18	30	45
50-64	241	10.7	70	2	3	8	13	21	26	44
65+	429	13.0	110	4	4	10	15	24	30	53
TOT. SINGLE DX	346	6.3	51	1	2	4	7	13	19	45
" MULTIPLE DX	1067	10.8	88	2	3	8	13	21	29	46
TOTAL 0-19 YRS	161	5.9	57	1	1	4	6	11	17	47
20-34	233	7.7	54	2	2	6	9	14	20	44
35-49	233	8.6	66	2	2	6	10	17	23	45
50-64	314	9.7	67	2	2	7	13	21	25	43
65+	472	12.6	110	3	4	10	15	24	30	51
GRAND TOTAL	1413	9.7	83	2	2	7	12	20	26	46

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	315	5.3	22	1	2	3	7	11	15	23
20-34	4215	6.0	26	1	2	4	8	13	16	24
35-49	5372	6.4	28	1	2	4	9	13	17	24
50-64	2985	6.5	30	1	2	5	9	14	18	26
65+	646	7.5	46	2	2	5	10	16	20	34
2. MULTIPLE DX										
0-19 YRS	153	7.2	37	1	2	5	9	15	20	31
20-34	2368	8.9	52	2	2	7	12	18	23	35
35-49	3910	9.1	51	2	2	7	12	18	22	36
50-64	3605	10.0	69	2	2	8	13	20	25	41
65+	1690	12.2	105	2	3	9	16	26	32	51
TOT. SINGLE DX	13533	6.3	29	1	2	4	9	13	17	25
" MULTIPLE DX	11726	9.8	66	2	2	8	13	19	25	41
TOTAL 0-19 YRS	468	5.9	28	1	2	4	8	12	17	24
20-34	6583	7.0	38	1	2	5	10	15	19	28
35-49	9282	7.5	40	2	2	6	10	16	19	30
50-64	6590	8.4	55	2	2	6	11	18	22	36
65+	2336	10.9	93	2	2	8	15	23	31	45
GRAND TOTAL	25259	7.9	49	2	2	6	11	17	21	34

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	5.6	37	2	2	3	7	12	15	36
20-34	427	5.9	29	2	2	4	7	12	17	29
35-49	558	5.7	28	2	2	4	7	11	15	23
50-64	1047	5.4	26	2	2	4	7	11	14	27
65+	859	6.0	36	2	2	4	8	12	18	32
2. MULTIPLE DX										
0-19 YRS	85	7.4	38	2	2	6	8	15	22	30
20-34	384	10.4	136	2	2	7	12	22	31	68
35-49	857	9.6	81	2	2	7	12	19	29	50
50-64	2641	9.4	83	2	2	7	12	19	25	48
65+	2937	10.2	88	2	2	8	13	21	28	52
TOT. SINGLE DX	2988	5.7	31	2	2	4	7	12	16	29
" MULTIPLE DX	6904	9.8	88	2	2	7	12	20	27	50
TOTAL 0-19 YRS	182	6.4	39	2	2	4	8	13	19	30
20-34	811	8.0	85	2	2	5	10	16	24	43
35-49	1415	8.0	64	2	2	6	10	16	22	43
50-64	3688	8.3	70	2	2	6	10	17	23	43
65+	3796	9.2	80	2	2	7	12	19	25	47
GRAND TOTAL	9892	8.6	74	2	2	6	11	18	24	44

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	22	3.9	16	1	2	2	3	10	15	17
35-49	211	3.5	10	1	2	2	3	7	11	17
50-64	329	3.3	6	2	2	2	3	7	10	13
65+	74	3.9	11	1	2	3	8	9	11	19
2. MULTIPLE DX										
0-19 YRS	6	3.7	4	2	2	3	5	7	7	7
20-34	43	5.9	21	2	2	4	9	14	15	17
35-49	467	5.2	21	2	2	3	7	12	15	20
50-64	1137	5.4	24	1	2	3	8	13	16	23
65+	431	6.9	40	2	2	5	10	15	19	26
TOT. SINGLE DX	638	3.5	9	1	2	2	3	7	10	16
" MULTIPLE DX	2084	5.7	27	2	2	3	8	13	16	24
TOTAL 0-19 YRS	8	4.4	10	2	2	3	6	10	11	11
20-34	65	5.2	20	2	2	3	7	13	15	17
35-49	678	4.7	19	2	2	3	6	11	14	19
50-64	1466	4.9	21	2	2	3	6	11	15	22
65+	505	6.5	37	2	2	4	9	14	18	25
GRAND TOTAL	2722	5.2	24	2	2	3	7	12	15	22

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	4.9	19	1	1	3	7	11	14	19
20-34	1085	5.9	22	1	2	5	9	12	14	19
35-49	1246	5.9	25	1	2	4	8	12	16	22
50-64	1815	5.9	32	1	2	4	8	13	16	26
65+	1463	6.1	36	1	2	4	8	13	16	29
2. MULTIPLE DX										
0-19 YRS	196	8.0	64	1	2	6	11	15	19	38
20-34	1229	8.8	68	2	2	7	11	16	22	45
35-49	2458	8.7	59	2	2	7	12	18	23	38
50-64	5670	8.7	65	2	2	7	12	18	23	41
65+	6516	10.6	87	2	2	9	14	21	27	48
TOT. SINGLE DX	5850	5.9	30	1	2	4	8	13	16	24
" MULTIPLE DX	16069	9.5	75	2	2	7	13	19	25	44
TOTAL 0-19 YRS	437	6.3	42	1	2	4	8	14	16	33
20-34	2314	7.4	49	1	2	6	10	14	18	34
35-49	3704	7.7	50	2	2	6	10	16	20	35
50-64	7485	8.0	59	2	2	6	11	17	22	37
65+	7979	9.8	81	2	2	8	13	20	26	45
GRAND TOTAL	21919	8.5	65	2	2	6	11	17	23	39

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25724	4.0	16	1	1	3	5	7	9	19
20-34	32950	4.9	25	1	1	4	6	9	12	26
35-49	21299	5.7	27	1	2	4	7	11	15	27
50-64	18639	6.4	33	1	2	5	8	12	16	29
65+	16144	7.7	42	2	2	6	10	15	19	35
2. MULTIPLE DX										
0-19 YRS	28037	5.3	36	1	1	4	6	10	14	33
20-34	44178	6.5	39	1	2	5	8	12	17	33
35-49	48917	7.6	41	2	2	6	9	14	19	33
50-64	78959	8.7	50	2	3	7	11	16	21	37
65+	135505	10.4	66	3	3	8	13	20	26	42
TOT. SINGLE DX	114756	5.5	29	1	1	4	7	11	14	28
" MULTIPLE DX	335596	8.7	56	2	3	7	11	17	22	39
TOTAL 0-19 YRS	53761	4.7	28	1	1	3	5	8	11	28
20-34	77128	5.8	34	1	2	4	7	11	15	30
35-49	70216	7.0	38	2	2	5	9	13	18	32
50-64	97598	8.3	48	2	3	6	10	16	21	36
65+	151649	10.2	65	2	3	8	13	19	25	42
GRAND TOTAL	450352	7.9	51	2	2	6	10	16	21	36

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8123	8.1	134	1	2	4	7	20	32	67
20-34	7580	9.4	89	2	2	6	11	20	28	49
35-49	6521	9.1	61	2	3	7	11	18	24	40
50-64	5326	9.2	63	2	3	7	12	18	23	41
65+	4296	10.5	79	2	3	8	13	20	27	47
2. MULTIPLE DX										
0-19 YRS	7672	8.6	115	2	2	5	9	19	31	64
20-34	9196	10.0	92	2	3	7	12	21	29	52
35-49	10709	9.9	67	2	3	8	12	19	26	43
50-64	15631	10.5	71	3	3	8	13	19	25	44
65+	27887	12.6	89	3	4	10	16	24	30	50
TOT. SINGLE DX	31846	9.1	90	1	2	6	11	19	27	50
" MULTIPLE DX	71095	10.9	87	2	3	8	14	21	29	50
TOTAL 0-19 YRS	15795	8.3	125	1	2	5	8	20	31	65
20-34	16776	9.7	91	2	2	7	12	21	29	50
35-49	17230	9.6	65	2	3	7	12	19	25	42
50-64	20957	10.2	70	2	3	8	13	19	25	44
65+	32183	12.3	89	3	4	10	15	23	30	49
GRAND TOTAL	102941	10.4	89	2	3	8	13	21	28	50

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17801	4.4	21	1	2	3	5	7	9	22
20-34	8729	5.4	43	1	1	4	6	10	16	36
35-49	6074	6.5	39	1	2	5	8	13	18	32
50-64	6507	7.1	39	1	2	5	9	14	17	30
65+	6299	8.3	50	2	2	6	11	16	20	36
2. MULTIPLE DX										
0-19 YRS	23180	5.6	43	1	2	4	6	10	15	38
20-34	13407	6.7	58	1	2	5	8	13	20	43
35-49	15953	7.7	46	2	2	6	10	15	20	36
50-64	30407	8.8	54	2	3	7	11	17	21	39
65+	58714	10.5	69	3	3	8	13	20	26	43
TOT. SINGLE DX	45410	5.8	37	1	2	4	7	12	15	31
" MULTIPLE DX	141661	8.7	62	2	2	6	11	17	23	41
TOTAL 0-19 YRS	40981	5.1	35	1	2	4	6	8	12	33
20-34	22136	6.2	53	1	1	4	7	12	18	40
35-49	22027	7.4	45	1	2	5	9	15	19	35
50-64	36914	8.5	53	2	3	7	11	16	21	37
65+	65013	10.3	68	2	3	8	13	20	25	43
GRAND TOTAL	**187071**	**8.0**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin